

QGIS Application - Bug report #1052
Uninitialized field variables in QgsPostgresProvider in trunk r8383

2008-04-29 12:12 AM - shader -

Status:	Closed	
Priority:	Low	
Assignee:	nobody -	
Category:	Data Provider	
Affected QGIS version:		Regression?: No
Operating System:	All	Easy fix?: No
Pull Request or Patch supplied:		Resolution: fixed
Crashes QGIS or corrupts data:		Copied to github as #: 11112
Description		
<p>[[QgsPostgresProvider]] has bug in uninitialized variables like useWkbHex and others that must be initialized in [[QgsPostgresProvider]]::postgisVersion. But if we have 2 and more layers from same [[PostgreSQL]] database then 1st layer has properly initialized, but 2nd and others hasn't. Function postgisVersion not executed for that layers. It may be fixed by simple patch (attached)</p>		

Associated revisions

Revision d0c0676b - 2008-04-30 09:04 PM - Jürgen Fischer

fix #1052

git-svn-id: <http://svn.osgeo.org/qgis/trunk/qgis@8389> c8812cc2-4d05-0410-92ff-de0c093fc19c

Revision 518a97b8 - 2008-04-30 09:04 PM - Jürgen Fischer

fix #1052

git-svn-id: <http://svn.osgeo.org/qgis/trunk@8389> c8812cc2-4d05-0410-92ff-de0c093fc19c

History

#1 - 2008-04-30 12:05 PM - Jürgen Fischer

- Resolution set to fixed
- Status changed from Open to Closed

fixed in commit:518a97b8 (SVN r8390)

Files

qgis-0.10-alt-fix-postgres-provider.diff	469 Bytes	2008-04-28	shader -
--	-----------	------------	----------