

QGIS Application - Bug report #10666

Accented characters in FileParameter

2014-06-21 01:21 AM - Etienne Trimaille

Status:	Closed	
Priority:	Low	
Assignee:	Victor Olaya	
Category:	Processing/Core	
Affected QGIS version:	master	Regression?: No
Operating System:	Ubuntu 12.04 LTS	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution:
Crashes QGIS or corrupts data:	No	Copied to github as #: 19065
Description		
<p>I get this error while trying to enter a path with some accented characters in a FileParameter :</p> <p>Traceback (most recent call last): File "/home/etienne/.qgis2/python/plugins/processing/gui/AlgorithmExecutionDialog.py", line 225, in accept self.setParamValues() File "/home/etienne/.qgis2/python/plugins/processing/gui/AlgorithmExecutionDialog.py", line 151, in setParamValues self.paramTable.valueItems[param.name]: File "/home/etienne/.qgis2/python/plugins/processing/gui/AlgorithmExecutionDialog.py", line 210, in setParamValue return param.setValue(widget.getValue()) File "/home/etienne/.qgis2/python/plugins/processing/parameters/ParameterFile.py", line 48, in setValue self.value = str(obj) UnicodeEncodeError: 'ascii' codec can't encode character u'\xe9' in position 15: ordinal not in range(128)</p>		

History

#1 - 2014-06-21 07:39 AM - Giovanni Manghi

- Status changed from Open to Feedback

are you using qgis master? if yes please also check that you don't have a "processing" folder in .qgis2/python/plugins

#2 - 2014-06-26 06:09 AM - Etienne Trimaille

- Status changed from Feedback to Closed

You're right, I was running qgis master with a processing folder in ".qgis2/python/plugins".
I renamed the folder, so it works now with "/home/etienne/apps/share/qgis/python/plugins/processing"

#3 - 2015-06-07 04:31 AM - Giovanni Manghi

- Category changed from 94 to Processing/Core