

QGIS Application - Bug report #1150

GRASS toolbox segmentation fault on OS X

2008-07-11 10:44 AM - John Tull

Status:	Closed	
Priority:	Low	
Assignee:	Tim Sutton	
Category:	GRASS	
Affected QGIS version:		Regression?: No
Operating System:	OS X	Easy fix?: No
Pull Request or Patch supplied:		Resolution: fixed
Crashes QGIS or corrupts data:		Copied to github as #: 11210
Description		
Loading the GRASS toolbox on OS X is causing a seg fault in svn 8753.		
DEBUG CONSOLE OUTPUT (crash report below):		
<pre>7/11/08 9:12:28 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: 7/11/08 9:12:28 AM [0x0-0x3f23f2].org.qgis.qgisr35879 ***** 7/11/08 9:12:28 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: [[QgsApplication]] state: 7/11/08 9:12:28 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: Prefix :/Applications/qgis0.11.0.app/Contents/MacOS 7/11/08 9:12:28 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: Plugin Path :/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis 7/11/08 9:12:28 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: [[PkgData]] Path :/Applications/qgis0.11.0.app/Contents/MacOS/share/qgis 7/11/08 9:12:28 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: Theme Path :/Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/themes/default/ 7/11/08 9:12:28 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: User DB Path :/Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/qgis.db 7/11/08 9:12:28 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: ***** 7/11/08 9:12:28 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Setting translation to /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/i18n//qgis_en_US 7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1238: (createStatusBar) Icon Path: /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/themes/default/ 7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 182: (loadFromDb) load SRS from /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db where epsg is 4326 7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 1085: (openDb) [[QgsSpatialRefSys]]::openDb path = /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db 7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Warning: No valid projection. Unable to set map units. 7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 294: (isValid) It's an invalid SRS without valid proj4 string 7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 365: (createFromProj4) [[QgsSpatialRefSys]]::createFromProj4 wholertext match on name failed, trying proj4string match 7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 454: (getRecord) [[QgsSpatialRefSys]]::getRecord...running query: select * from tbl_srs where parameters='+proj=longlat +ellps=WGS84 +datum=WGS84 +no_defs' 7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 1085: (openDb) [[QgsSpatialRefSys]]::openDb path = /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db 7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:</pre>		

476: (getRecord) [[QgsSpatialRefSys]]::getRecord...trying system srs.db
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
531: (getRecord) [[QgsSpatialRefSys]]::getRecord retrieved: select * from tbl_srs where parameters='+proj=longlat
+ellps=WGS84 +datum=WGS84 +no_defs'
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
370: (createFromProj4) [[QgsSpatialRefSys]]::createFromProj4 proj4string match search for srsid returned srsid: 3344
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
182: (loadFromDb) load SRS from /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db where srs_id is
3344
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
1085: (openDb) [[QgsSpatialRefSys]]::openDb path = /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Warning: No valid projection. Unable to set map units.
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug:
/Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 193: (initialise) Source/Dest SRS equal, shortcut is set.
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
155: (setEllipsoid) setEllipsoid: a=? b=? 1/f=*
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
365: (createFromProj4) [[QgsSpatialRefSys]]::createFromProj4 wholetext match on name failed, trying proj4string match
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
454: (getRecord) [[QgsSpatialRefSys]]::getRecord...running query: select * from tbl_srs where parameters='+proj=longlat
+ellps=WGS84 +no_defs'
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
1085: (openDb) [[QgsSpatialRefSys]]::openDb path = /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
476: (getRecord) [[QgsSpatialRefSys]]::getRecord...trying system srs.db
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
531: (getRecord) [[QgsSpatialRefSys]]::getRecord retrieved: select * from tbl_srs where parameters='+proj=longlat
+ellps=WGS84 +no_defs'
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
370: (createFromProj4) [[QgsSpatialRefSys]]::createFromProj4 proj4string match search for srsid returned srsid: 3132
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
182: (loadFromDb) load SRS from /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db where srs_id is
3132
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
1085: (openDb) [[QgsSpatialRefSys]]::openDb path = /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Warning: No valid projection. Unable to set map units.
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug:
/Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 107: (setDestSRS)
[[QgsCoordinateTransform]]::setDestSRS called
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
127: (calculateGeographicDistance) Distance across map extent (m): 0
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
78: (calculate) Using conversionFactor of 39.3701
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
81: (calculate) Can't calculate scale from the input values
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
182: (loadFromDb) load SRS from /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db where epsg is
4326
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp:
1085: (openDb) [[QgsSpatialRefSys]]::openDb path = /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Warning: No valid projection. Unable to set map units.

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 171: (adjustExtentToSize) ===== Current Scale =====

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 172: (adjustExtentToSize) Current extent is 0.0000000000000000,0.0000000000000000 : 0.0000000000000000,0.0000000000000000

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 173: (adjustExtentToSize), MuppX: 0.000000

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 174: (adjustExtentToSize), MuppY: 0.000000

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 175: (adjustExtentToSize), Pixmap width: 1

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 176: (adjustExtentToSize), Pixmap height: 1

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 177: (adjustExtentToSize), Extent width: 0.000000

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 178: (adjustExtentToSize), Extent height: 0.000000

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 179: (adjustExtentToSize), whitespace: : 0.000000

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsscalecalculator.cpp: 127: (calculateGeographicDistance) Distance across map extent (m): 0

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsscalecalculator.cpp: 78: (calculate) Using conversionFactor of 39.3701

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 193: (adjustExtentToSize), Scale (assuming meters as map units) = 1: nan

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/gui/qgsmrenderer.cpp: 1169: (moveCanvasContents) moveCanvasContents: pnt 0,0

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 182: (loadFromDb) load SRS from /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db where epsg is 4326

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 1085: (openDb) [[QgsSpatialRefSys]]::openDb path = /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Warning: No valid projection. Unable to set map units.

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 294: (isValid) It's an invalid SRS without valid proj4 string

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 365: (createFromProj4) [[QgsSpatialRefSys]]::createFromProj4 wholetext match on name failed, trying proj4string match

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 454: (getRecord) [[QgsSpatialRefSys]]::getRecord...running query: select * from tbl_srs where parameters='+proj=longlat +ellps=WGS84 +datum=WGS84 +no_defs'

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 1085: (openDb) [[QgsSpatialRefSys]]::openDb path = /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 476: (getRecord) [[QgsSpatialRefSys]]::getRecord...trying system srs.db

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 531: (getRecord) [[QgsSpatialRefSys]]::getRecord retrieved: select * from tbl_srs where parameters='+proj=longlat +ellps=WGS84 +datum=WGS84 +no_defs'

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 370: (createFromProj4) [[QgsSpatialRefSys]]::createFromProj4 proj4string match search for srsid returned srsid: 3344

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 182: (loadFromDb) load SRS from /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db where srs_id is 3344

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 1085: (openDb) [[QgsSpatialRefSys]]::openDb path = /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Warning: No valid projection. Unable to set map units.

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgscoordinatetransform.cpp: 193: (initialise) Source/Dest SRS equal, shortcircuit is set.

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgssdistancearea.cpp: 155: (setEllipsoid) setEllipsoid: a=? b=? 1/f=*

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 365: (createFromProj4) [[QgsSpatialRefSys]]::createFromProj4 wholertext match on name failed, trying proj4string match

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 454: (getRecord) [[QgsSpatialRefSys]]::getRecord...running query: select * from tbl_srs where parameters='+proj=longlat +ellps=WGS84 +no_defs'

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 1085: (openDb) [[QgsSpatialRefSys]]::openDb path = /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 476: (getRecord) [[QgsSpatialRefSys]]::getRecord...trying system srs.db

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 531: (getRecord) [[QgsSpatialRefSys]]::getRecord retrieved: select * from tbl_srs where parameters='+proj=longlat +ellps=WGS84 +no_defs'

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 370: (createFromProj4) [[QgsSpatialRefSys]]::createFromProj4 proj4string match search for srsid returned srsid: 3132

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 182: (loadFromDb) load SRS from /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db where srs_id is 3132

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 1085: (openDb) [[QgsSpatialRefSys]]::openDb path = /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Warning: No valid projection. Unable to set map units.

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgscoordinatetransform.cpp: 107: (setDestSRS) [[QgsCoordinateTransform]]::setDestSRS called

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsscalecalculator.cpp: 127: (calculateGeographicDistance) Distance across map extent (m): 0

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsscalecalculator.cpp: 78: (calculate) Using conversionFactor of 39.3701

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsscalecalculator.cpp: 81: (calculate) Can't calculate scale from the input values

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 182: (loadFromDb) load SRS from /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db where epsg is 4326

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsspatialrefsys.cpp: 1085: (openDb) [[QgsSpatialRefSys]]::openDb path = /Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/srs.db

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Warning: No valid projection. Unable to set map units.

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsComposer]]::QgsComposer

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsComposition]]::QgsComposition()

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsComposer]]::showCompositionOptions

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsComposer]]::removeWidgetChildren

```

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsComposer]]::showItemOptions
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsComposer]]::removeWidgetChildren
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 4528:
(saveDirty) Layer count is 0
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 4529:
(saveDirty) Project is not dirty
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 4530:
(saveDirty) Map canvas is dirty
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 2557:
(fileNew) erasing project
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug:
/Users/jctull/sources/qgis/trunk/src/core/qgsmaplayerregistry.cpp: 45: (QgsMapLayerRegistry) [[QgsMapLayerRegistry]] created!

7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug:
/Users/jctull/sources/qgis/trunk/src/core/qgsmaplayerregistry.cpp: 112: (removeAllMapLayers)
[[QgsMapLayerRegistry]]::removeAllMapLayers
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproject.cpp: 1037:
(clearProperties) Clearing project properties [[QgsProject]]::clearProperties()
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproject.cpp: 329:
(clear) Clearing project properties Impl->clear();
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 2596:
(fileNew) emitting new project signal
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsComposer]]::newProject
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsComposition]]::~~QgsComposition
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsComposition]]::QgsComposition()
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsComposer]]::showCompositionOptions
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsComposer]]::removeWidgetChildren
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmaprender.cpp: 204:
(render) ===== Rendering =====
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: empty extent... not rendering
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/gui/qgsmaptool.cpp: 82:
(activate) Cursor has been set
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
81: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis for provider plugins
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libcopyrightlabelplugin.so
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
184: (QgsProviderRegistry) /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libcopyrightlabelplugin.so is not a provider
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libdelimitedtextplugin.so
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
184: (QgsProviderRegistry) /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libdelimitedtextplugin.so is not a provider
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libdelimitedtextprovider.so
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
136: (QgsProviderRegistry) Loaded Delimited text data provider
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
168: (QgsProviderRegistry) Unable to invoke fileVectorFilters()
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgeorefpplugin.so
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
184: (QgsProviderRegistry) /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgeorefpplugin.so is not a provider
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:

```

113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgpsimporterplugin.so
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
184: (QgsProviderRegistry) /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgpsimporterplugin.so is not a provider
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgpxprovider.so
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
136: (QgsProviderRegistry) Loaded GPS eXchange format provider
7/11/08 9:12:29 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
168: (QgsProviderRegistry) Unable to invoke fileVectorFilters()
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgrassplugin.so
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
184: (QgsProviderRegistry) /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgrassplugin.so is not a provider
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgrassprovider.so
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
136: (QgsProviderRegistry) Loaded GRASS data provider
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
168: (QgsProviderRegistry) Unable to invoke fileVectorFilters()
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgridmakerplugin.so
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
184: (QgsProviderRegistry) /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgridmakerplugin.so is not a provider
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libmemoryprovider.so
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
136: (QgsProviderRegistry) Loaded Memory provider
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
168: (QgsProviderRegistry) Unable to invoke fileVectorFilters()
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libnarrowplugin.so
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
184: (QgsProviderRegistry) /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libnarrowplugin.so is not a provider
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libogrprovider.so
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
136: (QgsProviderRegistry) Loaded OGR data provider (compiled against GDAL/OGR library version 1.5.2, running against GDAL/OGR library version 1.5.2)
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug:
/Users/jctull/sources/qgis/trunk/src/providers/ogr/qgsogrprovider.cpp: 953: (fileVectorFilters) Driver count: 28
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: fileVectorFilters, unknown driver: BNA
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: fileVectorFilters, unknown driver: GPX
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: fileVectorFilters, unknown driver: [[GeoJSON]]
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: fileVectorFilters, unknown driver: GMT
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: fileVectorFilters, unknown driver: DODS
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: fileVectorFilters, unknown driver: ODBC
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: fileVectorFilters, unknown driver: PGeo
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: fileVectorFilters, unknown driver: OGD
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libpggeoprocessingplugin.so
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
184: (QgsProviderRegistry) /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libpggeoprocessingplugin.so is not a provider
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:

113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libpostgresprovider.so
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
136: (QgsProviderRegistry) Loaded [[PostgreSQL]]/PostGIS data provider
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
168: (QgsProviderRegistry) Unable to invoke fileVectorFilters()
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libquickprintplugin.so
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
184: (QgsProviderRegistry) /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libquickprintplugin.so is not a provider
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libscalebarplugin.so
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
184: (QgsProviderRegistry) /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libscalebarplugin.so is not a provider
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libspitplugin.so
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
184: (QgsProviderRegistry) /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libspitplugin.so is not a provider
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libwfsplugin.so
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
184: (QgsProviderRegistry) /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libwfsplugin.so is not a provider
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libwfsprovider.so
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
136: (QgsProviderRegistry) Loaded WFS data provider
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
168: (QgsProviderRegistry) Unable to invoke fileVectorFilters()
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
113: (QgsProviderRegistry) Checking /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libwmsprovider.so
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
136: (QgsProviderRegistry) Loaded OGC Web Map Service version 1.3 data provider
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsproviderregistry.cpp:
168: (QgsProviderRegistry) Unable to invoke fileVectorFilters()
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 376:
(QgisApp) Python support library loaded successfully.
7/11/08 9:12:30 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 381:
(QgisApp) Python support library's instance() symbol resolved.
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 401:
(QgisApp) Python support ENABLED :-)
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug:
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 *****
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: [[QgsApplication]] state:
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: Prefix :/Applications/qgis0.11.0.app/Contents/MacOS
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: Plugin Path
:/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: [[PkgData]] Path
:/Applications/qgis0.11.0.app/Contents/MacOS/share/qgis
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: Theme Path
:/Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/themes/default/
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: User DB Path
:/Applications/qgis0.11.0.app/Contents/MacOS/share/qgis/resources/qgis.db
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: *****
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1681:

```

(restoreSessionPlugins)
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 *****
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1682:
(restoreSessionPlugins) Restoring plugins from last session /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libcopyrightlabelplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libcopyrightlabelplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1724:
(restoreSessionPlugins) Plugin was not active last session, leaving disabled: [[CopyrightLabel]]
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libdelimitedtextplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libdelimitedtextplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1718:
(restoreSessionPlugins) Loading plugin: Add Delimited Text Layer
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3958:
(loadPlugin) Library name is /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libdelimitedtextplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3963:
(loadPlugin) Loaded test plugin library
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3964:
(loadPlugin) Attempting to resolve the classFactory function
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libdelimitedtextprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libdelimitedtextprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1729:
(restoreSessionPlugins) Failed to get name, description, or type for
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libdelimitedtextprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgeorefpplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgeorefpplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1724:
(restoreSessionPlugins) Plugin was not active last session, leaving disabled: Georeferencer
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgpsimporterplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgpsimporterplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1718:
(restoreSessionPlugins) Loading plugin: GPS Tools
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3958:
(loadPlugin) Library name is /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgpsimporterplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3963:
(loadPlugin) Loaded test plugin library
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3964:
(loadPlugin) Attempting to resolve the classFactory function
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgpxprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgpxprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1729:
(restoreSessionPlugins) Failed to get name, description, or type for

```

```

/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgpxprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgrassplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgrassplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1718:
(restoreSessionPlugins) Loading plugin: GRASS
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3958:
(loadPlugin) Library name is /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgrassplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3963:
(loadPlugin) Loaded test plugin library
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3964:
(loadPlugin) Attempting to resolve the classFactory function
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug:
/Users/jctull/sources/qgis/trunk/src/providers/grass/qgsgrass.cpp:98 GRASS gisBase from GISBASE env var is:
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 isValidGrassBaseDir()
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug:
/Users/jctull/sources/qgis/trunk/src/providers/grass/qgsgrass.cpp:104 GRASS gisBase from QSettings is:
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 isValidGrassBaseDir()
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug:
/Users/jctull/sources/qgis/trunk/src/providers/grass/qgsgrass.cpp:123 GRASS gisBase from configure is:
/Applications/GRASS-6.3.app/Contents/MacOS
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 isValidGrassBaseDir()
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug:
/Users/jctull/sources/qgis/trunk/src/providers/grass/qgsgrass.cpp:176 Valid GRASS gisBase is:
/Applications/GRASS-6.3.app/Contents/MacOS
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 set PATH:
PATH=/Applications/GRASS-6.3.app/Contents/MacOS/bin:/Applications/GRASS-6.3.app/Contents/MacOS/scripts:/usr/bin:/bin:/usr/sbin:/sbin
sr/sbin:/sbin
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/gui/qgsmapcanvas.cpp:
1084: (connectNotify) [[QgsMapCanvas]] connected to 2renderComplete(QPainter*)
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsGrassPlugin]]::setEditAction()
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgrassprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgrassprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1729:
(restoreSessionPlugins) Failed to get name, description, or type for
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgrassprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgridmakerplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libgridmakerplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1724:
(restoreSessionPlugins) Plugin was not active last session, leaving disabled: Graticule Creator
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libmemoryprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libmemoryprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1729:
(restoreSessionPlugins) Failed to get name, description, or type for
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libmemoryprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:

```

(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libnortharrowplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libnortharrowplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1724:
(restoreSessionPlugins) Plugin was not active last session, leaving disabled: [[NorthArrow]]
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libogrprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libogrprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1729:
(restoreSessionPlugins) Failed to get name, description, or type for
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libogrprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libpggeoprocessingplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libpggeoprocessingplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1724:
(restoreSessionPlugins) Plugin was not active last session, leaving disabled: [[PostgreSQL]] Geoprocessing
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libpostgresprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libpostgresprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1729:
(restoreSessionPlugins) Failed to get name, description, or type for
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libpostgresprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libquickprintplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libquickprintplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1724:
(restoreSessionPlugins) Plugin was not active last session, leaving disabled: Quick Print
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libscalebarplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libscalebarplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1724:
(restoreSessionPlugins) Plugin was not active last session, leaving disabled: [[ScaleBar]]
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libspitplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libspitplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1724:
(restoreSessionPlugins) Plugin was not active last session, leaving disabled: SPIT
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libwfsplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libwfsplugin.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1724:
(restoreSessionPlugins) Plugin was not active last session, leaving disabled: WFS plugin
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697:
(restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libwfsprovider.so
7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded
/Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libwfsprovider.so

7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1729: (restoreSessionPlugins) Failed to get name, description, or type for /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libwfsprovider.so

7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1697: (restoreSessionPlugins) Examining /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libwmsprovider.so

7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Loaded /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libwmsprovider.so

7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1729: (restoreSessionPlugins) Failed to get name, description, or type for /Applications/qgis0.11.0.app/Contents/MacOS/lib/qgis/libwmsprovider.so

7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3922: (loadPythonPlugin) I should load python plugin: [[MapServer]] Export (package: mapserver_export)

7/11/08 9:12:31 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3922: (loadPythonPlugin) I should load python plugin: Calculate Geometry (package: calculategeometry)

7/11/08 9:12:33 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3922: (loadPythonPlugin) I should load python plugin: fTools (package: fTools)

7/11/08 9:12:33 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3922: (loadPythonPlugin) I should load python plugin: Geoprocessing (package: geoprocessing)

7/11/08 9:12:33 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3922: (loadPythonPlugin) I should load python plugin: Plugin Installer (package: newplugininstaller)

7/11/08 9:12:33 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3922: (loadPythonPlugin) I should load python plugin: spatial operations (package: spatial_operations)

7/11/08 9:12:34 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 3922: (loadPythonPlugin) I should load python plugin: Table Manager (package: tablemanager)

7/11/08 9:12:34 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1779: (restoreSessionPlugins) Loading plugins completed

7/11/08 9:12:34 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1780: (restoreSessionPlugins) *****

7/11/08 9:12:34 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/app/qgisapp.cpp: 1935: (buildSupportedVectorFileFilter_) Vector file filters: [OGR] ESRI Shapefiles (*.shp *.SHP);[OGR] [[MapInfo]] (*.mif *.tab *.MIF *.TAB);[OGR] Spatial Data Transfer Standard (*.catd.ddf *.CATD.DDF);[OGR] Geography Markup Language (*.gml *.GML);All files (*.*)

7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/raster/qgsrasterlayer.cpp: 243: (buildSupportedRasterFileFilter) Raster filter list built: ERMapper Compressed Wavelets (*.ecw *.ECW);Multi-resolution Seamless Image Database (*.sid *.SID);Virtual Raster (*.vrt *.VRT);GeoTIFF (*.tif *.TIF);National Imagery Transmission Format (*.ntf *.NTF);Raster Product Format TOC format (*.toc *.TOC);Erdas Imagine Images (*.img *.IMG);Ground-based SAR Applications Testbed File Format (*.gff *.GFF);Arc/Info ASCII Grid (*.asc *.ASC);SDTS Raster (*.ddf *.DDF);DTED Elevation Raster (*.dt0 *.DT0);Portable Network Graphics (*.png *.PNG);JPEG JFIF (*.jpg *.JPG);Japanese DEM (*.mem *.MEM);Graphics Interchange Format (*.gif *.GIF);Envisat Image Format (*.n1 *.N1);X11 [[PixMap]] Format (*.xpm *.XPM);MS Windows Device Independent Bitmap (*.bmp *.BMP);PCIDSK Database File (*.pix *.PIX);PCRaster Raster File (*.map *.MAP);ILWIS Raster Map (*.mpr/mpl *.MPR/MPL);SGI Image File Format 1.0 (*.rgb *.RGB);SRTMHGT File Format (*.hgt *.HGT);Leveller heightfield (*.ter *.TER);Terragen heightfield (*.ter *.TER);GMT [[NetCDF]] Grid Format (*.nc *.NC);Network Common Data Format (*.nc *.NC);Portable Pixmap Format (*.pnm *.PNM);Vexcel MFF Raster (*.hdr *.HDR);VTP *.bt (Binary Terrain) 1.3 Format (*.bt *.BT);JPEG-2000 part 1 (*.jp2 *.j2k *.JP2 *.J2K);Raster Matrix Format (*.rsw *.RSW);Iridis Raster A.1 (*.rst *.RST);Golden Software ASCII Grid (*.grd *.GRD);Golden Software Binary Grid (*.grd *.GRD);Golden Software 7 Binary Grid (*.grd *.GRD);DRDC COASP SAR Processor Raster (*.hdr *.HDR);Swedish Grid RIK (*.rik *.RIK);USGS Optional ASCII DEM (*.dem *.DEM);GeoSoft Grid Exchange Format (*.gxf *.GXF);Hierarchical Data Format Release 5 (*.hdf5 *.HDF5);ARC Digitized Raster Graphics (*.gen *.GEN);GRASS, SAR_CEOS, CEOS, JAXAPALSAR, ELAS, AIG, OGD, MEM, FITS, BSB, DIMAP, [[AirSAR]], RS2, HDF4, HDF4Image, DOQ1, DOQ2, ENVI, EHDr, [[GenBin]], PAux, MFF2, [[FujiBAS]], GSC, FAST, LAN, CPG, IDA, NDF, DIPEX, ISIS3, ISIS2, PDS, ERS, L1B, FIT, WCS, WMS, INGR, COSAR, TSX, DODS, HTTP, HDF5Image and all other files (*)

7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmaplayerregistry.cpp: 139: (connectNotify) [[QgsMapLayerRegistry]] connected to

```

2layerWillBeRemoved(QString)
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug:
/Users/jctull/sources/qgis/trunk/src/core/qgismaplayerregistry.cpp: 139: (connectNotify) [[QgsMapLayerRegistry]] connected to
2removedAll()
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug:
/Users/jctull/sources/qgis/trunk/src/core/qgismaplayerregistry.cpp: 139: (connectNotify) [[QgsMapLayerRegistry]] connected to
2layerWasAdded(QgsMapLayer*)
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/gui/qgismapcanvas.cpp:
1084: (connectNotify) [[QgsMapCanvas]] connected to 2xyCoordinates(QgsPoint&)
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/gui/qgismapcanvas.cpp:
1084: (connectNotify) [[QgsMapCanvas]] connected to 2extentsChanged()
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/gui/qgismapcanvas.cpp:
1084: (connectNotify) [[QgsMapCanvas]] connected to 2scaleChanged(double)
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/gui/qgismapcanvas.cpp:
1084: (connectNotify) [[QgsMapCanvas]] connected to 2scaleChanged(double)
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/gui/qgismapcanvas.cpp:
1084: (connectNotify) [[QgsMapCanvas]] connected to 2mapToolSet(QgsMapTool*)
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgismaprender.cpp: 171:
(adjustExtentToSize) ===== Current Scale =====
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgismaprender.cpp: 172:
(adjustExtentToSize) Current extent is 0.0000000000000000,0.0000000000000000 :
0.0000000000000000,0.0000000000000000
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgismaprender.cpp: 173:
(adjustExtentToSize), MuppX: 0.000000
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgismaprender.cpp: 174:
(adjustExtentToSize), MuppY: 0.000000
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgismaprender.cpp: 175:
(adjustExtentToSize), Pixmap width: 1138
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgismaprender.cpp: 176:
(adjustExtentToSize), Pixmap height: 744
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgismaprender.cpp: 177:
(adjustExtentToSize), Extent width: 0.000000
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgismaprender.cpp: 178:
(adjustExtentToSize), Extent height: 0.000000
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgismaprender.cpp: 179:
(adjustExtentToSize), whitespace: : 0.000000
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsscalecalculator.cpp:
127: (calculateGeographicDistance) Distance across map extent (m): 0
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsscalecalculator.cpp:
78: (calculate) Using conversionFactor of 39.3701
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgismaprender.cpp: 193:
(adjustExtentToSize), Scale (assuming meters as map units) = 1: 0.000000
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgismaprender.cpp: 204:
(render) ===== Rendering =====
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: empty extent... not rendering
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsGrassPlugin]]::postRender()
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/gui/qgismapcanvas.cpp:
1084: (connectNotify) [[QgsMapCanvas]] connected to 2destroyed(QObject*)
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgismaprender.cpp: 171:
(adjustExtentToSize) ===== Current Scale =====
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgismaprender.cpp: 172:
(adjustExtentToSize) Current extent is 0.0000000000000000,0.0000000000000000 :
0.0000000000000000,0.0000000000000000

```

```

7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 173:
(adjustExtentToSize), MuppX: 0.000000
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 174:
(adjustExtentToSize), MuppY: 0.000000
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 175:
(adjustExtentToSize), Pixmap width: 256
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 176:
(adjustExtentToSize), Pixmap height: 52
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 177:
(adjustExtentToSize), Extent width: 0.000000
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 178:
(adjustExtentToSize), Extent height: 0.000000
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 179:
(adjustExtentToSize), whitespace: : 0.000000
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsscalecalculator.cpp:
127: (calculateGeographicDistance) Distance across map extent (m): 0
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsscalecalculator.cpp:
78: (calculate) Using conversionFactor of 39.3701
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 193:
(adjustExtentToSize), Scale (assuming meters as map units) = 1: 0.000000
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/core/qgsmrenderer.cpp: 204:
(render) ===== Rendering =====
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: empty extent... not rendering
7/11/08 9:12:35 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Number of files in myFileList: 0
7/11/08 9:12:55 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsGrassPlugin]]::openMapset()
7/11/08 9:12:55 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsGrassSelect]]() type = 0
7/11/08 9:12:56 AM [0x0-0x3f23f2].org.qgis.qgisr35879 setMapsets()
7/11/08 9:12:56 AM [0x0-0x3f23f2].org.qgis.qgisr35879 setMaps()
7/11/08 9:12:56 AM [0x0-0x3f23f2].org.qgis.qgisr35879 setLayers()
7/11/08 9:12:56 AM [0x0-0x3f23f2].org.qgis.qgisr35879 setMapsets()
7/11/08 9:12:56 AM [0x0-0x3f23f2].org.qgis.qgisr35879 setMaps()
7/11/08 9:12:56 AM [0x0-0x3f23f2].org.qgis.qgisr35879 setLayers()
7/11/08 9:13:00 AM [0x0-0x3f23f2].org.qgis.qgisr35879 setMapsets()
7/11/08 9:13:00 AM [0x0-0x3f23f2].org.qgis.qgisr35879 setMaps()
7/11/08 9:13:00 AM [0x0-0x3f23f2].org.qgis.qgisr35879 setLayers()
7/11/08 9:13:01 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsGrass]]::openMapset
7/11/08 9:13:01 AM [0x0-0x3f23f2].org.qgis.qgisr35879 gisdbase = /Volumes/Exodisk/grassdata
7/11/08 9:13:01 AM [0x0-0x3f23f2].org.qgis.qgisr35879 location = nevada
7/11/08 9:13:01 AM [0x0-0x3f23f2].org.qgis.qgisr35879 mapset = jctull
7/11/08 9:13:01 AM [0x0-0x3f23f2].org.qgis.qgisr35879 pid = 35879
7/11/08 9:13:02 AM [0x0-0x3f23f2].org.qgis.qgisr35879 status = 0
7/11/08 9:13:02 AM [0x0-0x3f23f2].org.qgis.qgisr35879 globalGisrc = /Users/jctull/.grassrc6
7/11/08 9:13:02 AM [0x0-0x3f23f2].org.qgis.qgisr35879 mGisrc =
/var/folders/nc/ncI5WMTUHHCCNwtVY8P8eE+++Tl/-Tmp-/grass6-jctull-35879/gisrc
7/11/08 9:13:02 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsGrassPlugin]]::addVector()
7/11/08 9:13:03 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsGrassPlugin]]::switchRegion()
7/11/08 9:13:03 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsGrassPlugin]]::displayRegion()
7/11/08 9:13:03 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsGrass]]::setLocation(): gisdbase = /Volumes/Exodisk/grassdata
location = nevada
7/11/08 9:13:03 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsGrassPlugin]]::switchRegion()
7/11/08 9:13:03 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsGrassPlugin]]::displayRegion()
7/11/08 9:13:03 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsGrass]]::setLocation(): gisdbase = /Volumes/Exodisk/grassdata
location = nevada

```

7/11/08 9:13:04 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/gui/qgsmacanvas.cpp: 585:
(keyPressEvent) keyPress event
7/11/08 9:13:04 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/gui/qgsmacanvas.cpp: 667:
(keyPressEvent) Ignoring key: 16777249
7/11/08 9:13:06 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/gui/qgsmacanvas.cpp: 675:
(keyReleaseEvent) keyRelease event
7/11/08 9:13:06 AM [0x0-0x3f23f2].org.qgis.qgisr35879 Debug: /Users/jctull/sources/qgis/trunk/src/gui/qgsmacanvas.cpp: 698:
(keyReleaseEvent) Ignoring key release: 16777249
7/11/08 9:13:28 AM [0x0-0x3f23f2].org.qgis.qgisr35879 [[QgsGrassTools]]()
7/11/08 9:13:38 AM com.apple.launchdr342 ([0x0-0x3f23f2].org.qgis.qgisr35879) Exited abnormally: Bus error

DEBUG CRASH REPORT:

Process: qgis r35879
Path: /Applications/qgis0.11.0.app/Contents/MacOS/qgis
Identifier: org.qgis.qgis
Version: 0.11.0-Metis (8752M) (0.11.0-Metis (8752M))
Code Type: X86 (Native)
Parent Process: launchd r342

Date/Time: 2008-07-11 09:13:29.649 -0700
OS Version: Mac OS X 10.5.4 (9E17)
Report Version: 6

Exception Type: EXC_BAD_ACCESS (SIGBUS)
Exception Codes: KERN_PROTECTION_FAILURE at 0x0000000028af03c
Crashed Thread: 0

Thread 0 Crashed:

0	libSystem.B.dylib	0xffff12c1 +longcopy + 193
1	libSystem.B.dylib	0xffff086e +memcpy + 206
2	libobjc.A.dylib	0x9331913e fixupSelectorsInMethodList + 99
3	libobjc.A.dylib	0x9331a3e1 _class_getMethodNoSuper + 81
4	libobjc.A.dylib	0x9331055e _class_lookupMethodAndLoadCache + 182
5	libobjc.A.dylib	0x93320736 objc_msgSend + 102
6	[[QtGui]]	0x00e8988a QItemViewInterfaceFactory::element(int) + 74
7	[[QtGui]]	0x00e80607 QAccessibleHierarchyManager::lookup(QObject*, int) + 87
8	[[QtGui]]	0x00e8926b QAccessible::updateAccessibility(QObject*, int, QAccessible::Event) + 171
9	[[QtGui]]	0x00a09444 QWidgetPrivate::hideChildren(bool) + 276
10	[[QtGui]]	0x00a095c9 QWidgetPrivate::hide_helper() + 185
11	[[QtGui]]	

History

#1 - 2008-07-11 11:04 AM - Tim Sutton

- Status changed from Open to In Progress

Formatted console dump for my sanity :-)

#2 - 2008-07-11 02:18 PM - Tim Sutton

- Resolution set to fixed

- Status changed from In Progress to Closed

Fixed with commit:a7020487 (SVN r8757).

 Regards

 Tim

#3 - 2009-08-22 12:56 AM - Anonymous

Milestone Version 0.11.0 deleted