

QGIS Application - Bug report #11609

Graduated styling of vector layer neglects fields from joined tables

2014-11-10 08:51 AM - Peter Tarne

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	Symbology	
Affected QGIS version:	2.6.0	Regression?: No
Operating System:	Mac	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: invalid
Crashes QGIS or corrupts data:	No	Copied to github as #: 19865
Description		
<p>I have joined a vector layer with CSV table values. The attribute table of the joined layer shows all fields as expected.</p> <p>However, when I try to apply graduated styling QGIS only offers the attribute fields of the 'original' vector layer before joining attributes as basis for styling.</p>		

History

- #1 - 2014-11-10 08:57 AM - Peter Tarne
- File *Attributes_for_graduated_styling.png* added
 - File *attritube_table.png* added

Hm, my SHP-file was too large for upload... so I attach screenshots...

- #2 - 2014-11-10 10:28 AM - Giovanni Manghi
- *Resolution set to invalid*
 - *Status changed from Open to Closed*

this is because csv columns are always treated as text (that cannot be used by the graduated renderer), unless otherwise specified by using a csvt file.

<http://anitagraser.com/2011/03/07/how-to-specify-data-types-of-csv-columns-for-use-in-qgis/>

cheers!

Files

test.dbf	513 KB	2014-11-10	Peter Tarne
attritube_table.png	283 KB	2014-11-10	Peter Tarne
Attributes_for_graduated_styling.png	113 KB	2014-11-10	Peter Tarne