## QGIS Application - Bug report #12009

# Creating new QgsComposerHtml from Python causes segmentation fault

2015-01-19 04:11 PM - Giovanni Allegri

Status: Closed Priority: High

Assignee:

Category: Python plugins

Affected QGIS version:masterRegression?:NoOperating System:Easy fix?:No

Pull Request or Patch supplied: Resolution:

Crashes QGIS or corruptesdata: Copied to github as #: 20212

### Description

The QgsComposerHtml class behaves bad from Python.

When a new QgsComposerHtml is instantiated I get a segmentation fault and QGIS crashes.

Something wrong happens even when one tries to obtain an existing object from a composition:

mycomp.getComposerItemById('myhtml') -> QgsComposerFrame instance

I don't understand how a QgsComposerFrame is returned given that QgsComposerHtml is not related to this class. It derives from QgsComposerMultiFrame, and in case it can contains frame objects...

It happens both on 2.6 and master, both on Linux and Windows.

#### **Associated revisions**

Revision 0c5352fa - 2015-06-18 10:30 AM - Martin Dobias

Remove invalid/crashing QgsComposerHtml constructor (fixes #12009)

#### History

### #1 - 2015-01-19 04:34 PM - Giovanni Allegri

I've noticed this line: https://github.com/qgis/QGIS/blob/master/src/core/composer/ggscomposerhtml.cpp#L89

It passes a null QgsComposition pointer to QgsComposerMultiFrame constructor, but within its constructor it doesn't check the pointer from not being null: https://github.com/qgis/QGIS/blob/master/src/core/composer/qgscomposermultiframe.cpp#L27

The crash happens here.

### #2 - 2015-01-19 04:45 PM - Giovanni Allegri

Fix proposed in PR https://github.com/qgis/QGIS/pull/1841

#### #3 - 2015-05-27 07:58 AM - Giovanni Manghi

- Priority changed from Normal to High

#### #4 - 2015-06-18 01:32 AM - Martin Dobias

- Status changed from Open to Closed

2025-04-27 1/2

Fixed in changes et commit: "0c5352 fad 611 efe 99 ad 8322 fc1 d5a465 df561712".

2025-04-27 2/2