

QGIS Application - Bug report #12113

Actions launched from attributes table does not work if field has a "hidden" widget.

2015-02-02 04:08 AM - Julien Perrot

| | | |
|---|-----------------|-------------------------------------|
| Status: | Closed | |
| Priority: | Normal | |
| Assignee: | | |
| Category: | Attribute table | |
| Affected QGIS version: | master | Regression?: No |
| Operating System: | | Easy fix?: No |
| Pull Request or Patch supplied: | | Resolution: end of life |
| Crashes QGIS or corrupts data: | | Copied to github as #: 20307 |
| Description | | |
| <p>Hello everybody,</p> <p>A little bug existing since some version of QGIS (since 2.2 at least) :</p> <p>When a custom action created from the configuration menu of a layer is defined, and use an attribut, the action works weel when using the geographic interface (choosing "action tool" and clicking on the geographical entity on the map). But when opening attributes table, clicking right on a line, and choose my custom action, it is like every attribute used is empty.</p> <p>Sample :</p> <p>My action call :</p> <pre>load(QUrl("http://blablabla/test.edit.php?id=[% "gid" %]"));</pre> <p>In the map case :</p> <p>"http://blablabla/test.edit.php?id=145" is loaded in my browser</p> <p>In the attributes table case :</p> <p>"http://blablabla/test.edit.php?id=" is loaded in my browser (and doesn't work, obviously)</p> | | |

History

#1 - 2015-02-03 02:54 AM - Denis Rouzaud

- Assignee set to Matthias Kuhn

#2 - 2015-02-03 02:54 AM - Denis Rouzaud

- Priority changed from Normal to High

#3 - 2015-02-03 03:51 AM - Giovanni Manghi

- Status changed from Open to Feedback

I cannot confirm after having tested on QGIS master on both linux and windows. Please give it a try and report back.

#4 - 2015-02-04 07:19 AM - Julien Perrot

OK, I manage to point the exact problem :

The field "gid" I want to use is setted as "Hidden" in the fields properties tab. It's only in that case that the problem occurred.

So I know how to avoid the problem (by changing the field type), but according to me, the feature has to work the same on both cases (map and attributes table).

Thanks for your work !

#5 - 2015-02-05 01:55 AM - Giovanni Manghi

- Status changed from Feedback to Open
- Subject changed from Custom actions launched from attributes table can't use attributes to Actions launched from attributes table does not work if field has a "hidden" widget.
- Assignee deleted (Matthias Kuhn)
- Affected QGIS version changed from 2.6.1 to master
- Operating System deleted (Windows 7)
- Priority changed from High to Normal

Julien Perrot wrote:

OK, I manage to point the exact problem :

The field "gid" I want to use is setted as "Hidden" in the fields properties tab. It's only in that case that the problem occured.

So I know how to avoid the problem (by changing the field type), but according to me, the feature has to work the same on both cases (map and attributes table).

Thanks for your work !

it used to work as expected in past qgis releases?

#6 - 2017-05-01 01:07 AM - Giovanni Manghi

- Regression? set to No
- Easy fix? set to No

#7 - 2019-03-09 04:09 PM - Giovanni Manghi

- Resolution set to end of life
- Status changed from Open to Closed

End of life notice: QGIS 2.18 LTR

Source:

<http://blog.qgis.org/2019/03/09/end-of-life-notice-qgis-2-18-ltr/>