

## QGIS Application - Bug report #12256

### Removing WFS layer from TOC crashes QGIS

2015-02-24 11:44 AM - Spencer Gardner

|                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                          |                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------------------|
| <b>Status:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                        | Closed                   |                                      |
| <b>Priority:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                      | Severe/Regression        |                                      |
| <b>Assignee:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                      |                          |                                      |
| <b>Category:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                      | Web Services clients/WFS |                                      |
| <b>Affected QGIS version:</b>                                                                                                                                                                                                                                                                                                                                                                                                                         | master                   | <b>Regression?:</b> No               |
| <b>Operating System:</b>                                                                                                                                                                                                                                                                                                                                                                                                                              |                          | <b>Easy fix?:</b> No                 |
| <b>Pull Request or Patch supplied:</b>                                                                                                                                                                                                                                                                                                                                                                                                                |                          | <b>Resolution:</b> fixed/implemented |
| <b>Crashes QGIS or corrupts data:</b>                                                                                                                                                                                                                                                                                                                                                                                                                 |                          | <b>Copied to github as #:</b> 20441  |
| <b>Description</b>                                                                                                                                                                                                                                                                                                                                                                                                                                    |                          |                                      |
| <p>When I remove a WFS layer from the table of contents the application crashes. I'm using Windows 7. This occurs on the 2.8 release as well as the latest nightly.</p> <p>For reference, I'm using the WFS at this location:<br/><a href="http://wfs.ksdot.org/arcgis_web_adaptor/rest/services/Accident/Accidents_WFS/MapServer/WFSServer">http://wfs.ksdot.org/arcgis_web_adaptor/rest/services/Accident/Accidents_WFS/MapServer/WFSServer</a></p> |                          |                                      |

#### History

##### #1 - 2015-02-24 12:08 PM - Giovanni Manghi

- Subject changed from Removing WMS layer from TOC crashes QGIS to Removing WFS layer from TOC crashes QGIS
- Status changed from Open to Feedback
- Operating System deleted (Windows)
- OS version deleted (7)

Is the ticket about wfs, not wms, right?

I confirm the crash with this particular service, but not others.

Did it worked ok in previous releases?

```
giovanni@sibirica:~/git/postgis_geoprocessing > qgis
Warning: loading of qgis translation failed [/usr/share/qgis/i18n//qgis_en_US]
Warning: loading of qt translation failed [/usr/share/qt4/translations/qt_en_US]
Warning: Bus::open: Can not get ibus-daemon's address.
IBusInputContext::createInputContext: no connection to ibus-daemon
Warning: QGraphicsScene::addItem: item has already been added to this scene
DEBUG:PyQt4.uic.uiparser:UI version is 4.0
DEBUG:PyQt4.uic.uiparser:uiName is ManageConnectionsDialog
DEBUG:PyQt4.uic.uiparser:oplevel widget is QDialog
DEBUG:PyQt4.uic.properties:setting property geometry
DEBUG:PyQt4.uic.properties:setting property windowTitle
DEBUG:PyQt4.uic.uiparser:push QDialog ManageConnectionsDialog
DEBUG:PyQt4.uic.uiparser:push QVBoxLayout verticalLayout
DEBUG:PyQt4.uic.uiparser:push QHBoxLayout horizontalLayout
DEBUG:PyQt4.uic.properties:setting property text
DEBUG:PyQt4.uic.uiparser:push QLabel label
DEBUG:PyQt4.uic.uiparser:pop widget QLabel label
DEBUG:PyQt4.uic.uiparser:new topwidget ManageConnectionsDialog
DEBUG:PyQt4.uic.uiparser:push QLineEdit leFileName
```

DEBUG:PyQt4.uic.uiparser:pop widget QLineEdit leFileName  
DEBUG:PyQt4.uic.uiparser:new topwidget ManageConnectionsDialog  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnBrowse  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnBrowse  
DEBUG:PyQt4.uic.uiparser:new topwidget ManageConnectionsDialog  
DEBUG:PyQt4.uic.uiparser:pop layout QHBoxLayout horizontalLayout  
DEBUG:PyQt4.uic.properties:setting property editTriggers  
DEBUG:PyQt4.uic.properties:setting property alternatingRowColors  
DEBUG:PyQt4.uic.properties:setting property selectionMode  
DEBUG:PyQt4.uic.uiparser:push QListWidget listConnections  
DEBUG:PyQt4.uic.uiparser:pop widget QListWidget listConnections  
DEBUG:PyQt4.uic.uiparser:new topwidget ManageConnectionsDialog  
DEBUG:PyQt4.uic.properties:setting property orientation  
DEBUG:PyQt4.uic.properties:setting property standardButtons  
DEBUG:PyQt4.uic.uiparser:push QDialogButtonBox buttonBox  
DEBUG:PyQt4.uic.uiparser:pop widget QDialogButtonBox buttonBox  
DEBUG:PyQt4.uic.uiparser:new topwidget ManageConnectionsDialog  
DEBUG:PyQt4.uic.uiparser:pop layout QVBoxLayout verticalLayout  
DEBUG:PyQt4.uic.uiparser:pop widget QDialog ManageConnectionsDialog  
DEBUG:PyQt4.uic.uiparser:new topwidget None  
DEBUG:PyQt4.uic.uiparser:UI version is 4.0  
DEBUG:PyQt4.uic.uiparser:uiname is NewConnectionDialog  
DEBUG:PyQt4.uic.uiparser:toplevel widget is QDialog  
DEBUG:PyQt4.uic.properties:setting property geometry  
DEBUG:PyQt4.uic.properties:setting property windowTitle  
DEBUG:PyQt4.uic.uiparser:push QDialog NewConnectionDialog  
DEBUG:PyQt4.uic.uiparser:push QGridLayout gridLayout  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLabel label  
DEBUG:PyQt4.uic.uiparser:pop widget QLabel label  
DEBUG:PyQt4.uic.uiparser:new topwidget NewConnectionDialog  
DEBUG:PyQt4.uic.uiparser:push QLineEdit leName  
DEBUG:PyQt4.uic.uiparser:pop widget QLineEdit leName  
DEBUG:PyQt4.uic.uiparser:new topwidget NewConnectionDialog  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLabel label\_2  
DEBUG:PyQt4.uic.uiparser:pop widget QLabel label\_2  
DEBUG:PyQt4.uic.uiparser:new topwidget NewConnectionDialog  
DEBUG:PyQt4.uic.uiparser:push QLineEdit leURL  
DEBUG:PyQt4.uic.uiparser:pop widget QLineEdit leURL  
DEBUG:PyQt4.uic.uiparser:new topwidget NewConnectionDialog  
DEBUG:PyQt4.uic.properties:setting property orientation  
DEBUG:PyQt4.uic.properties:setting property standardButtons  
DEBUG:PyQt4.uic.uiparser:push QDialogButtonBox buttonBox  
DEBUG:PyQt4.uic.uiparser:pop widget QDialogButtonBox buttonBox  
DEBUG:PyQt4.uic.uiparser:new topwidget NewConnectionDialog  
DEBUG:PyQt4.uic.uiparser:pop layout QGridLayout gridLayout  
DEBUG:PyQt4.uic.uiparser:pop widget QDialog NewConnectionDialog  
DEBUG:PyQt4.uic.uiparser:new topwidget None  
DEBUG:PyQt4.uic.uiparser:UI version is 4.0  
DEBUG:PyQt4.uic.uiparser:uiname is RecordDialog  
DEBUG:PyQt4.uic.uiparser:toplevel widget is QDialog

DEBUG:PyQt4.uic.properties:setting property geometry  
DEBUG:PyQt4.uic.properties:setting property windowTitle  
DEBUG:PyQt4.uic.uiparser:push QDialog RecordDialog  
DEBUG:PyQt4.uic.uiparser:push QVBoxLayout verticalLayout  
DEBUG:PyQt4.uic.properties:setting property lineWrapMode  
DEBUG:PyQt4.uic.properties:setting property openExternalLinks  
DEBUG:PyQt4.uic.uiparser:push QTextBrowser textMetadata  
DEBUG:PyQt4.uic.uiparser:pop widget QTextBrowser textMetadata  
DEBUG:PyQt4.uic.uiparser:new topwidget RecordDialog  
DEBUG:PyQt4.uic.properties:setting property orientation  
DEBUG:PyQt4.uic.properties:setting property standardButtons  
DEBUG:PyQt4.uic.uiparser:push QDialogButtonBox buttonBox  
DEBUG:PyQt4.uic.uiparser:pop widget QDialogButtonBox buttonBox  
DEBUG:PyQt4.uic.uiparser:new topwidget RecordDialog  
DEBUG:PyQt4.uic.uiparser:pop layout QVBoxLayout verticalLayout  
DEBUG:PyQt4.uic.uiparser:pop widget QDialog RecordDialog  
DEBUG:PyQt4.uic.uiparser:new topwidget None  
DEBUG:PyQt4.uic.uiparser:UI version is 4.0  
DEBUG:PyQt4.uic.uiparser:uiname is XMLDialog  
DEBUG:PyQt4.uic.uiparser:toplevel widget is QDialog  
DEBUG:PyQt4.uic.properties:setting property geometry  
DEBUG:PyQt4.uic.properties:setting property windowTitle  
DEBUG:PyQt4.uic.uiparser:push QDialog XMLDialog  
DEBUG:PyQt4.uic.uiparser:push QVBoxLayout verticalLayout  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLabel lblXMLRequest  
DEBUG:PyQt4.uic.uiparser:pop widget QLabel lblXMLRequest  
DEBUG:PyQt4.uic.uiparser:new topwidget XMLDialog  
DEBUG:PyQt4.uic.uiparser:push QTextBrowser txtbrXMLRequest  
DEBUG:PyQt4.uic.uiparser:pop widget QTextBrowser txtbrXMLRequest  
DEBUG:PyQt4.uic.uiparser:new topwidget XMLDialog  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLabel lblXMLResponse  
DEBUG:PyQt4.uic.uiparser:pop widget QLabel lblXMLResponse  
DEBUG:PyQt4.uic.uiparser:new topwidget XMLDialog  
DEBUG:PyQt4.uic.properties:setting property lineWrapMode  
DEBUG:PyQt4.uic.properties:setting property openExternalLinks  
DEBUG:PyQt4.uic.uiparser:push QTextBrowser txtbrXMLResponse  
DEBUG:PyQt4.uic.uiparser:pop widget QTextBrowser txtbrXMLResponse  
DEBUG:PyQt4.uic.uiparser:new topwidget XMLDialog  
DEBUG:PyQt4.uic.properties:setting property orientation  
DEBUG:PyQt4.uic.properties:setting property standardButtons  
DEBUG:PyQt4.uic.uiparser:push QDialogButtonBox buttonBox  
DEBUG:PyQt4.uic.uiparser:pop widget QDialogButtonBox buttonBox  
DEBUG:PyQt4.uic.uiparser:new topwidget XMLDialog  
DEBUG:PyQt4.uic.uiparser:pop layout QVBoxLayout verticalLayout  
DEBUG:PyQt4.uic.uiparser:pop widget QDialog XMLDialog  
DEBUG:PyQt4.uic.uiparser:new topwidget None  
DEBUG:PyQt4.uic.uiparser:UI version is 4.0  
DEBUG:PyQt4.uic.uiparser:uiname is MetaSearchDialog  
DEBUG:PyQt4.uic.uiparser:toplevel widget is QDialog  
DEBUG:PyQt4.uic.properties:setting property geometry  
DEBUG:PyQt4.uic.properties:setting property windowTitle

DEBUG:PyQt4.uic.uiparser:push QDialog MetaSearchDialog  
DEBUG:PyQt4.uic.uiparser:push QVBoxLayout verticalLayout  
DEBUG:PyQt4.uic.properties:setting property currentIndex  
DEBUG:PyQt4.uic.uiparser:push QTabWidget tabWidget  
DEBUG:PyQt4.uic.uiparser:push QWidget tabSearch  
DEBUG:PyQt4.uic.uiparser:push QVBoxLayout verticalLayout\_2  
DEBUG:PyQt4.uic.properties:setting property sizePolicy  
DEBUG:PyQt4.uic.properties:setting property title  
DEBUG:PyQt4.uic.uiparser:push QGroupBox groupBox  
DEBUG:PyQt4.uic.uiparser:push QGridLayout gridLayout\_3  
DEBUG:PyQt4.uic.properties:setting property sizePolicy  
DEBUG:PyQt4.uic.uiparser:push QLineEdit leKeywords  
DEBUG:PyQt4.uic.uiparser:pop widget QLineEdit leKeywords  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLabel label\_3  
DEBUG:PyQt4.uic.uiparser:pop widget QLabel label\_3  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnCanvasBbox  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnCanvasBbox  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnSearch  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnSearch  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnGlobalBbox  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnGlobalBbox  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox  
DEBUG:PyQt4.uic.properties:setting property sizePolicy  
DEBUG:PyQt4.uic.uiparser:push QComboBox cmbConnectionsSearch  
DEBUG:PyQt4.uic.uiparser:pop widget QComboBox cmbConnectionsSearch  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox  
DEBUG:PyQt4.uic.uiparser:push QGridLayout gridLayout\_2  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLabel label\_4  
DEBUG:PyQt4.uic.uiparser:pop widget QLabel label\_4  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox  
DEBUG:PyQt4.uic.properties:setting property enabled  
DEBUG:PyQt4.uic.properties:setting property minimumSize  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLineEdit leEast  
DEBUG:PyQt4.uic.uiparser:pop widget QLineEdit leEast  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLabel label\_7  
DEBUG:PyQt4.uic.uiparser:pop widget QLabel label\_7  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox  
DEBUG:PyQt4.uic.properties:setting property minimumSize  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLineEdit leNorth  
DEBUG:PyQt4.uic.uiparser:pop widget QLineEdit leNorth

DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLabel label\_6  
DEBUG:PyQt4.uic.uiparser:pop widget QLabel label\_6  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox  
DEBUG:PyQt4.uic.properties:setting property minimumSize  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLineEdit leWest  
DEBUG:PyQt4.uic.uiparser:pop widget QLineEdit leWest  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLabel label\_8  
DEBUG:PyQt4.uic.uiparser:pop widget QLabel label\_8  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox  
DEBUG:PyQt4.uic.properties:setting property minimumSize  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLineEdit leSouth  
DEBUG:PyQt4.uic.uiparser:pop widget QLineEdit leSouth  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox  
DEBUG:PyQt4.uic.uiparser:pop layout QGridLayout gridLayout\_2  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLabel label  
DEBUG:PyQt4.uic.uiparser:pop widget QLabel label  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox  
DEBUG:PyQt4.uic.uiparser:pop layout QGridLayout gridLayout\_3  
DEBUG:PyQt4.uic.uiparser:pop widget QGroupBox groupBox  
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabSearch  
DEBUG:PyQt4.uic.properties:setting property sizePolicy  
DEBUG:PyQt4.uic.properties:setting property title  
DEBUG:PyQt4.uic.uiparser:push QGroupBox groupBox\_2  
DEBUG:PyQt4.uic.uiparser:push QGridLayout gridLayout\_5  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLabel lblResults  
DEBUG:PyQt4.uic.uiparser:pop widget QLabel lblResults  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox\_2  
DEBUG:PyQt4.uic.properties:setting property toolTip  
DEBUG:PyQt4.uic.properties:setting property editTriggers  
DEBUG:PyQt4.uic.properties:setting property alternatingRowColors  
DEBUG:PyQt4.uic.properties:setting property rootIsDecorated  
DEBUG:PyQt4.uic.properties:setting property itemsExpandable  
DEBUG:PyQt4.uic.properties:setting property sortingEnabled  
DEBUG:PyQt4.uic.properties:setting property allColumnsShowFocus  
DEBUG:PyQt4.uic.uiparser:push QTreeWidget treeRecords  
DEBUG:PyQt4.uic.uiparser:pop widget QTreeWidget treeRecords  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox\_2  
DEBUG:PyQt4.uic.properties:setting property minimumSize  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnPrev  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnPrev  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox\_2  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnShowXml  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnShowXml

DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox\_2  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnFirst  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnFirst  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox\_2  
DEBUG:PyQt4.uic.properties:setting property sizePolicy  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnAddToWms  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnAddToWms  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox\_2  
DEBUG:PyQt4.uic.properties:setting property sizePolicy  
DEBUG:PyQt4.uic.properties:setting property minimumSize  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnAddToWfs  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnAddToWfs  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox\_2  
DEBUG:PyQt4.uic.properties:setting property minimumSize  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnLast  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnLast  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox\_2  
DEBUG:PyQt4.uic.properties:setting property sizePolicy  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnAddToWcs  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnAddToWcs  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox\_2  
DEBUG:PyQt4.uic.properties:setting property minimumSize  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnNext  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnNext  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox\_2  
DEBUG:PyQt4.uic.uiparser:pop layout QGridLayout gridLayout\_5  
DEBUG:PyQt4.uic.uiparser:pop widget QGroupBox groupBox\_2  
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabSearch  
DEBUG:PyQt4.uic.uiparser:pop layout QVBoxLayout verticalLayout\_2  
DEBUG:PyQt4.uic.uiparser:pop widget QWidget tabSearch  
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabWidget  
DEBUG:PyQt4.uic.uiparser:push QWidget tabServers  
DEBUG:PyQt4.uic.uiparser:push QGridLayout gridLayout  
DEBUG:PyQt4.uic.uiparser:push QComboBox cmbConnectionsServices  
DEBUG:PyQt4.uic.uiparser:pop widget QComboBox cmbConnectionsServices  
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabServers  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnServerInfo  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnServerInfo  
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabServers  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnCapabilities  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnCapabilities  
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabServers  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnNew  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnNew

DEBUG:PyQt4.uic.uiparser:new topwidget self.tabServers  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnEdit  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnEdit  
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabServers  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnDelete  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnDelete  
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabServers  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnSave  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnSave  
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabServers  
DEBUG:PyQt4.uic.properties:setting property openExternalLinks  
DEBUG:PyQt4.uic.uiparser:push QTextBrowser textMetadata  
DEBUG:PyQt4.uic.uiparser:pop widget QTextBrowser textMetadata  
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabServers  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnAddDefault  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnAddDefault  
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabServers  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QPushButton btnLoad  
DEBUG:PyQt4.uic.uiparser:pop widget QPushButton btnLoad  
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabServers  
DEBUG:PyQt4.uic.uiparser:pop layout QGridLayout gridLayout  
DEBUG:PyQt4.uic.uiparser:pop widget QWidget tabServers  
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabWidget  
DEBUG:PyQt4.uic.uiparser:push QWidget tabSettings  
DEBUG:PyQt4.uic.properties:setting property geometry  
DEBUG:PyQt4.uic.properties:setting property title  
DEBUG:PyQt4.uic.uiparser:push QGroupBox groupBox\_3  
DEBUG:PyQt4.uic.properties:setting property geometry  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.uiparser:push QLabel label\_5  
DEBUG:PyQt4.uic.uiparser:pop widget QLabel label\_5  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox\_3  
DEBUG:PyQt4.uic.properties:setting property geometry  
DEBUG:PyQt4.uic.uiparser:push QSpinBox spnRecords  
DEBUG:PyQt4.uic.uiparser:pop widget QSpinBox spnRecords  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox\_3  
DEBUG:PyQt4.uic.properties:setting property geometry  
DEBUG:PyQt4.uic.properties:setting property text  
DEBUG:PyQt4.uic.properties:setting property alignment  
DEBUG:PyQt4.uic.uiparser:push QLabel label\_2  
DEBUG:PyQt4.uic.uiparser:pop widget QLabel label\_2  
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox\_3  
DEBUG:PyQt4.uic.uiparser:pop widget QGroupBox groupBox\_3  
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabSettings  
DEBUG:PyQt4.uic.properties:setting property geometry  
DEBUG:PyQt4.uic.properties:setting property title  
DEBUG:PyQt4.uic.uiparser:push QGroupBox groupBox\_4  
DEBUG:PyQt4.uic.properties:setting property geometry

```
DEBUG:PyQt4.uic.properties:setting property value
DEBUG:PyQt4.uic.uiparser:push QSpinBox spnTimeout
DEBUG:PyQt4.uic.uiparser:pop widget QSpinBox spnTimeout
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox_4
DEBUG:PyQt4.uic.properties:setting property geometry
DEBUG:PyQt4.uic.properties:setting property text
DEBUG:PyQt4.uic.uiparser:push QLabel label_9
DEBUG:PyQt4.uic.uiparser:pop widget QLabel label_9
DEBUG:PyQt4.uic.uiparser:new topwidget self.groupBox_4
DEBUG:PyQt4.uic.uiparser:pop widget QGroupBox groupBox_4
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabSettings
DEBUG:PyQt4.uic.uiparser:pop widget QWidget tabSettings
DEBUG:PyQt4.uic.uiparser:new topwidget self.tabWidget
DEBUG:PyQt4.uic.uiparser:pop widget QTabWidget tabWidget
DEBUG:PyQt4.uic.uiparser:new topwidget MetaSearchDialog
DEBUG:PyQt4.uic.properties:setting property orientation
DEBUG:PyQt4.uic.properties:setting property standardButtons
DEBUG:PyQt4.uic.uiparser:push QDialogButtonBox buttonBox
DEBUG:PyQt4.uic.uiparser:pop widget QDialogButtonBox buttonBox
DEBUG:PyQt4.uic.uiparser:new topwidget MetaSearchDialog
DEBUG:PyQt4.uic.uiparser:pop layout QVBoxLayout verticalLayout
DEBUG:PyQt4.uic.uiparser:pop widget QDialog MetaSearchDialog
DEBUG:PyQt4.uic.uiparser:new topwidget None
ERROR 6: EPSG PCS/GCS code 102164 not found in EPSG support files. Is this a valid
EPSG coordinate system?
*** Error in `qgis': double free or corruption (fasttop): 0x0000000003f5b450 ***
Aborted
```

## #2 - 2015-02-24 12:45 PM - Spencer Gardner

Correct - WFS. Sorry for the typo.

WFS worked well for me in previous releases but I hadn't tried this particular WFS endpoint until after I upgraded to 2.8.

## #3 - 2015-02-24 01:19 PM - Giovanni Manghi

- *Priority changed from High to Severe/Regression*
- *Status changed from Feedback to Open*
- *Target version set to Version 2.8.1*

was ok on 2.6.1

## #4 - 2015-05-10 01:03 AM - Giovanni Manghi

- *Target version changed from Version 2.8.1 to Version 2.8.2*

## #5 - 2015-05-10 02:01 AM - Giovanni Manghi

to test use

**#6 - 2015-05-14 03:02 AM - Giovanni Manghi**

- Target version changed from Version 2.8.2 to Version 2.10

**#7 - 2015-05-21 04:58 AM - Saber Razmjooei**

- Status changed from Open to Feedback

I tried to save one of the layers as spatialite. But it came up with an error:

Export to vector file failed.

Error: Feature write errors:

Feature creation error (OGR error: sqlite3\_step() failed:

wfs.GEOMETRY violates Geometry constraint [geom-type or SRID not allowed] (19))

Only 3825 of 3826 features written.

Seems to be a problem with a feature. But still, crashing should not happen.

**#8 - 2015-05-27 12:45 AM - Giovanni Manghi**

- Status changed from Feedback to Open

- Target version changed from Version 2.10 to Future Release - High Priority

**#9 - 2015-06-02 12:59 PM - Giovanni Manghi**

Now it crashes when **adding** a layer from the above service

- Error in `qgis': double free or corruption (fasttop): 0x000000000196a8b0 \*\*\*  
Aborted

**#10 - 2015-06-02 03:21 PM - Jürgen Fischer**

Giovanni Manghi wrote:

Now it crashes when **adding** a layer from the above service

- Error in `qgis': double free or corruption (fasttop): 0x000000000196a8b0 \*\*\*  
Aborted

fixed in commit:6a019ad

**#11 - 2015-06-06 06:58 AM - Giovanni Manghi**

- Status changed from Open to Closed

- Resolution set to fixed/implemented