

## QGIS Application - Bug report #12381

### Can not open oracle layer with NULL SRID (-1)

2015-03-16 11:21 AM - johanvdw -

<b>Status:</b>	Closed		
<b>Priority:</b>	Normal		
<b>Assignee:</b>			
<b>Category:</b>	Data Provider/Oracle		
<b>Affected QGIS version:</b>	2.8.1	<b>Regression?:</b>	No
<b>Operating System:</b>		<b>Easy fix?:</b>	No
<b>Pull Request or Patch supplied:</b>	No	<b>Resolution:</b>	fixed/implemented
<b>Crashes QGIS or corrupts data:</b>	No	<b>Copied to github as #:</b>	20555
<b>Description</b>			
<p>In QGIS 2.6 it was possible to open a oracle geometry with a NULL srid by specifying -1 as the SRID.</p> <p>When I now specify -1 as the SRID, I can no longer select the row and add the layer.</p> <p>If I do specify a correct srid for the layer, adding the layer will fail if the layer has a spatial index definined in the metadata as "NULL".</p>			
<b>Related issues:</b>			
Duplicates QGIS Application - Bug report # 12674: Add Oracle Spatial Layer		<b>Closed</b>	<b>2015-04-30</b>

#### History

**#1 - 2015-03-16 11:34 AM - Giovanni Manghi**

- Category set to Data Provider/Oracle

**#2 - 2015-05-27 03:14 AM - johanvdw -**

- Status changed from Open to Closed

This bug was fixed in release 2.8.2.

See #12674

**#3 - 2015-05-27 03:24 AM - Giovanni Manghi**

- Resolution set to fixed/implemented