

## QGIS Application - Bug report #12445

### When opening shp from disk, with toggled rendering OFF, qgis fetching data from dbase

2015-03-25 03:45 AM - zimirrr leonid

<b>Status:</b>	Closed	
<b>Priority:</b>	Low	
<b>Assignee:</b>		
<b>Category:</b>	Unknown	
<b>Affected QGIS version:</b>	2.6.1	<b>Regression?:</b> No
<b>Operating System:</b>		<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>	No	<b>Resolution:</b> end of life
<b>Crashes QGIS or corrupts data:</b>	No	<b>Copied to github as #:</b> 20612
<b>Description</b>		
<p>I have project, with layers from dbase(postgresql) and shp's.</p> <p>I open project.</p> <p>Toggle rendering OFF (see png)</p> <p>Open shp file from disk and there is activity on dbase also (FETCH 2000 FORWARD FROM qgis_i)</p>		

#### History

##### #1 - 2017-05-01 01:07 AM - Giovanni Manghi

- Easy fix? set to No
- Regression? set to No

##### #2 - 2017-09-22 10:07 AM - Jürgen Fischer

- Category set to Unknown

##### #3 - 2019-03-09 03:12 PM - Giovanni Manghi

- Resolution set to end of life
- Status changed from Open to Closed

End of life notice: QGIS 2.18 LTR

Source:

<http://blog.qgis.org/2019/03/09/end-of-life-notice-qgis-2-18-ltr/>

#### Files

t1.png	89.2 KB	2015-03-25	zimirrr leonid
--------	---------	------------	----------------