

QGIS Application - Bug report #13232

Use estimated data in PG connection doesn't work

2015-08-19 07:51 AM - Luca Lanteri

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:		
Affected QGIS version:	2.8.2	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:	No	Resolution:
Crashes QGIS or corrupts data:	No	Copied to github as #: 21293
Description		
<p>It seems that the option "Use estimated data" in pg connection is ignored.</p> <p>Qgis always use st_extent instead() of st_estimated_extent() when a new layer is loaded from PG.</p> <p>It worked fine in 2.6.</p> <p>Tested on 2.8 and 2.10</p>		

History

#1 - 2015-08-19 04:42 PM - Jürgen Fischer

Are there stats for the tables in question (see pg_stats)? QGIS only uses st_estimated_extent on analyzed tables.

#2 - 2015-08-20 01:31 AM - Luca Lanteri

I've done some other tests. The problem seems to be that I use INHERITS table. Pg_stats is correctly used for the child table but when I load the data from parent table they're ignored.

#3 - 2015-12-15 03:23 AM - Alessandro Pasotti

- Status changed from Open to Closed

This is not a bug in QGIS but in POGIS, hopefully fixed upstream:

<https://github.com/postgis/postgis/commit/92865ad6b0b3501a29e1575c9ef9ab89f23013a6>