

## QGIS Application - Bug report #13238

### Offline Editing Plugin not working with a postgis layer

2015-08-20 12:59 AM - baditaflorin -

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>		
<b>Category:</b>	C++ plugins/Offline editing	
<b>Affected QGIS version:</b>	2.10.1	<b>Regression?:</b> No
<b>Operating System:</b>		<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>	No	<b>Resolution:</b>
<b>Crashes QGIS or corrupts data:</b>	No	<b>Copied to github as #:</b> 21299
<b>Description</b>		
When i try to convert a postgis layer to a offline project, i get this error		
Offline Editing Plugin: Could not create a new database unable to open database file		

#### History

##### #1 - 2015-08-20 01:01 AM - Saber Razmjooei

- Status changed from Open to Feedback
- Category set to C++ plugins/Offline editing

Make sure user can write to the path you have selected to write your offline db.

##### #2 - 2015-08-20 02:02 AM - baditaflorin -

- Status changed from Feedback to Closed

Yes, that was the error.

But this is a problem for over a year, the default path in may default locations are cousin a error in QGIS  
Like for example for this the location is :

C:/PROGRA~1/QGISPI~1/bin/offline.sqlite

Can we make the default location more open, to be in a folder where a user could write by default.

If not, this means a lot of clicks, making a user spend useless time.

Now it`s working, even if i got a warning.

Offline Editing Plugin: ERROR: 28 feature(s) not added. Provider errors: SQLite error: boundary\_files\_top25\_areas20150819194023844.Geometry violates Geometry constraint [geom-type or SRID not allowed] SQL: INSERT INTO

"boundary\_files\_top25\_areas20150819194023844"("geometry","PCUID","PCPUID","PCNAME","PCTYPE","PCCLASS","CMAUID","CMAPUID","CMANAME","CMAType","PRUID","PRNAME") VALUES (GeomFromWKB(? , 3857),?,?,?,?,?,?,?,?,?)