

QGIS Application - Bug report #13277

QGIS trunk fails to build OS X

2015-08-27 09:14 AM - John Tull

Status: Closed		Regression?: No Easy fix?: No Resolution: Copied to github as #: 21337
Priority: Normal		
Assignee:		
Category: Build/Install		
Affected QGIS version: master		
Operating System: OSX		
Pull Request or Patch supplied: No		
Crashes QGIS or corrupts data: No		
Description		
QGIS build is failing on the grass7 plugin as noted in the partial build log below. This has appeared within the past week: <pre>make clean cmake % git:master [??]cmake .. -- QGIS version: 2.11.0 Master (21100) -- Found GRASS 7: /usr/local/Cellar/grass-70/7.0.1/grass-base (7.0.1) -- Found Proj: /usr/local/lib/libproj.dylib -- Found GEOS: /usr/local/Cellar/geos/3.4.2/lib/libgeos_c.dylib (3.4.2) -- Found GDAL: /usr/local/Cellar/gdal/2.0.0_1/lib/libgdal.dylib (2.0.0) -- Found Expat: /usr/lib/libexpat.dylib -- Found Spatialindex: /usr/local/lib/libspatialindex.dylib -- Found Qwt: /usr/local/lib/qwt.framework/qwt (6.1.2) -- Found Sqlite3: /usr/lib/libsqlite3.dylib -- Found PostgreSQL: /usr/local/Cellar/postgresql/9.4.4/lib/libpq.dylib -- Found Spatialite: /usr/local/lib/libspatialite.dylib -- Found Qt version: 4.8.7 -- Touch support disabled -- Found QScintilla2: /usr/local/lib/libqscintilla2.dylib (2.8.4) -- Pedantic compiler settings enabled -- Appending CXX_EXTRA_FLAGS -- Found Python executable: /usr/local/bin/python -- Found Python version: 2.7.10 -- Found Python library: -framework Python -- Found SIP version: 4.16.9 -- Found PyQt4 version: 4.11.3 -- Found QScintilla2 PyQt4 module: 2.8.4 -- Found QwtPolar: /usr/local/lib/qwtPolar.framework/qwtPolar -- Found GSL: -L/usr/local/Cellar/gsl/1.16/lib -lgsl -lgslcblas -- Keyboard layouts will be installed in: ../Resources/grass/qtermwidget/kb-layouts -- txt2tags not found - disabled -- Configuring done -- Generating done -- Build files have been written to: /Users/jctull/sources/qgis_2/build ~/s/q/build git:master [??]make -j4 [0%] Generating qgsversion.h [0%] Building C object src/providers/grass/7/CMakeFiles/qgis.d.rast7.dir/__/qgis.d.rast.c.o [0%] Generating ui_qgisapp.h [1%] Building C object src/providers/grass/7/CMakeFiles/qgis.g.info7.dir/__/qgis.g.info.c.o</pre>		

Files "/Users/jctull/sources/qgis_2/build/qgsversion.h.temp" to "/Users/jctull/sources/qgis_2/build/qgsversion.h" are different.

[1%] Generating ui_qgsabout.h

[1%] Built target version

<snip>

[48%] Linking CXX shared library ../../output/lib/qgis_gui.framework/qgis_gui

[48%] Built target qgis_gui

[48%] Generating moc_qgsgdalprovider.cxx

[48%] Generating moc_qgsowsdataitems.cxx

[48%] Generating moc_qgsmssqldataitems.cxx

[48%] Generating moc_qgswmtsdimensions.cxx

[48%] Generating moc_qgswmscapabilities.cxx

[48%] Generating moc_qgsmssqlprovider.cxx

[48%] Generating moc_qgsowsprovider.cxx

[48%] Generating moc_qgswmsprovider.cxx

[48%] Generating moc_qgsmssqlsourceselect.cxx

Scanning dependencies of target gdalprovider

[48%] Generating moc_qgswmssourceselect.cxx

[48%] Generating moc_qgsmssqltablemodel.cxx

[48%] Generating moc_qgswmsconnection.cxx

Scanning dependencies of target owsprovider

[48%] Building CXX object src/providers/gdal/CMakeFiles/gdalprovider.dir/qgsgdalproviderbase.cpp.o

[48%] Generating moc_qgsmssqlnewconnection.cxx

[48%] Generating moc_qgswmsdataitems.cxx

[48%] Building CXX object src/providers/ows/CMakeFiles/owsprovider.dir/qgsowsprovider.cpp.o

[48%] Generating moc_qgstilescalewidget.cxx

Scanning dependencies of target mssqlprovider

Scanning dependencies of target wmsprovider

[48%] Building CXX object src/providers/mssql/CMakeFiles/mssqlprovider.dir/qgsmssqlprovider.cpp.o

[49%] Building CXX object src/providers/wms/CMakeFiles/wmsprovider.dir/qgswmscapabilities.cpp.o

[49%] Building CXX object src/providers/gdal/CMakeFiles/gdalprovider.dir/qgsgdalprovider.cpp.o

[49%] Building CXX object src/providers/ows/CMakeFiles/owsprovider.dir/qgsowsdataitems.cpp.o

/Users/jctull/sources/qgis_2/src/providers/gdal/qgsgdalprovider.cpp:1285:20: warning: 'GDALGetDefaultHistogram' is deprecated: Use GDALGetDefaultHistogramEx() instead

[-Wdeprecated-declarations]

CPLerr myError = GDALGetDefaultHistogram(myGdalBand, &myMinVal, &myMaxVal,

^

/usr/local/include/gdal.h:718:28: note: 'GDALGetDefaultHistogram' has been explicitly marked deprecated here

CPLerr CPL_DLL CPL_STDCALL GDALGetDefaultHistogram(GDALRasterBandH hBand,

^

/Users/jctull/sources/qgis_2/src/providers/gdal/qgsgdalprovider.cpp:1437:20: warning: 'GDALGetRasterHistogram' is deprecated: Use GDALGetRasterHistogramEx() instead

[-Wdeprecated-declarations]

CPLerr myError = GDALGetRasterHistogram(myGdalBand, myMinVal, myMaxVal,

^

/usr/local/include/gdal.h:706:28: note: 'GDALGetRasterHistogram' has been explicitly marked deprecated here

CPLerr CPL_DLL CPL_STDCALL GDALGetRasterHistogram(GDALRasterBandH hBand,

^

[49%] Building CXX object src/providers/ows/CMakeFiles/owsprovider.dir/moc_qgsowsprovider.cxx.o

[49%] Building CXX object src/providers/mssql/CMakeFiles/mssqlprovider.dir/qgsmssqlgeometryparser.cpp.o

[49%] Building CXX object src/providers/ows/CMakeFiles/owsprovider.dir/moc_qgsowsdataitems.cxx.o

2 warnings generated.

[49%] Building CXX object src/providers/gdal/CMakeFiles/gdalprovider.dir/qgsgdaldataitems.cpp.o

[49%] Building CXX object src/providers/mssql/CMakeFiles/mssqlprovider.dir/qgsmssqlsourceselect.cpp.o

[49%] Linking CXX shared module ../../PlugIns/qgis/libowsprovider.so

[49%] Built target owsprovider

[49%] Building CXX object src/providers/wms/CMakeFiles/wmsprovider.dir/qgswmsprovider.cpp.o

[49%] Building CXX object src/providers/gdal/CMakeFiles/gdalprovider.dir/moc_qgsgdalprovider.cxx.o

[49%] Generating moc_qgswcsdataitems.cxx

[49%] Generating moc_qgswcsprovider.cxx

[49%] Generating moc_qgswcscapabilities.cxx

[49%] Generating moc_qgswcssourceselect.cxx

Scanning dependencies of target wcsprovider

[49%] Building CXX object src/providers/wcs/CMakeFiles/wcsprovider.dir/__/gdal/qgsgdalproviderbase.cpp.o

[49%] Building CXX object src/providers/mssql/CMakeFiles/mssqlprovider.dir/qgsmssqltablemodel.cpp.o

[49%] Linking CXX shared module ../../PlugIns/qgis/libgdalprovider.so

[49%] Built target gdalprovider

[49%] Building CXX object src/providers/wms/CMakeFiles/wmsprovider.dir/qgswmssourceselect.cpp.o

[49%] Building CXX object src/providers/wcs/CMakeFiles/wcsprovider.dir/qgswcsprovider.cpp.o

[49%] Building CXX object src/providers/mssql/CMakeFiles/mssqlprovider.dir/qgsmssqlnewconnection.cpp.o

[49%] Building CXX object src/providers/mssql/CMakeFiles/mssqlprovider.dir/qgsmssqldataitems.cpp.o

[49%] Building CXX object src/providers/wcs/CMakeFiles/wcsprovider.dir/qgswcscapabilities.cpp.o

[49%] Generating moc_qgswfssourceselect.cxx

[49%] Generating moc_qgswfscapabilities.cxx

[49%] Generating moc_qgswfsdataitems.cxx

[49%] Generating moc_qgswfsprovider.cxx

[49%] Generating moc_qgswfsfeatureiterator.cxx

Scanning dependencies of target wfsprovider

[49%] Building CXX object src/providers/wfs/CMakeFiles/wfsprovider.dir/qgswfsprovider.cpp.o

[49%] Building CXX object src/providers/mssql/CMakeFiles/mssqlprovider.dir/qgsmssqlfeatureiterator.cpp.o

[50%] Building CXX object src/providers/wcs/CMakeFiles/wcsprovider.dir/qgswcssourceselect.cpp.o

[50%] Building CXX object src/providers/mssql/CMakeFiles/mssqlprovider.dir/moc_qgsmssqlprovider.cxx.o

[50%] Building CXX object src/providers/wfs/CMakeFiles/wfsprovider.dir/qgswfscapabilities.cpp.o

[50%] Building CXX object src/providers/wms/CMakeFiles/wmsprovider.dir/qgswmsconnection.cpp.o

[50%] Building CXX object src/providers/wcs/CMakeFiles/wcsprovider.dir/qgswcsdataitems.cpp.o

[50%] Building CXX object src/providers/mssql/CMakeFiles/mssqlprovider.dir/moc_qgsmssqlsourceselect.cxx.o

[50%] Building CXX object src/providers/wfs/CMakeFiles/wfsprovider.dir/qgswfsdataitems.cpp.o

[50%] Building CXX object src/providers/mssql/CMakeFiles/mssqlprovider.dir/moc_qgsmssqltablemodel.cxx.o

[50%] Building CXX object src/providers/wms/CMakeFiles/wmsprovider.dir/qgswmsdataitems.cpp.o

[50%] Building CXX object src/providers/wcs/CMakeFiles/wcsprovider.dir/moc_qgswcsprovider.cxx.o

[50%] Building CXX object src/providers/mssql/CMakeFiles/mssqlprovider.dir/moc_qgsmssqlnewconnection.cxx.o

[50%] Building CXX object src/providers/wfs/CMakeFiles/wfsprovider.dir/qgswfsfeatureiterator.cpp.o

[50%] Building CXX object src/providers/mssql/CMakeFiles/mssqlprovider.dir/moc_qgsmssqldataitems.cxx.o

[50%] Building CXX object src/providers/wcs/CMakeFiles/wcsprovider.dir/moc_qgswcscapabilities.cxx.o

[50%] Building CXX object src/providers/wfs/CMakeFiles/wfsprovider.dir/qgswfssourceselect.cpp.o

[50%] Building CXX object src/providers/wcs/CMakeFiles/wcsprovider.dir/moc_qgswcssourceselect.cxx.o

[50%] Building CXX object src/providers/wms/CMakeFiles/wmsprovider.dir/qgstilescalewidget.cpp.o

[50%] Linking CXX shared module ../../PlugIns/qgis/libmssqlprovider.so

[50%] Built target mssqlprovider

[50%] Building CXX object src/providers/wcs/CMakeFiles/wcsprovider.dir/moc_qgswcsdataitems.cxx.o

[50%] Building CXX object src/providers/wms/CMakeFiles/wmsprovider.dir/qgswmtsdimensions.cpp.o

[50%] Linking CXX shared module ../../PlugIns/qgis/libwcsprovider.so

[50%] Built target wcsprovider

[50%] Building CXX object src/providers/wfs/CMakeFiles/wfsprovider.dir/moc_qgswfscapabilities.cxx.o

[50%] Generating moc_qgsspatialiteconnection.cxx

[50%] Generating moc_qgsspatialiteprovider.cxx

[50%] Generating moc_qgsspatialiteconnpool.cxx

[50%] Generating moc_qgsspatialitedataitems.cxx
[50%] Generating moc_qgsspatialitesourceselect.cxx
[50%] Generating moc_qgsspatialitetablemodel.cxx
[50%] Building CXX object src/providers/wms/CMakeFiles/wmsprovider.dir/moc_qgswmscapabilities.cxx.o
Scanning dependencies of target spatialiteprovider
[50%] Building CXX object src/providers/wfs/CMakeFiles/wfsprovider.dir/moc_qgswfsdataitems.cxx.o
[50%] Building CXX object src/providers/spatialite/CMakeFiles/spatialiteprovider.dir/qgsspatialiteprovider.cpp.o
[50%] Building CXX object src/providers/wms/CMakeFiles/wmsprovider.dir/moc_qgswmsprovider.cxx.o
[50%] Generating moc_qgscolumntypethread.cxx
[50%] Generating moc_qgspostgresprovider.cxx
[50%] Generating moc_qgspostgresconn.cxx
[50%] Generating moc_qgspostgresconnpool.cxx
[50%] Generating moc_qgspostgresdataitems.cxx
[50%] Generating moc_qgspgsourceselect.cxx
[50%] Generating moc_qgspgnewconnection.cxx
[50%] Generating moc_qgspgtablemodel.cxx
Scanning dependencies of target postgresprovider
[50%] Building CXX object src/providers/wfs/CMakeFiles/wfsprovider.dir/moc_qgswfsprovider.cxx.o
[50%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/qgspostgresprovider.cpp.o
[50%] Building CXX object src/providers/wms/CMakeFiles/wmsprovider.dir/moc_qgswmssourceselect.cxx.o
[50%] Building CXX object src/providers/wfs/CMakeFiles/wfsprovider.dir/moc_qgswfsfeatureiterator.cxx.o
[50%] Building CXX object src/providers/wms/CMakeFiles/wmsprovider.dir/moc_qgswmsconnection.cxx.o
[50%] Building CXX object src/providers/wfs/CMakeFiles/wfsprovider.dir/moc_qgswfssourceselect.cxx.o
[50%] Building CXX object src/providers/wms/CMakeFiles/wmsprovider.dir/moc_qgswmsdataitems.cxx.o
[50%] Linking CXX shared module ../../../../PlugIns/qgis/libwfsprovider.so
[50%] Building CXX object src/providers/spatialite/CMakeFiles/spatialiteprovider.dir/qgsspatialitedataitems.cpp.o
[50%] Built target wfsprovider
[50%] Building CXX object src/providers/wms/CMakeFiles/wmsprovider.dir/moc_qgstilescalewidget.cxx.o
[50%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/qgspostgresconn.cpp.o
[50%] Building CXX object src/providers/wms/CMakeFiles/wmsprovider.dir/moc_qgswmtsdimensions.cxx.o
[50%] Building CXX object src/providers/spatialite/CMakeFiles/spatialiteprovider.dir/qgsspatialiteconnection.cpp.o
[50%] Linking CXX shared module ../../../../PlugIns/qgis/libwmsprovider.so
[50%] Built target wmsprovider
[50%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/qgspostgresconnpool.cpp.o
[50%] Building CXX object src/providers/spatialite/CMakeFiles/spatialiteprovider.dir/qgsspatialiteconnpool.cpp.o
[50%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/qgspostgresdataitems.cpp.o
[50%] Building CXX object src/providers/spatialite/CMakeFiles/spatialiteprovider.dir/qgsspatialitefeatureiterator.cpp.o
[50%] Generating ui_qgsgrassoptionsbase.h
[50%] Generating __/moc_qgsgrass.cxx
[51%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/qgspostgresfeatureiterator.cpp.o
[51%] Generating __/moc_qgsgrassprovider.cxx
[51%] Generating __/moc_qgsgrassimport.cxx
[51%] Generating __/moc_qgsgrassoptions.cxx
Scanning dependencies of target qgisgrass7
[51%] Building CXX object src/providers/grass/7/CMakeFiles/qgisgrass7.dir/__/qgsgrass.cpp.o
[51%] Building CXX object src/providers/spatialite/CMakeFiles/spatialiteprovider.dir/qgsspatialitesourceselect.cpp.o
[51%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/qgspostgrestransaction.cpp.o
[51%] Generating qrc_testdata.cxx
[51%] Generating moc_qgisapp.cxx
[51%] Generating moc_qgisappinterface.cxx
[51%] Generating moc_qgisappstylesheet.cxx
[51%] Generating moc_qgsabout.cxx
[51%] Generating moc_qgsaddattrdialog.cxx

[51%] Generating moc_qgsalignrasterdialog.cxx
[51%] Generating moc_qgsjoindialog.cxx
[51%] Generating moc_qgsaddtaborgroup.cxx
[51%] Generating moc_qgsannotationwidget.cxx
[51%] Generating moc_qgsattributeactiondialog.cxx
[51%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/qgspgsourceselect.cpp.o
[51%] Generating moc_qgsattributetypedialog.cxx
[51%] Generating moc_qgsattributetabledialog.cxx
[51%] Generating moc_qgsbookmarks.cxx
[51%] Generating moc_qgsbrowserdockwidget.cxx
[51%] Generating moc_qgsadvanceddigitizingdockwidget.cxx
[51%] Generating moc_qgsclipboard.cxx
[51%] Generating moc_qgsconfigureshortcutsdialog.cxx
[51%] Generating moc_qgscustomization.cxx
[51%] Generating moc_qgscustomprojectiondialog.cxx
[51%] Generating moc_qgsdecorationitem.cxx
[51%] Generating moc_qgsdecorationcopyright.cxx
[51%] Generating moc_qgsdecorationcopyrightdialog.cxx
[51%] Building CXX object src/providers/spatialite/CMakeFiles/spatialiteprovider.dir/qgsspatialitetablemodel.cpp.o
[51%] Generating moc_qgsdecorationnortharrow.cxx
[51%] Generating moc_qgsdecorationnortharrowdialog.cxx
[51%] Generating moc_qgsdecorationscalebar.cxx
[51%] Generating moc_qgsdecorationscalebardialog.cxx
[51%] Generating moc_qgsdecorationgrid.cxx
[51%] Generating moc_qgsdecorationgriddialog.cxx
[51%] Generating moc_qgsdelattrdialog.cxx
[52%] Generating moc_qgsdiagramproperties.cxx
[52%] Generating moc_qgsdisplayangle.cxx
[52%] Generating moc_qgsdxfexportdialog.cxx
[52%] Generating moc_qgsfeatureaction.cxx
[52%] Building CXX object src/providers/grass/7/CMakeFiles/qgisgrass7.dir/__/qgsgrassdatafile.cpp.o
[52%] Generating moc_qgsfieldcalculator.cxx
[52%] Generating moc_qgsfieldsproperties.cxx
[52%] Generating moc_qgsformannotationdialog.cxx
[52%] Generating moc_qgshtmlannotationdialog.cxx
[52%] Generating moc_qgsidentifyresultsdialog.cxx
[52%] Generating moc_qgslabeldialog.cxx
[52%] Generating moc_qgslabelengineconfigdialog.cxx
[52%] Generating moc_qgslabelinggui.cxx
[52%] Generating moc_qgslabelpropertydialog.cxx
[52%] Generating moc_qgsloadstylefromdbdialog.cxx
[52%] Building CXX object src/providers/grass/7/CMakeFiles/qgisgrass7.dir/__/qgsgrassfeatureiterator.cpp.o
[52%] Generating moc_qgsmaplayerstyleguiutils.cxx
[52%] Generating moc_qgssavestyletodbdialog.cxx
[52%] Generating moc_qgsshortcutsmanager.cxx
[52%] Generating moc_qgsapplayertreeviewmenuprovider.cxx
[52%] Generating moc_qgsvectorlayerertools.cxx
[52%] Generating moc_qgswelcomepageitemsmodel.cxx
[52%] Generating moc_qgswelcomepage.cxx
[52%] Generating moc_qgsversioninfo.cxx
[52%] Generating moc_qgsmaptooladdfeature.cxx
[52%] Generating moc_qgsmaptoolcapture.cxx
[52%] Generating moc_qgsmaptoolcircularstringradius.cxx

[52%] Generating moc_qgsmaptooladdpart.cxx
[52%] Building CXX object src/providers/spatialite/CMakeFiles/spatialiteprovider.dir/moc_qgsspatialiteprovider.cxx.o
[52%] Generating moc_qgsmaptooladding.cxx
[52%] Generating moc_qgsmaptooledit.cxx
[52%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/qgspgnewconnection.cpp.o
[52%] Generating moc_qgsmaptoolfillring.cxx
[52%] Generating moc_qgsmaptoolchangelabelproperties.cxx
[53%] Generating moc_qgsmaptooldeletepart.cxx
[53%] Generating moc_qgsmaptooldeletering.cxx
[53%] Generating moc_qgsmaptoolfeatureaction.cxx
[53%] Generating moc_qgsmaptoolpinlabels.cxx
[53%] Generating moc_qgsmaptoolshowhidelabels.cxx
[53%] Generating moc_qgsmaptoolidentifyaction.cxx
[53%] Generating moc_qgsmaptooladvanceddigitizing.cxx
[53%] Generating moc_qgsmaptoolmeasureangle.cxx
[53%] Generating moc_qgsmaptoolmovefeature.cxx
[53%] Building CXX object src/providers/grass/7/CMakeFiles/qgisgrass7.dir/__/qgisgrassprovider.cpp.o
[53%] Generating moc_qgsmaptoolmovelabel.cxx
[53%] Generating moc_qgsmaptooloffsetcurve.cxx
[53%] Generating moc_qgsmaptoolreshape.cxx
[53%] Generating moc_qgsmaptoolrotatefeature.cxx
[53%] Generating moc_qgsmaptoolrotatelabel.cxx
[53%] Generating moc_qgsmaptoolrotatepointssymbols.cxx
[53%] Generating moc_qgsmaptoolselectfreehand.cxx
[53%] Generating moc_qgsmaptoolselect.cxx
[53%] Generating moc_qgsmaptoolselectpolygon.cxx
[53%] Generating moc_qgsmaptoolselectradius.cxx
[53%] Generating moc_qgsmaptoolselectrectangle.cxx
[53%] Generating moc_qgsmaptoolsimplify.cxx
[53%] Generating moc_qgsmaptoolsplitfeatures.cxx
[53%] Generating moc_qgsmaptoolsplitparts.cxx
[53%] Generating moc_qgsmaptooladdcircularstring.cxx
[53%] Building CXX object src/providers/spatialite/CMakeFiles/spatialiteprovider.dir/moc_qgsspatialiteconnpool.cxx.o
[53%] Generating nodetool/moc_qgsmaptoolnodetool.cxx
[53%] Generating nodetool/moc_qgsselectedfeature.cxx
[53%] Generating nodetool/moc_qgsnodeeditor.cxx
[53%] Generating moc_qgsmeasuredialog.cxx
[53%] Generating moc_qgsmeasuretool.cxx
[54%] Generating moc_qgsmergeattributesdialog.cxx
[54%] Generating moc_qgsoptions.cxx
[54%] Generating moc_qgsprojectlayergroupdialog.cxx
[54%] Generating moc_qgsprojectproperties.cxx
[54%] Generating moc_qgsrastercalcdialog.cxx
[54%] Generating moc_qgsrasterlayerproperties.cxx
[54%] Generating moc_qgssnappingdialog.cxx
[54%] Generating moc_qgssponsors.cxx
[54%] Generating moc_qgsstatisticalsummarydockwidget.cxx
[54%] Generating moc_qgssvgannotationdialog.cxx
[54%] Generating moc_qgstextannotationdialog.cxx
[54%] Generating moc_qgstipgui.cxx
[54%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/qgspgtablemodel.cpp.o
[54%] Generating moc_qgstipfactory.cxx
[54%] Generating moc_qgsundowidget.cxx

```

[ 54%] Generating moc_qgsvectorlayerproperties.cxx
[ 54%] Generating moc_qgsvisibilitypresets.cxx
[ 54%] Generating moc_qgshandlebadlayers.cxx
[ 54%] Generating composer/moc_qgsattributeselectiondialog.cxx
[ 54%] Generating composer/moc_qgscomposer.cxx
[ 54%] Generating composer/moc_qgscomposerarrowwidget.cxx
[ 54%] Building CXX object src/providers/spatialite/CMakeFiles/spatialiteprovider.dir/moc_qgsspatialitedataitems.cxx.o
[ 54%] Generating composer/moc_qgscomposerattributetablewidget.cxx
[ 54%] Generating composer/moc_qgscomposerhtmlwidget.cxx
[ 54%] Generating composer/moc_qgscomposeritemwidget.cxx
[ 54%] Generating composer/moc_qgscomposerlabelwidget.cxx
[ 54%] Generating composer/moc_qgscomposerlegendwidget.cxx
[ 54%] Generating composer/moc_qgscomposermanager.cxx
[ 54%] Generating composer/moc_qgscomposermapwidget.cxx
[ 54%] Generating composer/moc_qgscomposerpicturewidget.cxx
[ 54%] Generating composer/moc_qgscomposerscalebarwidget.cxx
[ 54%] Generating composer/moc_qgscomposertablewidget.cxx
[ 55%] Generating composer/moc_qgscomposershapewidget.cxx
[ 55%] Generating composer/moc_qgscompositionwidget.cxx
[ 55%] Generating composer/moc_qgsatlascompositionwidget.cxx
[ 55%] Generating legend/moc_qgsapplegendinterface.cxx
[ 55%] Generating ogr/moc_qgsopenvectorlayerdialog.cxx
[ 55%] Generating ogr/moc_qgsnewogrconnection.cxx
[ 55%] Generating ogr/moc_qgsvectorlayersaveasdialog.cxx
[ 55%] Generating gps/moc_qsgpsinformationwidget.cxx
[ 55%] Generating openstreetmap/moc_qgsosmdownloaddialog.cxx
[ 55%] Generating openstreetmap/moc_qgsosmimportdialog.cxx
[ 55%] Generating openstreetmap/moc_qgsosmexportdialog.cxx
[ 55%] Generating pluginmanager/moc_qgspluginmanager.cxx
[ 55%] Generating pluginmanager/moc_qgsapppluginmanagerinterface.cxx
[ 55%] Building CXX object src/providers/grass/7/CMakeFiles/qgisgrass7.dir/__/qgsgrassimport.cpp.o
[ 55%] Generating pluginmanager/moc_qgspluginsortfilterproxymodel.cxx
[ 55%] Generating pluginmanager/moc_qgspluginitemdelegate.cxx
[ 55%] Generating moc_qgsnewspatialitelayerdialog.cxx
[ 55%] Generating qrc_images.cxx
[ 55%] Building CXX object src/providers/spatialite/CMakeFiles/spatialiteprovider.dir/moc_qgsspatialitesourceselect.cxx.o
[ 55%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/qgscolumntypethread.cpp.o
/Users/jctull/sources/qgis_2/src/providers/grass/qgsgrassimport.cpp:188:21: warning: unused variable 'data_type'
[-Wunused-variable]
    RASTER_MAP_TYPE data_type = -1;
                        ^
[ 55%] Building CXX object src/providers/spatialite/CMakeFiles/spatialiteprovider.dir/moc_qgsspatialitetablemodel.cxx.o
[ 55%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/qgspostgresexpressioncompiler.cpp.o
Scanning dependencies of target QGIS
1 warning generated.
[ 55%] Building CXX object src/providers/grass/7/CMakeFiles/qgisgrass7.dir/__/qgsgrassoptions.cpp.o
[ 55%] Building CXX object src/providers/spatialite/CMakeFiles/spatialiteprovider.dir/moc_qgsspatialiteconnection.cxx.o
[ 55%] Linking CXX shared module ../../PlugIns/qgis/libspatialiteprovider.so
[ 55%] Built target spatialiteprovider
[ 55%] Building CXX object src/providers/grass/7/CMakeFiles/qgisgrass7.dir/__/moc_qgsgrass.cxx.o
[ 55%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/moc_qgspostgresprovider.cxx.o
[ 55%] Building CXX object src/providers/grass/7/CMakeFiles/qgisgrass7.dir/__/moc_qgsgrassprovider.cxx.o
[ 55%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/moc_qgspostgresconn.cxx.o

```

```

[ 55%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/moc_qgspostgresconnpool.cxx.o
[ 55%] Building CXX object src/providers/grass/7/CMakeFiles/qgisgrass7.dir/__/moc_qgsgrassimport.cxx.o
Scanning dependencies of target qgis_app
[ 55%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/moc_qgspostgresdataitems.cxx.o
[ 55%] Building CXX object src/providers/grass/7/CMakeFiles/qgisgrass7.dir/__/moc_qgsgrassoptions.cxx.o
[ 55%] Building CXX object src/app/CMakeFiles/QGIS.dir/main.cpp.o
[ 55%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/moc_qgspgsourceselect.cxx.o
[ 55%] Linking CXX shared library ../../../../PlugIns/qgis/qgisgrass7.framework/qgisgrass7
[ 55%] Built target qgisgrass7
[ 55%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgisapp.cpp.o
[ 55%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/moc_qgspgnewconnection.cxx.o
[ 55%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/moc_qgspgtablemodel.cxx.o
[ 55%] Building CXX object src/providers/postgres/CMakeFiles/postgresprovider.dir/moc_qgscolumntypethread.cxx.o
[ 55%] Linking CXX shared module ../../../../PlugIns/qgis/libpostgresprovider.so
[ 55%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgisapp.cpp.o
[ 55%] Built target postgresprovider
[ 55%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgisappinterface.cpp.o
[ 55%] Generating qrc_images.cxx
[ 55%] Generating moc_qgsbrowser.cxx
[ 55%] Generating ui_qgsbrowserbase.h
Scanning dependencies of target qbrowser
[ 55%] Building CXX object src/browser/CMakeFiles/qbrowser.dir/main.cpp.o
/Users/jctull/sources/qgis_2/src/app/qgisapp.cpp:4781:3: warning: 'GetCurrentProcess' is deprecated: first deprecated in OS X
10.9 [-Wdeprecated-declarations]
    GetCurrentProcess( &psn );
    ^
/System/Library/Frameworks/ApplicationServices.framework/Frameworks/HIServices.framework/Headers/Processes.h:415:1:
note: 'GetCurrentProcess' has been explicitly marked deprecated
    here
MacGetCurrentProcess(ProcessSerialNumber * PSN)
AVAILABLE_MAC_OS_X_VERSION_10_0_AND_LATER_BUT_DEPRECATED_IN_MAC_OS_X_VERSION_10_9;
^
/System/Library/Frameworks/ApplicationServices.framework/Frameworks/HIServices.framework/Headers/Processes.h:412:34:
note: expanded from macro 'MacGetCurrentProcess'
    #define MacGetCurrentProcess GetCurrentProcess
                                ^
/Users/jctull/sources/qgis_2/src/app/qgisapp.cpp:4782:3: warning: 'SetFrontProcess' is deprecated: first deprecated in OS X 10.9
[-Wdeprecated-declarations]
    SetFrontProcess( &psn );
    ^
/System/Library/Frameworks/ApplicationServices.framework/Frameworks/HIServices.framework/Headers/Processes.h:603:1:
note: 'SetFrontProcess' has been explicitly marked deprecated here
SetFrontProcess(const ProcessSerialNumber * PSN)
AVAILABLE_MAC_OS_X_VERSION_10_0_AND_LATER_BUT_DEPRECATED_IN_MAC_OS_X_VERSION_10_9;
^
[ 55%] Building CXX object src/browser/CMakeFiles/qbrowser.dir/qgsbrowser.cpp.o
[ 55%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgisappinterface.cpp.o
/Users/jctull/sources/qgis_2/src/app/qgisapp.cpp:4781:3: warning: 'GetCurrentProcess' is deprecated: first deprecated in OS X
10.9 [-Wdeprecated-declarations]
    GetCurrentProcess( &psn );
    ^
/System/Library/Frameworks/ApplicationServices.framework/Frameworks/HIServices.framework/Headers/Processes.h:415:1:
note: 'GetCurrentProcess' has been explicitly marked deprecated

```

```

here
MacGetCurrentProcess(ProcessSerialNumber * PSN)
AVAILABLE_MAC_OS_X_VERSION_10_0_AND_LATER_BUT_DEPRECATED_IN_MAC_OS_X_VERSION_10_9;
^
/System/Library/Frameworks/ApplicationServices.framework/Frameworks/HIServices.framework/Headers/Processes.h:412:34:
note: expanded from macro 'MacGetCurrentProcess'
    #define MacGetCurrentProcess GetCurrentProcess
        ^
/Users/jctull/sources/qgis_2/src/app/qgisapp.cpp:4782:3: warning: 'SetFrontProcess' is deprecated: first deprecated in OS X 10.9
[-Wdeprecated-declarations]
    SetFrontProcess( &psn );
    ^
/System/Library/Frameworks/ApplicationServices.framework/Frameworks/HIServices.framework/Headers/Processes.h:603:1:
note: 'SetFrontProcess' has been explicitly marked deprecated here
SetFrontProcess(const ProcessSerialNumber * PSN)
AVAILABLE_MAC_OS_X_VERSION_10_0_AND_LATER_BUT_DEPRECATED_IN_MAC_OS_X_VERSION_10_9;
^
[ 55%] Building CXX object src/browser/CMakeFiles/qbrowser.dir/moc_qgsbrowser.cxx.o
[ 55%] Generating ui_qgstinterpolatordialogbase.h
[ 55%] Generating moc_qgsinterpolationplugin.cxx
[ 55%] Generating moc_qgstinterpolatordialog.cxx
[ 55%] Generating moc_qgsidwinterpolatordialog.cxx
[ 55%] Generating moc_qgsinterpolationdialog.cxx
[ 55%] Generating qrc_interpolator.cxx
[ 55%] Generating ui_qgsidwinterpolatordialogbase.h
[ 55%] Generating ui_qgsinterpolationdialogbase.h
Scanning dependencies of target interpolationplugin
[ 55%] Building CXX object src/plugins/interpolation/CMakeFiles/interpolationplugin.dir/qgsinterpolationplugin.cpp.o
[ 55%] Building CXX object src/browser/CMakeFiles/qbrowser.dir/qrc_images.cxx.o
[ 55%] Building CXX object src/plugins/interpolation/CMakeFiles/interpolationplugin.dir/qgsidwinterpolatordialog.cpp.o
[ 55%] Building CXX object src/plugins/interpolation/CMakeFiles/interpolationplugin.dir/qgsinterpolationdialog.cpp.o
[ 55%] Building CXX object src/plugins/interpolation/CMakeFiles/interpolationplugin.dir/qgsinterpolatordialog.cpp.o
[ 55%] Linking CXX executable "../../output/bin/QGIS Browser.app/Contents/MacOS/QGIS Browser"
[ 55%] Built target qbrowser
[ 55%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgisappstylesheet.cpp.o
[ 56%] Building CXX object src/plugins/interpolation/CMakeFiles/interpolationplugin.dir/qgstinterpolatordialog.cpp.o
[ 56%] Building CXX object src/plugins/interpolation/CMakeFiles/interpolationplugin.dir/moc_qgsinterpolationplugin.cxx.o
[ 56%] Building CXX object src/plugins/interpolation/CMakeFiles/interpolationplugin.dir/moc_qgstinterpolatordialog.cxx.o
[ 56%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgisappstylesheet.cpp.o
[ 56%] Building CXX object src/plugins/interpolation/CMakeFiles/interpolationplugin.dir/moc_qgsidwinterpolatordialog.cxx.o
2 warnings generated.
[ 56%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsabout.cpp.o
[ 56%] Building CXX object src/plugins/interpolation/CMakeFiles/interpolationplugin.dir/moc_qgsinterpolationdialog.cxx.o
[ 56%] Generating ui_qgsoracleconnectbase.h
[ 56%] Generating moc_qgsoracle_plugin.cxx
[ 56%] Generating moc_qgsselectgeoraster_ui.cxx
[ 56%] Generating moc_qgsoracleconnect_ui.cxx
[ 56%] Generating qrc_oracleplugin.cxx
[ 57%] Generating ui_qgsselectgeorasterbase.h
Scanning dependencies of target oracleplugin
[ 57%] Building CXX object src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/qgsoracle_plugin.cpp.o
[ 57%] Building CXX object src/plugins/interpolation/CMakeFiles/interpolationplugin.dir/qrc_interpolator.cxx.o
[ 57%] Linking CXX shared module ../../PlugIns/qgis/libinterpolationplugin.so

```

```

[ 57%] Built target interpolationplugin
[ 57%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsalignrasterdialog.cpp.o
[ 57%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsabout.cpp.o
[ 57%] Building CXX object src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/qgsselectgeoraster_ui.cpp.o
2 warnings generated.
[ 57%] Generating ui_qgsrasterterrainanalysisdialogbase.h
[ 58%] Generating moc_qgsrasterterrainanalysisdialog.cxx
[ 58%] Generating moc_qgsrasterterrainanalysisplugin.cxx
[ 58%] Generating qrc_resources.cxx
Scanning dependencies of target rasterterrainplugin
[ 58%] Building CXX object
src/plugins/raster_terrain_analysis/CMakeFiles/rasterterrainplugin.dir/qgsrasterterrainanalysisplugin.cpp.o
[ 58%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsalignrasterdialog.cpp.o
[ 58%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsapplayertreeviewmenuprovider.cpp.o
[ 58%] Building CXX object src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/qgsoracleconnect_ui.cpp.o
[ 58%] Building CXX object
src/plugins/raster_terrain_analysis/CMakeFiles/rasterterrainplugin.dir/qgsrasterterrainanalysisdialog.cpp.o
[ 58%] Building CXX object src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/moc_qgsoracle_plugin.cxx.o
[ 58%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgssponsors.cpp.o
[ 58%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsapplayertreeviewmenuprovider.cpp.o
[ 58%] Building CXX object src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/moc_qgsselectgeoraster_ui.cxx.o
[ 58%] Building CXX object
src/plugins/raster_terrain_analysis/CMakeFiles/rasterterrainplugin.dir/moc_qgsrasterterrainanalysisdialog.cxx.o
[ 58%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsaddattdialog.cpp.o
[ 58%] Building CXX object src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/moc_qgsoracleconnect_ui.cxx.o
[ 58%] Building CXX object
src/plugins/raster_terrain_analysis/CMakeFiles/rasterterrainplugin.dir/moc_qgsrasterterrainanalysisplugin.cxx.o
[ 58%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgssponsors.cpp.o
[ 58%] Building CXX object src/plugins/raster_terrain_analysis/CMakeFiles/rasterterrainplugin.dir/qrc_resources.cxx.o
[ 58%] Linking CXX shared module ../../PlugIns/qgis/librasterterrainplugin.so
[ 58%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsaddtaborgroup.cpp.o
[ 58%] Built target rasterterrainplugin
[ 58%] Building CXX object src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/qrc_oracleplugin.cxx.o
[ 58%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsaddattdialog.cpp.o
[ 58%] Linking CXX shared module ../../PlugIns/qgis/liboracleplugin.so
[ 58%] Built target oracleplugin
[ 58%] Generating qrc_coordinatecapture.cxx
[ 58%] Generating moc_coordinatecapture.cxx
[ 58%] Generating moc_coordinatecapturegui.cxx
[ 58%] Generating moc_coordinatecapturemaptool.cxx
Scanning dependencies of target coordinatecaptureplugin
[ 58%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsjoindialog.cpp.o
[ 58%] Building CXX object src/plugins/coordinate_capture/CMakeFiles/coordinatecaptureplugin.dir/coordinatecapture.cpp.o
[ 58%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsaddtaborgroup.cpp.o
[ 58%] Building CXX object src/plugins/coordinate_capture/CMakeFiles/coordinatecaptureplugin.dir/coordinatecapturegui.cpp.o
[ 58%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsannotationwidget.cpp.o
[ 58%] Generating ui_dxf2shpconvertergui.h
[ 58%] Generating moc_dxf2shpconverter.cxx
[ 58%] Building CXX object
src/plugins/coordinate_capture/CMakeFiles/coordinatecaptureplugin.dir/coordinatecapturemaptool.cpp.o
[ 58%] Generating moc_dxf2shpconvertergui.cxx
[ 58%] Generating qrc_dxf2shpconverter.cxx
Scanning dependencies of target dxf2shpconverterplugin

```

[58%] Building CXX object src/plugins/dxf2shp_converter/CMakeFiles/dxf2shpconverterplugin.dir/dxf2shpconverter.cpp.o

[58%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsjoindialog.cpp.o

[59%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsattributeactiondialog.cpp.o

[59%] Building CXX object src/plugins/coordinate_capture/CMakeFiles/coordinatecaptureplugin.dir/moc_coordinatecapture.cxx.o

[59%] Building CXX object src/plugins/dxf2shp_converter/CMakeFiles/dxf2shpconverterplugin.dir/dxf2shpconvertergui.cpp.o

[59%] Building CXX object src/plugins/coordinate_capture/CMakeFiles/coordinatecaptureplugin.dir/moc_coordinatecapturegui.cxx.o

[59%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsannotationwidget.cpp.o

[59%] Building CXX object src/plugins/dxf2shp_converter/CMakeFiles/dxf2shpconverterplugin.dir/builder.cpp.o

[59%] Building CXX object src/plugins/coordinate_capture/CMakeFiles/coordinatecaptureplugin.dir/moc_coordinatecapturemaptool.cxx.o

[59%] Building CXX object src/plugins/coordinate_capture/CMakeFiles/coordinatecaptureplugin.dir/qrc_coordinatecapture.cxx.o

[59%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsattributeactiondialog.cpp.o

[59%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsattributetypedialog.cpp.o

[59%] Building CXX object src/plugins/dxf2shp_converter/CMakeFiles/dxf2shpconverterplugin.dir/dxflib/src/dl_dxf.cpp.o

[59%] Linking CXX shared module ../../PlugIns/qgis/libcoordinatecaptureplugin.so

[59%] Built target coordinatecaptureplugin

[59%] Building CXX object src/plugins/dxf2shp_converter/CMakeFiles/dxf2shpconverterplugin.dir/dxflib/src/dl_writer_ascii.cpp.o

[59%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsattributetabledialog.cpp.o

[59%] Building CXX object src/plugins/dxf2shp_converter/CMakeFiles/dxf2shpconverterplugin.dir/moc_dxf2shpconverter.cxx.o

[59%] Generating ui_evisgenericeventbrowsergui.h

[59%] Generating moc_evis.cxx

[59%] Generating databaseconnection/moc_evisdatabaseconnectiongui.cxx

[59%] Generating databaseconnection/moc_evisdatabaselayerfieldselectiongui.cxx

[59%] Generating eventbrowser/moc_evisgenericeventbrowsergui.cxx

[59%] Building CXX object src/plugins/dxf2shp_converter/CMakeFiles/dxf2shpconverterplugin.dir/moc_dxf2shpconvertergui.cxx.o

[59%] Generating eventbrowser/moc_evisimagedisplaywidget.cxx

[59%] Generating qrc_evis.cxx

[59%] Generating ui_evisdatabaseconnectiongui.h

[60%] Generating ui_evisdatabaselayerfieldselectiongui.h

Scanning dependencies of target evis

[60%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsattributetypedialog.cpp.o

[60%] Building CXX object src/plugins/evis/CMakeFiles/evis.dir/evis.cpp.o

[60%] Building CXX object src/plugins/dxf2shp_converter/CMakeFiles/dxf2shpconverterplugin.dir/qrc_dxf2shpconverter.cxx.o

[60%] Linking CXX shared module ../../PlugIns/qgis/libdxf2shpconverterplugin.so

[60%] Built target dxf2shpconverterplugin

[60%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsbookmarks.cpp.o

[60%] Generating ui_qgsspatialquerydialogbase.h

[60%] Generating moc_qgsspatialqueryplugin.cxx

[60%] Generating moc_qgsspatialquerydialog.cxx

[60%] Generating qrc_qgsspatialquerydialogbase.cxx

Scanning dependencies of target spatialqueryplugin

[60%] Building CXX object src/plugins/spatialquery/CMakeFiles/spatialqueryplugin.dir/qgsspatialqueryplugin.cpp.o

[60%] Building CXX object src/plugins/evis/CMakeFiles/evis.dir/databaseconnection/evisdatabaseconnectiongui.cpp.o

[60%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsattributetabledialog.cpp.o

[60%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsbrowserdockwidget.cpp.o

[60%] Building CXX object src/plugins/spatialquery/CMakeFiles/spatialqueryplugin.dir/qgsspatialquerydialog.cpp.o

[60%] Building CXX object src/plugins/evis/CMakeFiles/evis.dir/databaseconnection/evisdatabaseconnection.cpp.o

[60%] Building CXX object src/plugins/evis/CMakeFiles/evis.dir/databaseconnection/evisdatabaselayerfieldselectiongui.cpp.o

[60%] Building CXX object src/plugins/evis/CMakeFiles/evis.dir/databaseconnection/evisquerydefinition.cpp.o

[60%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsbookmarks.cpp.o

[60%] Building CXX object src/plugins/evis/CMakeFiles/evis.dir/eventbrowser/evisconfiguration.cpp.o

[60%] Building CXX object src/plugins/spatialquery/CMakeFiles/spatialqueryplugin.dir/qgsspatialquery.cpp.o

[60%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsadvanceddigitizingdockwidget.cpp.o

[60%] Building CXX object src/plugins/etw/CMakeFiles/etw.dir/eventbrowser/etwgenericeventbrowsergui.cpp.o

[60%] Building CXX object src/plugins/spatialquery/CMakeFiles/spatialqueryplugin.dir/qgsreaderfeatures.cpp.o

[60%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsbrowserdockwidget.cpp.o

[61%] Building CXX object src/plugins/spatialquery/CMakeFiles/spatialqueryplugin.dir/qgsrubberselectid.cpp.o

[61%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsadvanceddigitizingcanvasitem.cpp.o

[61%] Building CXX object src/plugins/etw/CMakeFiles/etw.dir/eventbrowser/etwimagedisplaywidget.cpp.o

[61%] Building CXX object src/plugins/spatialquery/CMakeFiles/spatialqueryplugin.dir/qgsgeometrycoordinatetransform.cpp.o

[61%] Building CXX object src/plugins/etw/CMakeFiles/etw.dir/etwtool/etweventidtool.cpp.o

[61%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsclipboard.cpp.o

[61%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsadvanceddigitizingdockwidget.cpp.o

[61%] Building CXX object src/plugins/spatialquery/CMakeFiles/spatialqueryplugin.dir/qgsmngprogressbar.cpp.o

[61%] Building CXX object src/plugins/spatialquery/CMakeFiles/spatialqueryplugin.dir/moc_qgsspatialqueryplugin.cxx.o

[61%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsconfigureshortcutsdialog.cpp.o

[61%] Building CXX object src/plugins/etw/CMakeFiles/etw.dir/moc_etw.cxx.o

[61%] Building CXX object src/plugins/spatialquery/CMakeFiles/spatialqueryplugin.dir/moc_qgsspatialquerydialog.cxx.o

[61%] Building CXX object src/plugins/etw/CMakeFiles/etw.dir/databaseconnection/moc_etwdatabaseconnectiongui.cxx.o

[62%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsadvanceddigitizingcanvasitem.cpp.o

[62%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgscustomization.cpp.o

[62%] Building CXX object

src/plugins/etw/CMakeFiles/etw.dir/databaseconnection/moc_etwdatabasefieldselectiongui.cxx.o

[62%] Building CXX object src/plugins/spatialquery/CMakeFiles/spatialqueryplugin.dir/qrc_qgsspatialquerydialogbase.cxx.o

[62%] Linking CXX shared module ../../PlugIns/qgis/libspatialqueryplugin.so

[62%] Built target spatialqueryplugin

[62%] Building CXX object src/plugins/etw/CMakeFiles/etw.dir/eventbrowser/moc_etwgenericeventbrowsergui.cxx.o

[62%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgscustomprojectiondialog.cpp.o

[62%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsclipboard.cpp.o

[62%] Building CXX object src/plugins/etw/CMakeFiles/etw.dir/eventbrowser/moc_etwimagedisplaywidget.cxx.o

[62%] Generating qrc_roadgraph.cxx

[62%] Generating moc_roadgraphplugin.cxx

[62%] Generating moc_settingsdlg.cxx

[62%] Generating moc_shortestpathwidget.cxx

[62%] Generating moc_linevectorlayerwidget.cxx

[62%] Generating moc_exportdlg.cxx

Scanning dependencies of target roadgraphplugin

[62%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsconfigureshortcutsdialog.cpp.o

[62%] Building CXX object src/plugins/roadgraph/CMakeFiles/roadgraphplugin.dir/roadgraphplugin.cpp.o

[62%] Building CXX object src/plugins/etw/CMakeFiles/etw.dir/qrc_etw.cxx.o

[62%] Linking CXX shared module ../../PlugIns/qgis/libetw.so

[62%] Built target etw

[62%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsdecorationitem.cpp.o

[62%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgscustomization.cpp.o

[62%] Building CXX object src/plugins/roadgraph/CMakeFiles/roadgraphplugin.dir/settingsdlg.cpp.o

[62%] Generating ui_qgszonalstatisticsdialogbase.h

[62%] Generating moc_qgszonalstatisticsdialog.cxx

[62%] Generating moc_qgszonalstatisticsplugin.cxx

[62%] Generating qrc_zonal_statistics.cxx

Scanning dependencies of target zonalstatisticsplugin

[62%] Building CXX object src/plugins/zonal_statistics/CMakeFiles/zonalstatisticsplugin.dir/qgszonalstatisticsplugin.cpp.o

[62%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsdecorationcopyright.cpp.o

[62%] Building CXX object src/plugins/roadgraph/CMakeFiles/roadgraphplugin.dir/units.cpp.o

[62%] Building CXX object src/plugins/roadgraph/CMakeFiles/roadgraphplugin.dir/shortestpathwidget.cpp.o

[62%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgscustomprojectiondialog.cpp.o

[62%] Building CXX object src/plugins/zonal_statistics/CMakeFiles/zonalstatisticsplugin.dir/qgszonalstatisticsdialog.cpp.o

[62%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsdecorationcopyrightdialog.cpp.o

[62%] Building CXX object src/plugins/zonal_statistics/CMakeFiles/zonalstatisticsplugin.dir/moc_qgszonalstatisticsdialog.cxx.o

[62%] Building CXX object src/plugins/roadgraph/CMakeFiles/roadgraphplugin.dir/linevectorlayersettings.cpp.o

[62%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsdecorationitem.cpp.o

[62%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsdecorationnortharrow.cpp.o

[62%] Building CXX object src/plugins/zonal_statistics/CMakeFiles/zonalstatisticsplugin.dir/moc_qgszonalstatisticsplugin.cxx.o

[62%] Building CXX object src/plugins/roadgraph/CMakeFiles/roadgraphplugin.dir/linevectorlayerwidget.cpp.o

[62%] Building CXX object src/plugins/zonal_statistics/CMakeFiles/zonalstatisticsplugin.dir/qrc_zonal_statistics.cxx.o

[62%] Linking CXX shared module ../../PlugIns/qgis/libzonalstatisticsplugin.so

[62%] Built target zonalstatisticsplugin

[62%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsdecorationcopyright.cpp.o

[62%] Building CXX object src/plugins/roadgraph/CMakeFiles/roadgraphplugin.dir/exportdlg.cpp.o

[62%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsdecorationnortharrowdialog.cpp.o

[62%] Building CXX object src/plugins/roadgraph/CMakeFiles/roadgraphplugin.dir/speedproperter.cpp.o

[62%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsdecorationcopyrightdialog.cpp.o

[62%] Building CXX object src/plugins/roadgraph/CMakeFiles/roadgraphplugin.dir/moc_roadgraphplugin.cxx.o

[62%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsdecorationscalebar.cpp.o

[62%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsdecorationnortharrow.cpp.o

[62%] Building CXX object src/plugins/roadgraph/CMakeFiles/roadgraphplugin.dir/moc_settingsdlg.cxx.o

[62%] Generating ui_qgsrasterlayerpropertiesbase.h

[62%] Generating moc_qgsgeorefconfigdialog.cxx

[62%] Generating moc_qgsgeorefdatapoint.cxx

[62%] Generating moc_qgsgeorefdelegates.cxx

[62%] Building CXX object src/plugins/roadgraph/CMakeFiles/roadgraphplugin.dir/moc_shortestpathwidget.cxx.o

[62%] Generating moc_qgsgeorefdescriptiondialog.cxx

[62%] Generating moc_qgsgeorefplugin.cxx

[62%] Generating moc_qgsgeorefpluggingui.cxx

[63%] Generating moc_qgsgeoreftooladdpoint.cxx

[63%] Generating moc_qgsgeoreftooldeletepoint.cxx

[63%] Generating moc_qgsgeoreftoolmovepoint.cxx

[63%] Generating moc_qgsmapcoordsdialog.cxx

[63%] Generating moc_qgsstransformsettingsdialog.cxx

[63%] Generating moc_qgsgcplistmodel.cxx

[63%] Generating moc_qgsgcplistwidget.cxx

[63%] Generating qrc_georeferencer.cxx

[63%] Generating ui_qgsgeorefconfigdialogbase.h

[63%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsdecorationscalebardialog.cpp.o

[63%] Generating ui_qgsgeorefdescriptiondialogbase.h

[63%] Generating ui_qgsgeorefplugginguibase.h

[63%] Generating ui_qgsmapcoordsdialogbase.h

[63%] Generating ui_qgsstransformsettingsdialogbase.h

[63%] Generating ui_qgsprojectionselectorbase.h

[63%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsdecorationnortharrowdialog.cpp.o

Scanning dependencies of target georefplugin

[63%] Building CXX object src/plugins/roadgraph/CMakeFiles/roadgraphplugin.dir/moc_linevectorlayerwidget.cxx.o

[63%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgcpcanvasitem.cpp.o

[63%] Building CXX object src/plugins/roadgraph/CMakeFiles/roadgraphplugin.dir/moc_exportdlg.cxx.o

[63%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsdecorationgrid.cpp.o

[63%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsdecorationscalebar.cpp.o

[64%] Building CXX object src/plugins/roadgraph/CMakeFiles/roadgraphplugin.dir/qrc_roadgraph.cxx.o

[64%] Linking CXX shared module ../../PlugIns/qgis/libroadgraphplugin.so

[64%] Built target roadgraphplugin

[64%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgeorefconfigdialog.cpp.o

[64%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsdecorationgriddialog.cpp.o

[64%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgeorefdatapoint.cpp.o

[64%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsdecorationscalebardialog.cpp.o

[64%] Generating ui_qsggpsdevicedialogbase.h

[64%] Generating moc_qsggpsplugin.cxx

[64%] Generating moc_qsggpspluggingui.cxx

[64%] Generating moc_qsggpsdevicedialog.cxx

[64%] Generating qrc_qsggps_plugin.cxx

[64%] Generating ui_qsggpsplugginguibase.h

Scanning dependencies of target gpsimporterplugin

[64%] Building CXX object src/plugins/gps_importer/CMakeFiles/gpsimporterplugin.dir/qsggpsplugin.cpp.o

[64%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsdxeflexportdialog.cpp.o

[64%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgeorefdelegates.cpp.o

[64%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsdecorationgrid.cpp.o

[64%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgeorefdescriptiondialog.cpp.o

[64%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgeorefplugin.cpp.o

[64%] Building CXX object src/plugins/gps_importer/CMakeFiles/gpsimporterplugin.dir/qgsbabelformat.cpp.o

[64%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsformannotationdialog.cpp.o

[64%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsdecorationgriddialog.cpp.o

[65%] Building CXX object src/plugins/gps_importer/CMakeFiles/gpsimporterplugin.dir/qsggpsdevice.cpp.o

[65%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgeorefpluggingui.cpp.o

[65%] Building CXX object src/plugins/gps_importer/CMakeFiles/gpsimporterplugin.dir/qsggpspluggingui.cpp.o

[65%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgshtmlannotationdialog.cpp.o

[65%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsdxeflexportdialog.cpp.o

[65%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsdelattrdialog.cpp.o

[65%] Building CXX object src/plugins/gps_importer/CMakeFiles/gpsimporterplugin.dir/qsggpsdevicedialog.cpp.o

[65%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsdiagramproperties.cpp.o

[65%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgeoreftooladdpoint.cpp.o

[65%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsformannotationdialog.cpp.o

[65%] Building CXX object src/plugins/gps_importer/CMakeFiles/gpsimporterplugin.dir/moc_qsggpsplugin.cxx.o

[65%] Building CXX object src/plugins/gps_importer/CMakeFiles/gpsimporterplugin.dir/moc_qsggpspluggingui.cxx.o

[65%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgeoreftooldeletepoint.cpp.o

[65%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgshtmlannotationdialog.cpp.o

[65%] Building CXX object src/plugins/gps_importer/CMakeFiles/gpsimporterplugin.dir/moc_qsggpsdevicedialog.cxx.o

[65%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgeoreftoolmovepoint.cpp.o

[65%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsdelattrdialog.cpp.o

[65%] Building CXX object src/plugins/gps_importer/CMakeFiles/gpsimporterplugin.dir/qrc_qsggps_plugin.cxx.o

[65%] Linking CXX shared module ../../PlugIns/qgis/libgpsimporterplugin.so

[65%] Built target gpsimporterplugin

[65%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsdisplayangle.cpp.o

[65%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgeorefvalidators.cpp.o

[65%] Generating ui_checkDock.h

[65%] Generating moc_topol.cxx

[65%] Generating moc_rulesDialog.cxx

[65%] Generating moc_checkDock.cxx

[65%] Generating moc_topolTest.cxx

[65%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsleastquares.cpp.o

[65%] Generating moc_dockModel.cxx

[65%] Generating qrc_topol.cxx

[65%] Generating ui_rulesDialog.h

Scanning dependencies of target toplotplugin

[65%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsdiagramproperties.cpp.o
 [65%] Building CXX object src/plugins/topology/CMakeFiles/topolplugin.dir/topol.cpp.o
 [65%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsfielddcalculator.cpp.o
 [65%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsmapcoordsdialog.cpp.o
 [65%] Building CXX object src/plugins/topology/CMakeFiles/topolplugin.dir/rulesDialog.cpp.o
 [65%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsresidualplotitem.cpp.o
 [65%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsfieldsproperties.cpp.o
 [65%] Building CXX object src/plugins/topology/CMakeFiles/topolplugin.dir/checkDock.cpp.o
 [65%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsstransformsettingsdialog.cpp.o
 [65%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsdisplayangle.cpp.o
 [65%] Building CXX object src/plugins/topology/CMakeFiles/topolplugin.dir/topolError.cpp.o
 [65%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsfielddcalculator.cpp.o
 [66%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgcplist.cpp.o
 [66%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsidentifyresultsdialog.cpp.o
 [66%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgcplistmodel.cpp.o
 [66%] Building CXX object src/plugins/topology/CMakeFiles/topolplugin.dir/topolTest.cpp.o
 [66%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsfieldsproperties.cpp.o
 [66%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsimagewarper.cpp.o
 [66%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgeoreftransform.cpp.o
 [67%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsfeatureaction.cpp.o
 [67%] Building CXX object src/plugins/topology/CMakeFiles/topolplugin.dir/dockModel.cpp.o
 [67%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgcplistwidget.cpp.o
 [67%] Building CXX object src/plugins/topology/CMakeFiles/topolplugin.dir/moc_topol.cxx.o
 [67%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsidentifyresultsdialog.cpp.o
 [67%] Building CXX object src/plugins/topology/CMakeFiles/topolplugin.dir/moc_rulesDialog.cxx.o
 [67%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsrasterchangecoords.cpp.o
 [67%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgslabeldialog.cpp.o
 [67%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsgeorefconfigdialog.cxx.o
 [67%] Building CXX object src/plugins/topology/CMakeFiles/topolplugin.dir/moc_checkDock.cxx.o
 [67%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsgeorefdatapoint.cxx.o
 [67%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgslabelpropertydialog.cpp.o
 [67%] Building CXX object src/plugins/topology/CMakeFiles/topolplugin.dir/moc_topolTest.cxx.o
 [67%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsgeorefdelegates.cxx.o
 [67%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsfeatureaction.cpp.o
 [67%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsgeorefdescriptiondialog.cxx.o
 [67%] Building CXX object src/plugins/topology/CMakeFiles/topolplugin.dir/moc_dockModel.cxx.o
 [67%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsgeorefplugin.cxx.o
 [67%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgslabelengineconfigdialog.cpp.o
 [67%] Building CXX object src/plugins/topology/CMakeFiles/topolplugin.dir/qrc_topol.cxx.o
 [67%] Linking CXX shared module .././PlugIns/qgis/libtopolplugin.so
 [67%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsgeorefpluggingui.cxx.o
 [67%] Built target topolplugin
 [67%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgslabeldialog.cpp.o
 [67%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsgeoreftooladdpoint.cxx.o
 [67%] Generating ui_offline_editing_progress_dialog_base.h
 [68%] Generating moc_offline_editing_plugin.cxx
 [68%] Generating moc_offline_editing_plugin_gui.cxx
 [68%] Generating moc_offline_editing_progress_dialog.cxx
 [68%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgslabelinggui.cpp.o
 [68%] Generating qrc_offline_editing_plugin.cxx
 [68%] Generating ui_offline_editing_plugin_guibase.h
 Scanning dependencies of target offlineeditingplugin
 [68%] Building CXX object src/plugins/offline_editing/CMakeFiles/offlineeditingplugin.dir/offline_editing_plugin.cpp.o

[68%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsgeoreftooldeletepoint.cxx.o

[68%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgslabelpropertydialog.cpp.o

[68%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsgeoreftoolmovepoint.cxx.o

[68%] Building CXX object src/plugins/offline_editing/CMakeFiles/offlineeditingplugin.dir/offline_editing_plugin_gui.cpp.o

[68%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsmapcoordsdialog.cxx.o

[68%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgslabelengineconfigdialog.cpp.o

[68%] Building CXX object src/plugins/offline_editing/CMakeFiles/offlineeditingplugin.dir/offline_editing_progress_dialog.cpp.o

[68%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgstransformsettingsdialog.cxx.o

[68%] Building CXX object src/plugins/offline_editing/CMakeFiles/offlineeditingplugin.dir/moc_offline_editing_plugin.cxx.o

[68%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsgcplistmodel.cxx.o

[68%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgslabelinggui.cpp.o

[68%] Building CXX object src/plugins/offline_editing/CMakeFiles/offlineeditingplugin.dir/moc_offline_editing_plugin_gui.cxx.o

[68%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsgcplistwidget.cxx.o

[68%] Building CXX object
src/plugins/offline_editing/CMakeFiles/offlineeditingplugin.dir/moc_offline_editing_progress_dialog.cxx.o

[68%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qrc_georeferencer.cxx.o

[68%] Building CXX object src/plugins/offline_editing/CMakeFiles/offlineeditingplugin.dir/qrc_offline_editing_plugin.cxx.o

[68%] Linking CXX shared module ../../PlugIns/qgis/libgeorefplugin.so

[68%] Built target georefplugin

[68%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgslabelpreview.cpp.o

[68%] Linking CXX shared module ../../PlugIns/qgis/libofflineeditingplugin.so

[68%] Built target offlineeditingplugin

[68%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgslabelpreview.cpp.o

[68%] Generating ui_heatmapguibase.h

[68%] Generating moc_heatmap.cxx

[68%] Generating moc_heatmapgui.cxx

[68%] Generating qrc_heatmap.cxx

Scanning dependencies of target heatmapplugin

[68%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsloadstylefromdbdialog.cpp.o

[68%] Building CXX object src/plugins/heatmap/CMakeFiles/heatmapplugin.dir/heatmap.cpp.o

[69%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsloadstylefromdbdialog.cpp.o

[69%] Building CXX object src/plugins/heatmap/CMakeFiles/heatmapplugin.dir/heatmapgui.cpp.o

[69%] Generating ui_qgscredentialdialog.h

[69%] Generating moc_qgsspit.cxx

[69%] Generating moc_qgsshapefile.cxx

[69%] Generating ___/__/providers/postgres/moc_qgspgnewconnection.cxx

[69%] Generating ___/__/providers/postgres/moc_qgspostgresconn.cxx

[69%] Generating moc_qgsspitplugin.cxx

[69%] Generating qrc_spit.cxx

[69%] Generating ui_qgspgnewconnectionbase.h

[69%] Generating ui_qgsspitbase.h

[69%] Generating ui_qgsmessagewriter.h

Scanning dependencies of target spitplugin

[69%] Building CXX object src/plugins/spit/CMakeFiles/spitplugin.dir/qgsspit.cpp.o

[69%] Building CXX object src/plugins/heatmap/CMakeFiles/heatmapplugin.dir/moc_heatmap.cxx.o

[69%] Building CXX object src/plugins/heatmap/CMakeFiles/heatmapplugin.dir/moc_heatmapgui.cxx.o

[69%] Building CXX object src/plugins/heatmap/CMakeFiles/heatmapplugin.dir/qrc_heatmap.cxx.o

[69%] Linking CXX shared module ../../PlugIns/qgis/libheatmapplugin.so

[69%] Built target heatmapplugin

[69%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaplayerstyleleguiutils.cpp.o

[69%] Building CXX object src/plugins/spit/CMakeFiles/spitplugin.dir/___/__/providers/postgres/qgspgnewconnection.cpp.o

[69%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaplayerstyleleguiutils.cpp.o

[69%] Building CXX object src/plugins/spit/CMakeFiles/spitplugin.dir/___/__/providers/postgres/qgspostgresconn.cpp.o

[69%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmouseevent.cpp.o
 [69%] Generating qrc_qgsgrass_plugin.cxx
 [69%] Generating __/moc_qgsgrassplugin.cxx
 [69%] Generating __/moc_qgsgrassselect.cxx
 [69%] Generating __/moc_qgsgrasedit.cxx
 [69%] Generating __/moc_qgsgrasstools.cxx
 [69%] Generating __/moc_qgsgrassmapcalc.cxx
 [69%] Generating __/moc_qgsgrassmodule.cxx
 [69%] Generating __/moc_qgsgrassmoduleoptions.cxx
 [69%] Generating __/moc_qgsgrassmoduleparam.cxx
 [69%] Generating __/moc_qgsgrassnewmapset.cxx
 [69%] Generating __/moc_qgsgrassattributes.cxx
 [69%] Generating __/moc_qgsgrassregion.cxx
 [69%] Generating __/moc_qgsgrassutils.cxx
 [69%] Generating __/moc_qgsgrasedittools.cxx
 [69%] Generating __/moc_qgsgrassshell.cxx
 [69%] Generating __/qtermwidget/moc_Emulation.cxx
 [69%] Generating __/qtermwidget/moc_Filter.cxx
 [70%] Generating __/qtermwidget/moc_HistorySearch.cxx
 [70%] Generating __/qtermwidget/moc_Pty.cxx
 [70%] Generating __/qtermwidget/moc_ScreenWindow.cxx
 [70%] Generating __/qtermwidget/moc_SearchBar.cxx
 [70%] Generating __/qtermwidget/moc_Session.cxx
 [70%] Generating __/qtermwidget/moc_TerminalDisplay.cxx
 [70%] Generating __/qtermwidget/moc_Vt102Emulation.cxx
 [70%] Generating __/qtermwidget/moc_kprocess.cxx
 [70%] Generating __/qtermwidget/moc_kptydevice.cxx
 [70%] Generating __/qtermwidget/moc_kptyprocess.cxx
 [70%] Generating __/qtermwidget/moc_qtermwidget.cxx
 [70%] Generating ui_qgsgrasstoolsbase.h
 [70%] Generating ui_qgsgrassselectbase.h
 [70%] Generating ui_qgsgraseditbase.h
 [70%] Generating ui_qgsgrassmapcalcbase.h
 [70%] Generating ui_qgsgrassmodulebase.h
 [70%] Generating ui_qgsgrassnewmapsetbase.h
 [70%] Generating ui_qgsgrassattributesbase.h
 [70%] Building CXX object src/plugins/spit/CMakeFiles/spitplugin.dir/qgspgutil.cpp.o
 [70%] Generating ui_qgsgrassregionbase.h
 [70%] Generating ui_qgsprojectionselectorbase.h
 [70%] Generating ui_SearchBar.h
 [70%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgssavestyletodbdialog.cpp.o
 Scanning dependencies of target grassplugin7
 [70%] Building CXX object src/plugins/spit/CMakeFiles/spitplugin.dir/qgsshapefile.cpp.o
 [70%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qgsgrassplugin.cpp.o
 [70%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsvectorlayertools.cpp.o
 [70%] Building CXX object src/plugins/spit/CMakeFiles/spitplugin.dir/qgsspitplugin.cpp.o
 [70%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmouseevent.cpp.o
 [70%] Building CXX object src/plugins/spit/CMakeFiles/spitplugin.dir/moc_qgsspit.cxx.o
 [70%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qgsgrassselect.cpp.o
 [70%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgswelcomepageitemsmodel.cpp.o
 [70%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgswelcomepage.cpp.o
 [70%] Building CXX object src/plugins/spit/CMakeFiles/spitplugin.dir/moc_qgsshapefile.cxx.o
 [70%] Building CXX object src/plugins/spit/CMakeFiles/spitplugin.dir/__/providers/postgres/moc_qgspgnewconnection.cxx.o

```

[ 70%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qgsgrasedit.cpp.o
[ 70%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgssavestyletodialog.cpp.o
[ 70%] Building CXX object src/plugins/spit/CMakeFiles/spitplugin.dir/__/providers/postgres/moc_qgspostgresconn.cxx.o
[ 70%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsversioninfo.cpp.o
[ 70%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsvectorlayertools.cpp.o
[ 70%] Building CXX object src/plugins/spit/CMakeFiles/spitplugin.dir/moc_qgsspitplugin.cxx.o
[ 70%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptooladdfeature.cpp.o
[ 70%] Building CXX object src/plugins/spit/CMakeFiles/spitplugin.dir/qrc_spit.cxx.o
[ 71%] Linking CXX shared module ../../PlugIns/qgis/libspitplugin.so
[ 71%] Built target spitplugin
[ 71%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qgsgrasedittools.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgswelcomepageitemsmodel.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptooladdpart.cpp.o
[ 71%] Generating gui/sip_guipart0.cpp, gui/sip_guipart1.cpp, gui/sip_guipart2.cpp, gui/sip_guipart3.cpp

[ 71%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgswelcomepage.cpp.o
[ 71%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qgsgrasstools.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptooladdring.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsversioninfo.cpp.o
[ 71%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qgsgrassmapcalc.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptooladdfeature.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolfillring.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptooladdpart.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolannotation.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptooladdring.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolcapture.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolfillring.cpp.o
[ 71%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qgsgrassmodule.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolchangelabelproperties.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolannotation.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptooldeleting.cpp.o
[ 71%] Building CXX object src/plugins/grass/7/CMakeFile

```

History

#1 - 2015-08-27 09:31 AM - John Tull

<rest of log>

```

[ 71%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qgsgrassmoduleoptions.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolcapture.cpp.o
[ 71%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptooldeletepart.cpp.o
[ 72%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qgsgrassmoduleparam.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolchangelabelproperties.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptooledit.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptooldeleting.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolfeatureaction.cpp.o
[ 72%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qgsgrassnewmapset.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptooldeletepart.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolformannotation.cpp.o
Scanning dependencies of target python_module_qgis__gui
[ 72%] Building CXX object python/CMakeFiles/python_module_qgis__gui.dir/gui/sip_guipart0.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptooledit.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolhtmlannotation.cpp.o

```

```

[ 72%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qgsgrassattributes.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolfeatureaction.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolpinlabels.cpp.o
[ 72%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qgsgrassregion.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolformannotation.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolshowwhidelabels.cpp.o
[ 72%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qgsgrassutils.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolhtmlannotation.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolidentifyaction.cpp.o
[ 72%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qgsgrassshell.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolpinlabels.cpp.o
[ 72%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/BlockArray.cpp.o
[ 72%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/ColorScheme.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoollabel.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolshowwhidelabels.cpp.o
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/Emulation.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptooladvanceddigitizing.cpp.o
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/Filter.cpp.o
[ 73%] Building CXX object python/CMakeFiles/python_module_qgis_gui.dir/gui/sip_guipart1.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolidentifyaction.cpp.o
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/History.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolmeasureangle.cpp.o
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/History.cpp:637:17: warning: assigning field to itself [-Wself-assign-field]
    formatLength=formatLength;
    ^
1 warning generated.
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/HistorySearch.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoollabel.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolmovefeature.cpp.o
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/KeyboardTranslator.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptooladvanceddigitizing.cpp.o
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/Pty.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolmovelabel.cpp.o
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.cpp:30:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.h:41:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:34:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:32:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty_p.h:26:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.h:36:5: warning: class 'KQtyPrivate' was previously declared as a struct
[-Wmismatched-tags]
    Q_DECLARE_PRIVATE(KQty)
    ^
/usr/local/Cellar/qt/4.8.7/include/QtCore/qglobal.h:2585:12: note: expanded from macro 'Q_DECLARE_PRIVATE'
    friend class Class##Private;
    ^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.h:28:8: note: previous use is here
struct KQtyPrivate;
    ^
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.cpp:30:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.h:41:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:34:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:51:5: warning: class 'KQtyDevicePrivate' was previously declared as a
struct [-Wmismatched-tags]

```

```

Q_DECLARE_PRIVATE_MI(KPtyDevice, KPty)
^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:44:12: note: expanded from macro 'Q_DECLARE_PRIVATE_MI'
    friend class Class##Private;
    ^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:38:8: note: previous use is here
struct KPtyDevicePrivate;
^
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.cpp:30:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.h:41:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:60:5: warning: class 'KPtyProcessPrivate' was previously declared as a
struct [-Wmismatched-tags]
    Q_DECLARE_PRIVATE(KPtyProcess)
    ^
/usr/local/Cellar/qt/4.8.7/include/QtCore/qglobal.h:2585:12: note: expanded from macro 'Q_DECLARE_PRIVATE'
    friend class Class##Private;
    ^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:40:8: note: previous use is here
struct KPtyProcessPrivate;
^
3 warnings generated.
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/SearchBar.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolmeasureangle.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptooloffsetcurve.cpp.o
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/Screen.cpp.o
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/ScreenWindow.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolmovefeature.cpp.o
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/Session.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolreshape.cpp.o
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Session.cpp:42:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.h:41:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:34:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:32:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty_p.h:26:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.h:36:5: warning: class 'KPtyPrivate' was previously declared as a struct
[-Wmismatched-tags]
    Q_DECLARE_PRIVATE(KPty)
    ^
/usr/local/Cellar/qt/4.8.7/include/QtCore/qglobal.h:2585:12: note: expanded from macro 'Q_DECLARE_PRIVATE'
    friend class Class##Private;
    ^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.h:28:8: note: previous use is here
struct KPtyPrivate;
^
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Session.cpp:42:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.h:41:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:34:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:51:5: warning: class 'KPtyDevicePrivate' was previously declared as a
struct [-Wmismatched-tags]
    Q_DECLARE_PRIVATE_MI(KPtyDevice, KPty)
    ^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:44:12: note: expanded from macro 'Q_DECLARE_PRIVATE_MI'
    friend class Class##Private;

```

```

^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:38:8: note: previous use is here
struct KQtyDevicePrivate;
^

In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Session.cpp:42:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.h:41:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:60:5: warning: class 'KQtyProcessPrivate' was previously declared as a
struct [-Wmismatched-tags]
    Q_DECLARE_PRIVATE(KQtyProcess)
    ^

/usr/local/Cellar/qt/4.8.7/include/QtCore/qglobal.h:2585:12: note: expanded from macro 'Q_DECLARE_PRIVATE'
    friend class Class##Private;
    ^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:40:8: note: previous use is here
struct KQtyProcessPrivate;
^

3 warnings generated.
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/ShellCommand.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolmovelabel.cpp.o
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/TerminalCharacterDecoder.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolrotatefeature.cpp.o
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/TerminalDisplay.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptooloffsetcurve.cpp.o
[ 73%] Building CXX object python/CMakeFiles/python_module_qgis_gui.dir/gui/sip_guipart2.cpp.o
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/Vt102Emulation.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolrotatelabel.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolreshape.cpp.o
[ 74%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/kprocess.cpp.o
[ 74%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/konsole_wcwidth.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolrotatepointssymbols.cpp.o
[ 74%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/kpty.cpp.o
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:25:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty_p.h:26:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.h:36:5: warning: class 'KQtyPrivate' was previously declared as a struct
[-Wmismatched-tags]
    Q_DECLARE_PRIVATE(KQty)
    ^

/usr/local/Cellar/qt/4.8.7/include/QtCore/qglobal.h:2585:12: note: expanded from macro 'Q_DECLARE_PRIVATE'
    friend class Class##Private;
    ^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.h:28:8: note: previous use is here
struct KQtyPrivate;
^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:500:12: warning: 'utmp' is deprecated [-Wdeprecated-declarations]
    struct utmp l_struct;
    ^

/usr/include/utmp.h:92:8: note: 'utmp' has been explicitly marked deprecated here
struct utmp {
^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:561:5: error: use of undeclared identifier 'utmpname'; did you mean 'tmpnam'?
    utmpname(_PATH_UTMP);
    ^~~~~~
    tmpnam

```

```

/usr/include/stdio.h:276:7: note: 'tmpnam' declared here
char *tmpnam(char *);
    ^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:561:5: warning: 'tmpnam' is deprecated: This function is provided for
compatibility reasons only. Due to security
    concerns inherent in the design of tmpnam(3), it is highly recommended that you use mkstemp(3) instead. [-Wdeprecated-declarations]
    utmpname(_PATH_UTMP);
    ^

/usr/include/stdio.h:276:7: note: 'tmpnam' has been explicitly marked deprecated here
char *tmpnam(char *);
    ^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:561:14: warning: ISO C++11 does not allow conversion from string literal to
'char **' [-Wwritable-strings]
    utmpname(_PATH_UTMP);
    ^

/usr/include/utmp.h:78:20: note: expanded from macro '_PATH_UTMP'
#define _PATH_UTMP    "/var/run/utmp"
    ^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:562:5: error: use of undeclared identifier 'setutent'; did you mean 'setgrent'?
    setutent();
    ^~~~~~
    setgrent

/usr/include/grp.h:71:6: note: 'setgrent' declared here
void setgrent(void);
    ^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:563:5: error: use of undeclared identifier 'pututline'
    pututline(&l_struct);
    ^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:564:5: error: use of undeclared identifier 'endutent'; did you mean 'endgrent'?
    endutent();
    ^~~~~~
    endgrent

/usr/include/grp.h:72:6: note: 'endgrent' declared here
void endgrent(void);
    ^

[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolrotatefeature.cpp.o
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:565:5: error: use of undeclared identifier 'updwtmp'
    updwtmp(_PATH_WTMP, &l_struct);
    ^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:602:12: warning: 'utmp' is deprecated [-Wdeprecated-declarations]
    struct utmp l_struct, *ut;
           ^
    ^

/usr/include/utmp.h:92:8: note: 'utmp' has been explicitly marked deprecated here
struct utmp {
    ^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:602:12: warning: 'utmp' is deprecated [-Wdeprecated-declarations]
    struct utmp l_struct, *ut;
           ^
    ^

/usr/include/utmp.h:92:8: note: 'utmp' has been explicitly marked deprecated here
struct utmp {
    ^
    ^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:613:5: error: use of undeclared identifier 'utmpname'; did you mean 'tmpnam'?
    utmpname(_PATH_UTMP);

```

```

^~~~~~
tmpnam
/usr/include/stdio.h:276:7: note: 'tmpnam' declared here
char *tmpnam(char *);
^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:613:5: warning: 'tmpnam' is deprecated: This function is provided for
compatibility reasons only. Due to security
concerns inherent in the design of tmpnam(3), it is highly recommended that you use mkstemp(3) instead. [-Wdeprecated-declarations]
utmpname(_PATH_UTMP);
^

/usr/include/stdio.h:276:7: note: 'tmpnam' has been explicitly marked deprecated here
char *tmpnam(char *);
^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:613:14: warning: ISO C++11 does not allow conversion from string literal to
'char **' [-Wwritable-strings]
utmpname(_PATH_UTMP);
^

/usr/include/utmp.h:78:20: note: expanded from macro '_PATH_UTMP'
#define _PATH_UTMP "/var/run/utmp"
^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:614:5: error: use of undeclared identifier 'setutent'; did you mean 'setgrent'?
setutent();
^~~~~~
setgrent
/usr/include/grp.h:71:6: note: 'setgrent' declared here
void setgrent(void);
^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:615:15: error: use of undeclared identifier 'getutline'
if ((ut = getutline(&l_struct))) {
^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:632:5: error: use of undeclared identifier 'pututline'
pututline(ut);
^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:634:1: error: use of undeclared identifier 'endutent'; did you mean 'endgrent'?
endutent();
^~~~~~
endgrent
/usr/include/grp.h:72:6: note: 'endgrent' declared here
void endgrent(void);
^

8 warnings and 10 errors generated.
make[2]: *** [src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/kpty.cpp.o] Error 1
make[1]: *** [src/plugins/grass/7/CMakeFiles/grassplugin7.dir/all] Error 2
make[1]: *** Waiting for unfinished jobs....
[ 74%] Building CXX object python/CMakeFiles/python_module_qgis__gui.dir/gui/sip_guipart3.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolselect.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolrotatelabel.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolselectrectangle.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolrotatepointssymbols.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolselectfreehand.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolselectpolygon.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolselect.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolselectradius.cpp.o

```

[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolselectrectangle.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolselectutils.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolselectfreehand.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolsimplify.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolselectpolygon.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolselectradius.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolsplitfeatures.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolselectutils.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolsplitparts.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolsimplify.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolsvgannotation.cpp.o
[74%] Linking CXX shared module ../output/python/qgis/_gui.so
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolsplitfeatures.cpp.o
[74%] Built target python_module_qgis__gui
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptooltextannotation.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolsplitparts.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/nodetool/qgsmaptoolnodetool.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolsvgannotation.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptooltextannotation.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/nodetool/qgsselectedfeature.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/nodetool/qgsvertexentry.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/nodetool/qgsmaptoolnodetool.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/nodetool/qgsselectedfeature.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/nodetool/qgsvertexentry.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/nodetool/qgsnodeeditor.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmeasuredialog.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmeasuretool.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/nodetool/qgsnodeeditor.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmeasuredialog.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmeasuretool.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmergeattributesdialog.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsoptions.cpp.o
[75%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgspointrotationitem.cpp.o
[75%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmergeattributesdialog.cpp.o
[75%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsoptions.cpp.o
[75%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgspointrotationitem.cpp.o
[75%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgspluginmetadata.cpp.o
[75%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgspluginmetadata.cpp.o
[75%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgspluginregistry.cpp.o
[75%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsprojectlayergroupdialog.cpp.o
[75%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgspluginregistry.cpp.o
[75%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsprojectproperties.cpp.o
[75%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsrastercalcdialog.cpp.o
[75%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsprojectlayergroupdialog.cpp.o
[75%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsrasterlayerproperties.cpp.o
[75%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsprojectproperties.cpp.o
[75%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsrastercalcdialog.cpp.o
[75%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsstatisticalsummarydockwidget.cpp.o
[75%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgstextannotationdialog.cpp.o
[75%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsrasterlayerproperties.cpp.o
[75%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsshortcutsmanager.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsstatisticalsummarydockwidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgssnappingdialog.cpp.o

[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgstextannotationdialog.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgssvgannotationdialog.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsundowidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsshortcutsmanager.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgssnappingdialog.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgstipgui.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgssvgannotationdialog.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgstipfactory.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsvectorlayerproperties.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsvisibilitypresets.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsundowidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgshandlebadlayers.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgstipgui.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgstipfactory.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsvectorlayerproperties.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptooladdcircularstring.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolcircularstringcurvepoint.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsvisibilitypresets.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgshandlebadlayers.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolcircularstringradius.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgsattributeselectiondialog.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposer.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptooladdcircularstring.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerarrowwidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolcircularstringcurvepoint.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolcircularstringradius.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerattributetablewidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerhtmlwidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgsattributeselectiondialog.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposer.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerarrowwidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposeritemwidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerattributetablewidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerlabelwidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerhtmlwidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerpicturewidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposeritemwidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposermanager.cpp.o
[77%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposermapwidget.cpp.o
[77%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerlabelwidget.cpp.o
[77%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerscalebarwidget.cpp.o
[77%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerpicturewidget.cpp.o
[77%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposershapewidget.cpp.o
[77%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposermanager.cpp.o
[77%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposertablewidget.cpp.o
[77%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposermapwidget.cpp.o
[77%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerlegenditemdialog.cpp.o
[77%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerlegendlayersdialog.cpp.o
[77%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerscalebarwidget.cpp.o
[77%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposershapewidget.cpp.o
[77%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerlegendwidget.cpp.o
[77%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscompositionwidget.cpp.o
[77%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgsatlascompositionwidget.cpp.o

[77%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposertablewidget.cpp.o
[77%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerlegenditemdialog.cpp.o
[77%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerlegendlayersdialog.cpp.o
[77%] Building CXX object src/app/CMakeFiles/QGIS.dir/legend/qgsappplegendinterface.cpp.o
[77%] Building CXX object src/app/CMakeFiles/QGIS.dir/ogr/qgsogrhelperfunctions.cpp.o
[77%] Building CXX object src/app/CMakeFiles/QGIS.dir/ogr/qgsopenvectorlayerdialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerlegendwidget.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscompositionwidget.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgsatlascompositionwidget.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/ogr/qgsnewogrconnection.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/ogr/qgsvectorlayersaveasdialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/gps/qsggpsinformationwidget.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/legend/qgsappplegendinterface.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/ogr/qgsogrhelperfunctions.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/ogr/qgsopenvectorlayerdialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/ogr/qgsnewogrconnection.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/gps/qsggpsmarker.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/openstreetmap/qgsosmdownloaddialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/ogr/qgsvectorlayersaveasdialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/openstreetmap/qgsosmimportdialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/gps/qsggpsinformationwidget.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/gps/qsggpsmarker.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/openstreetmap/qgsosmexportdialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/qgspluginmanager.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/qgspluginmanager_texts.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/openstreetmap/qgsosmdownloaddialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/openstreetmap/qgsosmimportdialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/qgsappppluginmanagerinterface.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/qgspluginsortfilterproxymodel.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/openstreetmap/qgsosmexportdialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/qgspluginitemdelegate.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/qgspluginmanager.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/qgspluginmanager_texts.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsnewspatialitellayerdialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/qgsappppluginmanagerinterface.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgisapp.cxx.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgisappinterface.cxx.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgisappstylesheet.cxx.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsabout.cxx.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/qgspluginsortfilterproxymodel.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/qgspluginitemdelegate.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsaddatrrdialog.cxx.o
[79%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsalignrasterdialog.cxx.o
[79%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsnewspatialitellayerdialog.cpp.o
[79%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsjoindialog.cxx.o
[79%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgisapp.cxx.o
[79%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgisappinterface.cxx.o
[79%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsaddtaborgroup.cxx.o
[79%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsannotationwidget.cxx.o
[79%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgisappstylesheet.cxx.o
[79%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsattributeactiondialog.cxx.o
[79%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsattributetypedialog.cxx.o
[79%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsabout.cxx.o

[79%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsaddattrdialog.cxx.o
[79%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsalignrasterdialog.cxx.o
[79%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsattributetabledialog.cxx.o
[79%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsbookmarks.cxx.o
[79%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsbrowserdockwidget.cxx.o
[79%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsjoindialog.cxx.o
[79%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsaddtaborgroup.cxx.o
[79%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsannotationwidget.cxx.o
[79%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsadvanceddigitizingdockwidget.cxx.o
[79%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsclipboard.cxx.o
[79%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsconfigureshortcutsdialog.cxx.o
[79%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsattributeactiondialog.cxx.o
[79%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsattributetypedialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsattributetabledialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgscustomization.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgscustomprojectiondialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationitem.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsbookmarks.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsbrowserdockwidget.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationcopyright.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsadvanceddigitizingdockwidget.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationcopyrightdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsclipboard.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationnorthandrow.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationnorthandrowdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationscalebar.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsconfigureshortcutsdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgscustomization.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgscustomprojectiondialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationscalebardialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationitem.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationgrid.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationgriddialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationcopyright.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdelattrdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationcopyrightdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdiagramproperties.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationnorthandrow.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationnorthandrowdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdisplayangle.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdxexportdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationscalebar.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationscalebardialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationgrid.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsfeatureaction.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationgriddialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsfieldcalculator.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdelattrdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdiagramproperties.cxx.o
[81%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsfieldsproperties.cxx.o
[81%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsformannotationdialog.cxx.o
[81%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdisplayangle.cxx.o
[81%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdxexportdialog.cxx.o

[81%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgshtmlannotationdialog.cxx.o
[81%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsfeatureaction.cxx.o
[81%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsidentifyresultsdialog.cxx.o
[81%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgslabeldialog.cxx.o
[81%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsfieldcalculator.cxx.o
[81%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgslabelengineconfigdialog.cxx.o
[81%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgslabelinggui.cxx.o
[81%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsfieldsproperties.cxx.o
[81%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsformannotationdialog.cxx.o
[81%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgslabelpropertydialog.cxx.o
[81%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsloadstylefromdbdialog.cxx.o
[81%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgshtmlannotationdialog.cxx.o
[81%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsidentifyresultsdialog.cxx.o
[81%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgslabeldialog.cxx.o
[81%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaplayerstyleguiutils.cxx.o
[81%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgssavestyletodbdialog.cxx.o
[81%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgslabelengineconfigdialog.cxx.o
[81%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsshortcutsmanager.cxx.o
[81%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsapplayertreeviewmenuprovider.cxx.o
[81%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgslabelinggui.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgslabelpropertydialog.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsloadstylefromdbdialog.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsguivectorlayertools.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgswelcomepageitemsmodel.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgswelcomepage.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaplayerstyleguiutils.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgssavestyletodbdialog.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsversioninfo.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooladdfeature.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsshortcutsmanager.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolcapture.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsapplayertreeviewmenuprovider.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolcircularstringradius.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsguivectorlayertools.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgswelcomepageitemsmodel.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooladdpart.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooladdring.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgswelcomepage.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsversioninfo.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooledit.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooladdfeature.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolcapture.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolcircularstringradius.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolfillring.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolchangelabelproperties.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooldeletpart.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooladdpart.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooladdring.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooledit.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooldeletering.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolfeatureaction.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolpinlabels.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolfillring.cxx.o

[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolchangelabelproperties.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooldeletepart.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolshowwhidelabels.cxx.o
[83%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolidentifyaction.cxx.o
[83%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooladvanceddigitizing.cxx.o
[83%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooldeletering.cxx.o
[83%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolfeatureaction.cxx.o
[83%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolpinlabels.cxx.o
[83%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolmeasureangle.cxx.o
[83%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolmovefeature.cxx.o
[83%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolmovelabel.cxx.o
[83%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolshowwhidelabels.cxx.o
[83%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooloffsetcurve.cxx.o
[83%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolidentifyaction.cxx.o
[83%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooladvanceddigitizing.cxx.o
[83%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolmeasureangle.cxx.o
[83%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolreshape.cxx.o
[83%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolrotatefeature.cxx.o
[83%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolrotatelabel.cxx.o
[83%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolmovefeature.cxx.o
[83%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolmovelabel.cxx.o
[83%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooloffsetcurve.cxx.o
[83%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolrotatepointsymbols.cxx.o
[83%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolselectfreehand.cxx.o
[83%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolselect.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolreshape.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolrotatefeature.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolrotatelabel.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolselectpolygon.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolselectradius.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolrotatepointsymbols.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolselectrectangle.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolsimplify.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolselectfreehand.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolselect.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolsplitfeatures.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolsplitparts.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolselectpolygon.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooladdcircularstring.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolselectradius.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolselectrectangle.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolsimplify.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/nodetool/moc_qgsmaptoolnodetool.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/nodetool/moc_qgsselectedfeature.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/nodetool/moc_qgsnodeeditor.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolsplitfeatures.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmeasuredialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolsplitparts.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooladdcircularstring.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmeasuretool.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmergeattributesdialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsoptions.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/nodetool/moc_qgsmaptoolnodetool.cxx.o

[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/nodetool/moc_qgsselectedfeature.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/nodetool/moc_qgsnodeeditor.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsprojectlayergroupdialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsprojectproperties.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmeasuredialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmeasuretool.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmergeattributesdialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsrastercalcdialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsoptions.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsprojectlayergroupdialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsrasterlayerproperties.cxx.o
[85%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgssnappingdialog.cxx.o
[85%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsprojectproperties.cxx.o
[85%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgssponsors.cxx.o
[85%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsstatisticalsummarydockwidget.cxx.o
[85%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsrastercalcdialog.cxx.o
[85%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgssvgannotationdialog.cxx.o
[85%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsrasterlayerproperties.cxx.o
[85%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgssnappingdialog.cxx.o
[85%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgstextannotationdialog.cxx.o
[85%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgstipgui.cxx.o
[85%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgstipfactory.cxx.o
[85%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgssponsors.cxx.o
[85%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsstatisticalsummarydockwidget.cxx.o
[85%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsundowidget.cxx.o
[85%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgssvgannotationdialog.cxx.o
[85%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsvectorlayerproperties.cxx.o
[85%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgstextannotationdialog.cxx.o
[85%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsvisibilitypresets.cxx.o
[85%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgshandlebadlayers.cxx.o
[85%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgstipgui.cxx.o
[85%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgsattributeselectiondialog.cxx.o
[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgstipfactory.cxx.o
[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsundowidget.cxx.o
[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsvectorlayerproperties.cxx.o
[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposer.cxx.o
[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposerarrowwidget.cxx.o
[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposerattributetablewidget.cxx.o
[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsvisibilitypresets.cxx.o
[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgshandlebadlayers.cxx.o
[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgsattributeselectiondialog.cxx.o
[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposerhtmlwidget.cxx.o
[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposer.cxx.o
[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposeritemwidget.cxx.o
[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposerlabelwidget.cxx.o
[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposerarrowwidget.cxx.o
[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposerlegendwidget.cxx.o
[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposerattributetablewidget.cxx.o
[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposerhtmlwidget.cxx.o
[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposermanager.cxx.o
[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposeritemwidget.cxx.o
[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposerlabelwidget.cxx.o
[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposermapwidget.cxx.o

```

[ 86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposerpicturewidget.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposerscalebarwidget.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposerlegendwidget.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposermanager.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposermapwidget.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposertablewidget.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposershapewidget.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposerpicturewidget.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscompositionwidget.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposerscalebarwidget.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposertablewidget.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposershapewidget.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgsatlascompositionwidget.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscompositionwidget.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/QGIS.dir/legend/moc_qgsapplegendinterface.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/QGIS.dir/ogr/moc_qgsopenvectorlayerdialog.cxx.o
[ 86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgsatlascompositionwidget.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/QGIS.dir/ogr/moc_qgsnewogrconnection.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/qgis_app.dir/legend/moc_qgsapplegendinterface.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/qgis_app.dir/ogr/moc_qgsopenvectorlayerdialog.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/QGIS.dir/ogr/moc_qgsvectorlayersaveasdialog.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/qgis_app.dir/ogr/moc_qgsnewogrconnection.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/QGIS.dir/gps/moc_qsggpsinformationwidget.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/QGIS.dir/openstreetmap/moc_qgsosmdownloaddialog.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/qgis_app.dir/ogr/moc_qgsvectorlayersaveasdialog.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/qgis_app.dir/gps/moc_qsggpsinformationwidget.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/qgis_app.dir/openstreetmap/moc_qgsosmdownloaddialog.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/QGIS.dir/openstreetmap/moc_qgsosmimportdialog.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/QGIS.dir/openstreetmap/moc_qgsosmexportdialog.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/moc_qgspluginmanager.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/qgis_app.dir/openstreetmap/moc_qgsosmimportdialog.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/moc_qgsapppluginmanagerinterface.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/qgis_app.dir/openstreetmap/moc_qgsosmexportdialog.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/moc_qgspluginmanager.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/moc_qgspluginfilterproxymodel.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/moc_qgsapppluginmanagerinterface.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/moc_qgspluginfilterproxymodel.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/moc_qgspluginitemdelegate.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsnewspatialitellayerdialog.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/QGIS.dir/qrc_images.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/moc_qgspluginitemdelegate.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/QGIS.dir/qrc_testdata.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsnewspatialitellayerdialog.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qrc_images.cxx.o
[ 88%] Linking CXX executable ../../output/bin/QGIS.app/Contents/MacOS/QGIS
[ 88%] Built target QGIS
[ 88%] Linking CXX shared library ../../output/lib/libqgis_app.dylib
[ 93%] Built target qgis_app
make: *** [all] Error 2

```

#2 - 2015-08-27 10:42 AM - Radim Blazek

I tried to fix in commit:cee794a4c68, please test, I don't have OSX.

#3 - 2015-08-27 11:26 AM - John Tull

Thanks, Radim. Not there yet, though:

```
[ 72%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolpinlabels.cpp.o
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/History.cpp:637:17: warning: assigning field to itself [-Wself-assign-field]
    formatLength=formatLength;
    ^
1 warning generated.
[ 72%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/_/qtermwidget/HistorySearch.cpp.o
[ 72%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/_/qtermwidget/KeyboardTranslator.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptooladvanceddigitizing.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolshowhidetoolbars.cpp.o
[ 72%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/_/qtermwidget/Pty.cpp.o
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.cpp:30:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.h:41:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:34:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:32:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty_p.h:26:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.h:36:5: warning: class 'KPTYPrivate' was previously declared as a struct
[-Wmismatched-tags]
    Q_DECLARE_PRIVATE(KPTY)
    ^
/usr/local/Cellar/qt/4.8.7/include/QtCore/qglobal.h:2585:12: note: expanded from macro 'Q_DECLARE_PRIVATE'
    friend class Class##Private;
    ^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.h:28:8: note: previous use is here
struct KPTYPrivate;
    ^
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.cpp:30:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.h:41:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:34:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:51:5: warning: class 'KPTYDevicePrivate' was previously declared as a
struct [-Wmismatched-tags]
    Q_DECLARE_PRIVATE_MI(KPTYDevice, KPTY)
    ^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:44:12: note: expanded from macro 'Q_DECLARE_PRIVATE_MI'
    friend class Class##Private;
    ^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:38:8: note: previous use is here
struct KPTYDevicePrivate;
    ^
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.cpp:30:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.h:41:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:60:5: warning: class 'KPTYProcessPrivate' was previously declared as a
struct [-Wmismatched-tags]
    Q_DECLARE_PRIVATE(KPTYProcess)
    ^
```

```

/usr/local/Cellar/qt/4.8.7/include/QtCore/qglobal.h:2585:12: note: expanded from macro 'Q_DECLARE_PRIVATE'
    friend class Class##Private;
    ^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:40:8: note: previous use is here
struct KPTYProcessPrivate;
    ^

[ 72%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolmeasureangle.cpp.o
3 warnings generated.
[ 72%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/SearchBar.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolidentifyaction.cpp.o
[ 72%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/Screen.cpp.o
[ 72%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolmovefeature.cpp.o
[ 72%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/ScreenWindow.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoollabel.cpp.o
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/Session.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolmovelabel.cpp.o
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Session.cpp:42:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.h:41:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:34:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:32:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty_p.h:26:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.h:36:5: warning: class 'KPTYPrivate' was previously declared as a struct
[-Wmismatched-tags]
    Q_DECLARE_PRIVATE(KPTY)
    ^

/usr/local/Cellar/qt/4.8.7/include/QtCore/qglobal.h:2585:12: note: expanded from macro 'Q_DECLARE_PRIVATE'
    friend class Class##Private;
    ^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.h:28:8: note: previous use is here
struct KPTYPrivate;
    ^

In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Session.cpp:42:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.h:41:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:34:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:51:5: warning: class 'KPTYDevicePrivate' was previously declared as a
struct [-Wmismatched-tags]
    Q_DECLARE_PRIVATE_MI(KPTYDevice, KPTY)
    ^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:44:12: note: expanded from macro 'Q_DECLARE_PRIVATE_MI'
    friend class Class##Private;
    ^

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:38:8: note: previous use is here
struct KPTYDevicePrivate;
    ^

In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Session.cpp:42:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/Pty.h:41:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:60:5: warning: class 'KPTYProcessPrivate' was previously declared as a
struct [-Wmismatched-tags]
    Q_DECLARE_PRIVATE(KPTYProcess)
    ^

/usr/local/Cellar/qt/4.8.7/include/QtCore/qglobal.h:2585:12: note: expanded from macro 'Q_DECLARE_PRIVATE'
    friend class Class##Private;
    ^

```

```

/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptyprocess.h:40:8: note: previous use is here
struct KQtyProcessPrivate;
    ^
3 warnings generated.
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/ShellCommand.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptooladvanceddigitizing.cpp.o
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/TerminalCharacterDecoder.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptooloffsetcurve.cpp.o
[ 73%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/TerminalDisplay.cpp.o
[ 73%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolmeasureangle.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolreshape.cpp.o
[ 74%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/Vt102Emulation.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolmovefeature.cpp.o
[ 74%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/kprocess.cpp.o
[ 74%] Building CXX object python/CMakeFiles/python_module_qgis__gui.dir/gui/sip_gui2.cpp.o
[ 74%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/konsole_wcwidth.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolrotatefeature.cpp.o
[ 74%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/kpty.cpp.o
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.cpp:25:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty_p.h:26:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.h:36:5: warning: class 'KQtyPrivate' was previously declared as a struct
[-Wmismatched-tags]
    Q_DECLARE_PRIVATE(KQty)
    ^
/usr/local/Cellar/qt/4.8.7/include/QtCore/qglobal.h:2585:12: note: expanded from macro 'Q_DECLARE_PRIVATE'
    friend class Class##Private;
    ^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.h:28:8: note: previous use is here
struct KQtyPrivate;
    ^
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolmovelabel.cpp.o
1 warning generated.
[ 74%] Building CXX object src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/kptydevice.cpp.o
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.cpp:32:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:32:
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty_p.h:26:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.h:36:5: warning: class 'KQtyPrivate' was previously declared as a struct
[-Wmismatched-tags]
    Q_DECLARE_PRIVATE(KQty)
    ^
/usr/local/Cellar/qt/4.8.7/include/QtCore/qglobal.h:2585:12: note: expanded from macro 'Q_DECLARE_PRIVATE'
    friend class Class##Private;
    ^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kpty.h:28:8: note: previous use is here
struct KQtyPrivate;
    ^
In file included from /Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.cpp:32:
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:51:5: warning: class 'KQtyDevicePrivate' was previously declared as a
struct [-Wmismatched-tags]
    Q_DECLARE_PRIVATE_MI(KQtyDevice, KQty)
    ^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:44:12: note: expanded from macro 'Q_DECLARE_PRIVATE_MI'
    friend class Class##Private;
    ^

```

```

^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.h:38:8: note: previous use is here
struct KPTYDevicePrivate;
^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.cpp:219:9: error: use of undeclared identifier 'gettimeofday'
    gettimeofday(&etv, 0);
    ^
/Users/jctull/sources/qgis_2/src/plugins/grass/qtermwidget/kptydevice.cpp:239:13: error: use of undeclared identifier 'gettimeofday'
    gettimeofday(&tv, 0);
    ^

```

2 warnings and 2 errors generated.

make[2]: *** [src/plugins/grass/7/CMakeFiles/grassplugin7.dir/__/qtermwidget/kptydevice.cpp.o] Error 1

make[1]: *** [src/plugins/grass/7/CMakeFiles/grassplugin7.dir/all] Error 2

make[1]: *** Waiting for unfinished jobs....

```

[ 74%] Building CXX object python/CMakeFiles/python_module_qgis__gui.dir/gui/sip_guipart3.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolrotatelabel.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptooloffsetcurve.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolrotatepointssymbols.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolreshape.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolselect.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolrotatefeature.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolselectrectangle.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolrotatelabel.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolselectfreehand.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolselectpolygon.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolrotatepointssymbols.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolselectradius.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolselect.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolselectutils.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolsimplify.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolselectrectangle.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolsplitfeatures.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolselectfreehand.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolsplitparts.cpp.o
[ 74%] Linking CXX shared module ../output/python/qgis/_gui.so
[ 74%] Built target python_module_qgis__gui
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolselectpolygon.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolsvgannotation.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolselectradius.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolselectutils.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptooltextannotation.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolsimplify.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/nodetool/qgsmaptoolnodetool.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolsplitfeatures.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/nodetool/qgsselectedfeature.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/nodetool/qgsvertexentry.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolsplitparts.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolsvgannotation.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptooltextannotation.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/nodetool/qgsnodeeditor.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmeasuredialog.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmeasuretool.cpp.o
[ 74%] Building CXX object src/app/CMakeFiles/QGIS.dir/nodetool/qgsmaptoolnodetool.cpp.o

```

[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/nodetool/qgsselectedfeature.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/nodetool/qgsvertexentry.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmergeattributesdialog.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsoptions.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgspointrotationitem.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/nodetool/qgsnodeeditor.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmeasuredialog.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmeasuretool.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgspluginmetadata.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmergeattributesdialog.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgspluginregistry.cpp.o
[74%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsprojectlayergroupdialog.cpp.o
[74%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsoptions.cpp.o
[75%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgspointrotationitem.cpp.o
[75%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsprojectproperties.cpp.o
[75%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsrastercalcdialog.cpp.o
[75%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgspluginmetadata.cpp.o
[75%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsrasterlayerproperties.cpp.o
[75%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgspluginregistry.cpp.o
[75%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsprojectlayergroupdialog.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsstatisticalsummarydockwidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgstextannotationdialog.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsprojectproperties.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsrastercalcdialog.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsshortcutsmanager.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgssnappingdialog.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsrasterlayerproperties.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgssvgannotationdialog.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsundowidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgstipgui.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgstipfactory.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsstatisticalsummarydockwidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgstextannotationdialog.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsvectorlayerproperties.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsvisibilitypresets.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgshandlebadlayers.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsshortcutsmanager.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgssnappingdialog.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgssvgannotationdialog.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsundowidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptooladdcircularstring.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolcircularstringcurvepoint.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgstipgui.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsmaptoolcircularstringradius.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgstipfactory.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgsattributesselectiondialog.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsvectorlayerproperties.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsvisibilitypresets.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgshandlebadlayers.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposer.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerarrowwidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerattributetablewidget.cpp.o
[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptooladdcircularstring.cpp.o

[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerhtmlwidget.cpp.o

[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolcircularstringcurvepoint.cpp.o

[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposeritemwidget.cpp.o

[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsmaptoolcircularstringradius.cpp.o

[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerlabelwidget.cpp.o

[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgsattributeselectiondialog.cpp.o

[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposer.cpp.o

[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerpicturewidget.cpp.o

[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerarrowwidget.cpp.o

[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposermanager.cpp.o

[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerattributetablewidget.cpp.o

[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerhtmlwidget.cpp.o

[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposermapwidget.cpp.o

[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerscalebarwidget.cpp.o

[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposershapewidget.cpp.o

[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposeritemwidget.cpp.o

[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerlabelwidget.cpp.o

[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerpicturewidget.cpp.o

[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposertablewidget.cpp.o

[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerlegenditemdialog.cpp.o

[76%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerlegendlayersdialog.cpp.o

[76%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposermanager.cpp.o

[77%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposermapwidget.cpp.o

[77%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerscalebarwidget.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscomposerlegendwidget.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgscompositionwidget.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/qgsatlascompositionwidget.cpp.o

[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposershapewidget.cpp.o

[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposertablewidget.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/legend/qgsapplegendinterface.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/ogr/qgsogrhelperfunctions.cpp.o

[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerlegenditemdialog.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/ogr/qgsopenvectorlayerdialog.cpp.o

[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerlegendlayersdialog.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/ogr/qgsnewogrconnection.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/ogr/qgsvectorlayersaveasdialog.cpp.o

[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscomposerlegendwidget.cpp.o

[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgscompositionwidget.cpp.o

[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/qgsatlascompositionwidget.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/gps/qsggpsinformationwidget.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/gps/qsggpsmarker.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/openstreetmap/qgsosmdownloaddialog.cpp.o

[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/legend/qgsapplegendinterface.cpp.o

[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/ogr/qgsogrhelperfunctions.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/openstreetmap/qgsosmimportdialog.cpp.o

[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/ogr/qgsopenvectorlayerdialog.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/openstreetmap/qgsosmexportdialog.cpp.o

[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/ogr/qgsnewogrconnection.cpp.o

[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/ogr/qgsvectorlayersaveasdialog.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/qgspluginmanager.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/qgspluginmanager_texts.cpp.o

[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/qgsapppluginmanagerinterface.cpp.o

[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/gps/qsggpsinformationwidget.cpp.o

[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/gps/qsgpsmarker.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/qgspluginsortfilterproxymodel.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/openstreetmap/qgsosmdownloaddialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/qgspluginitemdelegate.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/openstreetmap/qgsosmimportdialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qgsnewspatialitellayerdialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/openstreetmap/qgsosmexportdialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/qgspluginmanager.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgisapp.cxx.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgisappinterface.cxx.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/qgspluginmanager_texts.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgisappstylesheet.cxx.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/qgsapppluginmanagerinterface.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsabout.cxx.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsaddattrdialog.cxx.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsalignrasterdialog.cxx.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/qgspluginsortfilterproxymodel.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/qgspluginitemdelegate.cpp.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/qgsnewspatialitellayerdialog.cpp.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsjoindialog.cxx.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsaddtaborgroup.cxx.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgisapp.cxx.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgisappinterface.cxx.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsannotationwidget.cxx.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsattributeactiondialog.cxx.o
[78%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsattributetypedialog.cxx.o
[78%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgisappstylesheet.cxx.o
[79%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsattributetabledialog.cxx.o
[79%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsabout.cxx.o
[79%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsaddattrdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsalignrasterdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsbookmarks.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsbrowserdockwidget.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsjoindialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsaddtaborgroup.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsannotationwidget.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsattributeactiondialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsadvanceddigitizingdockwidget.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsclipboard.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsconfigureshortcutsdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsattributetypedialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgscustomization.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsattributetabledialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsbookmarks.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgscustomprojectiondialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationitem.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationcopyright.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsbrowserdockwidget.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsadvanceddigitizingdockwidget.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsclipboard.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationcopyrightdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsconfigureshortcutsdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationnortharrow.cxx.o

[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationnortharrowdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgscustomization.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationscalebar.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationscalebardialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgscustomprojectiondialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationgrid.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdecorationgriddialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationitem.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationcopyright.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdelattrdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdiagramproperties.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationcopyrightdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdisplayangle.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationnortharrow.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsdxeflexportdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationnortharrowdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationscalebar.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationscalebardialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsfeatureaction.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsfieldcalculator.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationgrid.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsfieldsproperties.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdecorationgriddialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsformannotationdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdelattrdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdiagramproperties.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgshtmlannotationdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsidentifyresultsdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdisplayangle.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsdxeflexportdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgslabeldialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgslabelengineconfigdialog.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsfeatureaction.cxx.o
[80%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsfieldcalculator.cxx.o
[80%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgslabelinggui.cxx.o
[81%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsfieldsproperties.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgslabelpropertydialog.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsloadstylefromdbdialog.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsformannotationdialog.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgshtmlannotationdialog.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaplayerstyleguiutils.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsidentifyresultsdialog.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgssavestyletodbdialog.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsshortcutsmanager.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsapplayertreeviewmenuprovider.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgslabeldialog.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgslabelengineconfigdialog.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsguivectorlayertools.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgslabelinggui.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgswelcomepageitemsmodel.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgswelcomepage.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgslabelpropertydialog.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsloadstylefromdbdialog.cxx.o

[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsversioninfo.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooladdfeature.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaplayerstyleguiutils.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolcapture.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolcircularstringradius.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgssavestyletodbdialog.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsshortcutsmanager.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooladdpart.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsapplayertreeviewmenuprovider.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsguivectorlayertools.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooladding.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooledit.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgswelcomepageitemsmodel.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgswelcomepage.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolfillring.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsversioninfo.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolchangelabelproperties.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooladdfeature.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooldeletepart.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooldeleting.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolcapture.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolfeatureaction.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolcircularstringradius.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooladdpart.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolpinlabels.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolshowwhidelabels.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolidentifyaction.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooladding.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooledit.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolfillring.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooladvanceddigitizing.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolmeasureangle.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolmovefeature.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolchangelabelproperties.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooldeletepart.cxx.o
[82%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooldeleting.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolmovelabel.cxx.o
[82%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooloffsetcurve.cxx.o
[83%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolreshape.cxx.o
[83%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolfeatureaction.cxx.o
[83%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolpinlabels.cxx.o
[83%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolshowwhidelabels.cxx.o
[83%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolrotatefeature.cxx.o
[83%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolrotatelabel.cxx.o
[83%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolrotatepointsymbols.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolidentifyaction.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooladvanceddigitizing.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolmeasureangle.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolselectfreehand.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolmovefeature.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolselect.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolselectpolygon.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolmovelabel.cxx.o

[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooloffsetcurve.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolselectradius.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolselectrectangle.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolreshape.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolsimplify.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolsplitfeatures.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptoolsplitparts.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolrotatefeature.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolrotatelabel.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolrotatepointsymbols.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmaptooladdcircularstring.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/nodetool/moc_qgsmaptoolnodetool.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/nodetool/moc_qgsselectedfeature.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolselectfreehand.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolselect.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolselectpolygon.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/nodetool/moc_qgsnodeeditor.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmeasuredialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolselectradius.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolselectrectangle.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmeasuretool.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsmergeattributesdialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolsimplify.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsoptions.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolsplitfeatures.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptoolsplitparts.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmaptooladdcircularstring.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsprojectlayergroupdialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/nodetool/moc_qgsmaptoolnodetool.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsprojectproperties.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsrastercalcdialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/nodetool/moc_qgsselectedfeature.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/nodetool/moc_qgsnodeeditor.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsrasterlayerproperties.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgssnappingdialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmeasuredialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgssponsors.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsstatisticalsummarydockwidget.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmeasuretool.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsmergeattributesdialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgssvgannotationdialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgstextannotationdialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsoptions.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsprojectlayergroupdialog.cxx.o
[84%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsprojectproperties.cxx.o
[84%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgstipgui.cxx.o
[85%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgstipfactory.cxx.o
[85%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsundowidget.cxx.o
[85%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsrastercalcdialog.cxx.o
[85%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsrasterlayerproperties.cxx.o
[85%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsvectorlayerproperties.cxx.o
[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgssnappingdialog.cxx.o
[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsvisibilitypresets.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgssponsors.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgshandlebadlayers.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgsattributeselectiondialog.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsstatisticalsummarydockwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposer.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgssvgannotationdialog.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgtextannotationdialog.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposerarrowwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposerattributetablewidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgstipgui.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposerhtmlwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposeritemwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgstipfactory.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsundowidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposerlabelwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsvectorlayerproperties.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposerlegendwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsvisibilitypresets.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgshandlebadlayers.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposermanager.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposermapwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgsattributeselectiondialog.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposer.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposerpicturewidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposerscalebarwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposerarrowwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposertablewidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposerattributetablewidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscomposershapewidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgscompositionwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposerhtmlwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/composer/moc_qgsatlascompositionwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/legend/moc_qgsapplegendinterface.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/ogr/moc_qgsopenvectorlayerdialog.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposeritemwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposerlabelwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposerlegendwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/ogr/moc_qgsnewogrconnection.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/ogr/moc_qgsvectorlayersaveasdialog.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposermanager.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/gps/moc_qgsgpsinformationwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposermapwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/openstreetmap/moc_qgsosmdownloaddialog.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposerpicturewidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposerscalebarwidget.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/openstreetmap/moc_qgsosmimportdialog.cxx.o

[86%] Building CXX object src/app/CMakeFiles/qgis_app.dir/openstreetmap/moc_qgsosmexportdialog.cxx.o

[86%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposertablewidget.cxx.o

[87%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/moc_qgspluginmanager.cxx.o

[87%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/moc_qgsapppluginmanagerinterface.cxx.o

[87%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/moc_qgspluginfilterproxymodel.cxx.o

[87%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscomposershapewidget.cxx.o

[87%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgscompositionwidget.cxx.o

```
[ 87%] Building CXX object src/app/CMakeFiles/qgis_app.dir/pluginmanager/moc_qgspluginitemdelegate.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/qgis_app.dir/moc_qgsnewspatialitelaydialog.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/QGIS.dir/composer/moc_qgsatlascompositionwidget.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/qgis_app.dir/qrc_images.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/QGIS.dir/legend/moc_qgsapplelegendinterface.cxx.o
[ 87%] Building CXX object src/app/CMakeFiles/QGIS.dir/ogr/moc_qgsopenvectorlayerdialog.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/QGIS.dir/ogr/moc_qgsnewogrconnection.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/QGIS.dir/ogr/moc_qgsvectorlayersaveasdialog.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/QGIS.dir/gps/moc_qgsgpsinformationwidget.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/QGIS.dir/openstreetmap/moc_qgsosmdownloaddialog.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/QGIS.dir/openstreetmap/moc_qgsosmimportdialog.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/QGIS.dir/openstreetmap/moc_qgsosmexportdialog.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/moc_qgspluginmanager.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/moc_qgsapppluginmanagerinterface.cxx.o
[ 88%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/moc_qgsplugininsortfilterproxymodel.cxx.o
[ 88%] Linking CXX shared library ../output/lib/libqgis_app.dylib
[ 88%] Building CXX object src/app/CMakeFiles/QGIS.dir/pluginmanager/moc_qgspluginitemdelegate.cxx.o
[ 93%] Built target qgis_app
[ 93%] Building CXX object src/app/CMakeFiles/QGIS.dir/moc_qgsnewspatialitelaydialog.cxx.o
[ 93%] Building CXX object src/app/CMakeFiles/QGIS.dir/qrc_images.cxx.o
[ 93%] Building CXX object src/app/CMakeFiles/QGIS.dir/qrc_testdata.cxx.o
[ 93%] Linking CXX executable ../output/bin/QGIS.app/Contents/MacOS/QGIS
[ 93%] Built target QGIS
make: *** [all] Error 2
```

#4 - 2015-08-28 12:32 AM - Radim Blazek

Try once more with commit:32cf296.

#5 - 2015-08-28 08:35 AM - John Tull

- Status changed from Open to Closed

Thank you, Radim. Your latest update has fixed the build issue on OSX.