

QGIS Application - Bug report #13546

qgis trying to update first empty text row with null in db

2015-10-08 07:49 AM - zimirrr leonid

Status:	Closed	
Priority:	Normal	
Assignee:	Jürgen Fischer	
Category:	Attribute table	
Affected QGIS version:	2.10.1	Regression?: No
Operating System:	win 7	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution:
Crashes QGIS or corrupts data:	No	Copied to github as #: 21588
Description		
I have Postgresql table <pre>CREATE TABLE test_qgis(id serial NOT NULL, "colText" text, "colChar" character varying(300), "GEOM" geometry(Point,4326), CONSTRAINT test_qgis_pkey PRIMARY KEY (id))WITH (oids=false);</pre> <pre>INSERT INTO test_qgis("colText", "colChar", "GEOM") VALUES ("", "", st_setsrid(st_point(20,30),4326)); INSERT INTO test_qgis("colText", "colChar", "GEOM") VALUES ("", "", st_setsrid(st_point(30,10),4326));</pre> 1. Open table with qgis 2. Open Attribute table 3. Toggle editing mode ON colText and colChar became 'NULL' in first row 4. Toggle editing mode OFF qgis asks to "Save Changes" this bug doesn't appear when column type "character"		

Associated revisions

Revision 3beaed9f - 2015-10-09 03:49 PM - Jürgen Fischer

editor widget: don't reset empty strings to null, if default value is null (fixes #13546)

History

#1 - 2015-10-08 07:50 AM - zimirrr leonid

*this bug doesn't appear when column type "character"

#2 - 2015-10-08 07:52 AM - Paolo Cavallini

- Subject changed from qgis trying to update first empty text row with null in db to qgis trying to update first empty text row with null in db

#3 - 2015-10-09 03:14 AM - Jürgen Fischer

- Assignee set to *Jürgen Fischer*

#4 - 2015-10-09 06:50 AM - Jürgen Fischer

- Status changed from *Open* to *Closed*

Fixed in changeset commit:"3beaed9fa1a8100973cd9c5a94119dc6986a5649".