QGIS Application - Bug report #14314 Geoprocessing Difference is too limited?

2016-02-16 09:35 AM - Yuri Oliveira Victorazzi

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	Processing/QGIS	
Affected QGIS version:2.6.0		Regression?:
Operating System:		Easy fix?:
Pull Request or Patch supplied:		Resolution: invalid
Crashes QGIS or corruptesdata:		Copied to github as #: 22304

Description

I have a problem with QGIS 2.6's Difference Geoprocessing feature. In my project, I have to cut hundreds or thousands of small vector polygons from a bigger polygon area, the small being trees and the big one a region. For some reason if the bigger polygon area is too massive the process seems to fail and create a dump file, which is the one as follows (about 27,7MB):

https://drive.google.com/file/d/0B6g9LoftRVG4LUIJaFNPUkdoU2M/view?usp=sharing

Is there any limit for this tool that makes it not even try to process the data?

History

#1 - 2016-02-20 12:45 AM - Saber Razmjooei

- Status changed from Open to Feedback
- Category set to 44

Could you try with 2.12 or master and report back?

#2 - 2016-03-02 07:26 AM - Yuri Oliveira Victorazzi

I've fixed the problem by using the Dissolve tool in the tree layer. If I use a dissolved layer, it processes properly. Which makes no sense to me, since it is still a massive ammount of minuscule polygons that are distant from each other, but it works, so all good. Thanks for answering.

#3 - 2016-03-02 07:32 AM - Paolo Cavallini

- Resolution set to invalid
- Status changed from Feedback to Closed

#4 - 2017-05-01 01:21 AM - Giovanni Manghi

The "ftools" category is being removed from the tracker, changing the category of this ticket to "Processing/QGIS" to not leave the category orphaned.