

QGIS Application - Bug report #14487

NULL Strings in Mif files don't interact well with expressions (regression)

2016-03-14 06:32 AM - Ian Turton

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	Expressions	
Affected QGIS version:	2.14.0	Regression?: No
Operating System:	windows and linux	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: invalid
Crashes QGIS or corrupts data:	No	Copied to github as #: 22463
Description		
<p>I have a mif file that is used in training and prior to 2.14 we would select polygons with no name by using</p> <p>"name" is NOT NULL</p> <p>in the expression builder. In 2.14 this now selects all the features including the 23 with empty/null names. You also can't do a work round like</p> <p>length("name") = 0</p> <p>as none of the features match.</p> <p>Saving the data as a Shapefile makes everything work as expected.</p> <p>I've attached the mif/mid files.</p>		

History

#1 - 2016-03-14 06:40 PM - Nyal Dawson

- Resolution set to invalid
- Status changed from Open to Closed

Looking at this - there's no NULL names in the file. There's names which are empty strings, but that's different to null.

length("name") > 0 works for me, it selects 147 features

similarly

"name" <> "" also works (selects same 147 features)

I'm not sure why this would have worked in earlier versions (perhaps it was a change in the underlying GDAL library), but there's no reproducible bug here.

Files

parishes_surrey.mif	3.15 MB	2016-03-14	Ian Turton
parishes_surrey.mid	21.5 KB	2016-03-14	Ian Turton