

QGIS Application - Feature request #14856

Processing: Use r.external.out for GRASS raster algorithms

2016-05-22 02:49 AM - Stefan Blumentrath

Status:	Open	Resolution: Copied to github as #: 22809
Priority:	Normal	
Assignee:	Victor Olaya	
Category:	Processing/GRASS	
Pull Request or Patch supplied:	No	
Easy fix?:	No	
Description		
<p>In processing, GRASS raster algorithms should use r.external.out instead of r.out.gdal.</p> <p>With r.external.out, results are stored directly as non-GRASS, GDAL-supported formats. This will save a significant amount of processing time as the export step is saved.</p> <p>Files will be stored in a sub-folder of the current (temporary) mapset. Thus, after completion, results have to be moved to the user-defined location. Therefore, speed improvements are less big, when the user-defined output and the temporary GRASS location are not on the same volume.</p> <p>Necessary changes would be along the lines of the attached Grass7Algorithm.py.</p> <p>The attached Grass7Algorithm.py works at least for r.aspect, except for the "mv", which has trouble with the path delimiters / drive letter on windows.</p> <p>Please note, that GeoTiff is hard-coded as output format, while r.external.out supports all gdal writable formats.</p>		

History

#1 - 2016-06-23 04:08 AM - Stefan Blumentrath

Be aware of this one: <https://trac.osgeo.org/grass/ticket/3059>

#2 - 2017-05-01 12:46 AM - Giovanni Manghi

- Easy fix? set to No

Files

Grass7Algorithm.py	25.1 KB	2016-05-22	Stefan Blumentrath
--------------------	---------	------------	--------------------