QGIS Application - Bug report #15191 When cancel "script opening", occurs an error

2016-07-02 02:09 AM - zimirrr leonid

| Status: | Rejected | | |
|--|---|--------------------------------------|-----------------------------------|
| Priority: | Low | | |
| Assignee: | | | |
| Category: | Processing/GUI | | |
| Affected QGIS version:2.14.0 | | Regression?: | No |
| Operating System: | | Easy fix?: | No |
| Pull Request or Patch supplied: | | Resolution: | worksforme |
| Crashes QGIS or corru pts data: | | Copied to github as | #: 23130 |
| Description | | | |
| | | | |
| 1. Open qgis | | | |
| 2. In processing to | olbox: | | |
| Scripts -> Tools | -> Create new script | | |
| 3. Press open and | than cancel without any selection | | |
| | | | |
| In python error log | : | | |
| "2016-07-02T12:0 | 6:26 1 Traceback (most recent cal | l last): | |
| File "C:/PROGRA^ | -1/QGISES~1/apps/qgis/./python/plugi | ins\\processing\\gui\\ScriptEditorDi | alog.py", line 206, in openScript |
| with codecs.open(| self.filename, 'r', encoding='utf-8') as f: | | |
| File "C:\\PROGRA | ~1\\QGISES~1\\apps\\Python27\\lib\\c | odecs.py", line 881, in open | |
| file = <i>builtin</i> open(f | ilename, mode, buffering) | | |
| | invalid mode ('rb') or filename: u''' | | |

History

#1 - 2016-07-08 01:15 AM - Alexander Bruy

- Resolution set to worksforme
- OS version deleted (7)
- Operating System deleted (windows)
- Status changed from Open to Rejected
- Category changed from Forms to Processing/GUI

Works fine in master and 2.14.3