

QGIS Application - Bug report #15715

Segmentation fault on exit when using a QgsMapTool

2016-10-17 03:53 AM - Uros Bernik

Status:	Closed	
Priority:	High	
Assignee:		
Category:	Python plugins	
Affected QGIS version:	2.16.3	Regression?: No
Operating System:	Ubuntu	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: invalid
Crashes QGIS or corrupts data:	Yes	Copied to github as #: 23638
Description		
<p>When using pyqgis in a custom application, there is a Segmentation fault crash upon exiting the application after <code>app.exitQgis()</code> call when the programm exists. It appears on exit as soon as during lifetime of the application a <code>QgsMapToolPan</code> (as in example) is created. During application lifetime itself, there are no problems.</p>		

History

#1 - 2016-10-19 09:10 PM - Martin Dobias

- Resolution set to invalid
- Status changed from Open to Closed

It looks like your "gui" variable with canvas and a map tool still lives when QGIS libs have been already uninitialized. That means when cleaning up the "gui" variable you get the crash. A simple fix should be to delete "gui" before calling `exitQgis()`. Or just put all handling of "gui" variable into a function, so it gets out of scope before `exitQgis()`:

```
def run_app(app):
    gui = GUI()
    gui.show()
    app.exec_()

qgsapp.initQgis()
run_app(qgsapp)
qgsapp.exitQgis()
```

#2 - 2016-10-24 11:55 PM - Uros Bernik

Yes, i've seen this suggested: <http://gis.stackexchange.com/questions/206523/segmentation-fault-upon-exit-of-qgis-map-canvas>

The error still occurs, even with the aux function implementation, the problematic line is the creation of a pan tool, more precisely, if a pan tool instance is stored into a gui instance variable.

If it's just created in the constructor then set as the current tool, there is no segfault on exit:

```
self._map.setMapTool(QgsMapToolPan(self._map))
```

For the moment, im unsetting the GUI instance variable at window close, which also works.

Ah, yes, I have an idea why. If an object belonging to the canvas is referenced somewhere "outside" of qgis context as well, it is probably not properly destroyed, when exitQgis is called, hence the segfault.

Files

qgis-bug.py	1.27 KB	2016-10-17	Uros Bernik
-------------	---------	------------	-------------