# QGIS Application - Feature request #15792 SLD based style NOT used when loading a shapefile

2016-10-31 06:40 AM - Richard Duivenvoorde

Status: Open
Priority: Normal

Assignee:
Category: Symbology
Pull Request or Patch supplied: Resolution:

Easy fix?: No Copied to github as #: 23712

# **Description**

Not sure if this is deliberate or an issue, but when a shapefile xxx has a QML-style file next to it with the same filename xxx, that style is used when loading the shapefile in QGIS.

BUT when I saved a style in sld format (instead of gml format), the sld file is NOT used to style the shapes.

I think it would be good to make this work for both types of style exports?

### History

# #1 - 2017-05-01 01:02 AM - Giovanni Manghi

- Easy fix? set to No
- Regression? set to No

#### #2 - 2017-09-22 09:55 AM - Jürgen Fischer

- Category set to Unknown

#### #3 - 2017-10-14 11:07 AM - Andrea Aime

- Tracker changed from Bug report to Feature request
- Description updated

#### #4 - 2017-10-14 11:07 AM - Andrea Aime

- Subject changed from sld based style NOT used when loading a shapefile to SLD based style NOT used when loading a shapefile

## #5 - 2017-10-16 12:18 PM - Giovanni Manghi

- Category changed from Unknown to Symbology

2025-04-27 1/1