QGIS Application - Bug report #1604 Projection recognition fails when a .qml file exists

2009-03-31 05:57 AM - Otto Dassau

Status:	Closed		
Priority:	Low		
Assignee:	Magnus Homann		
Category:	Projection Support		
Affected QGIS version:		Regression?:	No
Operating System:	Debian	Easy fix?:	No
Pull Request or Patch	n supplied:	Resolution:	fixed
Crashes QGIS or corrupts data:		Copied to github as #:	11664
Description			
I have two shape files showing graticules, both projected in EPSG:4326 and both shapefiles provide a .prj file with the same content: cat graticule.prj: GEOGCS["GCS_WGS_1984",DATUM["D_WGS_1984",SPHEROID["WGS_1984",6378137,298.257223 563]],PRIMEM[[Greenwich"0]UNIT["Degree]]			
GEOGCS["GCS_WGS_1984",DATUM["D_WGS_1984",SPHEROID["WGS_1984",6378137,298.257223 563]],PRIMEM[[Greenwich"0]UNIT["Degree]] when I load the two files in QGIS (svn trunk from today) only for the graticule.shp the projection is recognized and displayed in the "General" tab of the layer properties dialog. The projection of the other			
shape file graticule_small.shp is n	ot recognized.		
AFAICS it seems, that the projection is not recognized when I change the symbology and save it as graticule_small.qml. When I delete the *.qml file, the projection is recognized again correctly. This happens in QGIS head and in the current stable release.			
This means every time I want to use "OTF projection" support for a shape with a saved style file (.qml) I have to define a CRS first before it works, although a correct .prj file exists.			
I put the two shapefiles here for testing: http://www.nature-consult.de/dassau/muell/projrecog.zip			
regards, Otto			
Associated revisions			

Revision 39d1f26f - 2009-08-17 12:20 PM - Magnus Homann

Always set coordinate system, independent of any symbology style settings. Fixes #1604

git-svn-id: http://svn.osgeo.org/qgis/trunk/qgis@11406 c8812cc2-4d05-0410-92ff-de0c093fc19c

Revision e028bc75 - 2009-08-17 12:20 PM - Magnus Homann

Always set coordinate system, independent of any symbology style settings. Fixes #1604

History

#1 - 2009-07-10 07:55 AM - Giovanni Manghi

Hi,

I replicated this using the qgis sample dataset (i.e. "airports" and "alaska" shapefiles). Used qgis 1.2 from trunk under Ubuntu 9.04

#2 - 2009-08-12 02:19 PM - Magnus Homann

Interesting. Can be it an OGR problem?

#3 - 2009-08-13 12:02 AM - Giovanni Manghi

Note:

it happens only if the .qml has the same name of the .shp file, so the .qml is loaded together with the shape/project.

In these cases the field in the general tab where usually the crs string appears is blank.

#4 - 2009-08-17 03:20 AM - Magnus Homann

- Resolution set to fixed

- Status changed from Open to Closed

Fixed in commit:e028bc75 (SVN r11407).