

QGIS Application - Bug report #16502

failed to create shortcut

2017-05-02 05:45 PM - Mailys VIRET

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	Build/Install	
Affected QGIS version:	2.14.12	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: not reproducible
Crashes QGIS or corrupts data:	No	Copied to github as #: 24408
Description		
Good morning i tried to install Qgis and at the end of the installation i can't start Qgis i don't have any shortcut. When i look at the postinstall.log it's written "failed to create shortcut... What should i do please ? thanks		

History

#1 - 2017-05-02 05:48 PM - Mailys VIRET

here is the postinstall report:

Impossible de trouver C:\Users\viret-m\Downloads\preremove-conf.bat

OSGEO4W_ROOT=C:\Users\viret-m\Downloads

OSGEO4W_ROOT_MSYS=/C:/Users/viret-m/Downloads

OSGEO4W_STARTMENU=C:\ProgramData\Microsoft\Windows\Start Menu\Programs\QGIS 2.14

OSGEO4W_DESKTOP=C:\Users\Public\Desktop\QGIS 2.14

Running postinstall gdal-python.bat...

C:\Users\viret-m\Downloads>"C:\Users\viret-m\Downloads\bin\make-bat-for-py.bat"

Generating .bat files for all .py files in C:\Users\viret-m\Downloads\bin

Running postinstall grass.bat...

C:\Users\viret-m\Downloads>set ICON=C:\Users\viret-m\Downloads\apps\grass\grass-7.2.0\gui\icons\grass_osgeo.ico

C:\Users\viret-m\Downloads>set BATCH=C:\Users\viret-m\Downloads\bin\grass72.bat

C:\Users\viret-m\Downloads>textreplace -std -t "C:\Users\viret-m\Downloads\bin\grass72.bat"

C:\Users\viret-m\Downloads>textreplace -std -t "C:\Users\viret-m\Downloads\apps\grass\grass-7.2.0\etc\fontcap

C:\Users\viret-m\Downloads>xxmklink "C:\ProgramData\Microsoft\Windows\Start Menu\Programs\QGIS 2.14\GRASS GIS 7.2.0.Ink"

"C:\Users\viret-m\Downloads\bin\grass72.bat" "-gui" \ "Launch GRASS GIS 7.2.0" 1

"C:\Users\viret-m\Downloads\apps\grass\grass-7.2.0\gui\icons\grass_osgeo.ico"

XXMkLink ver 1.00 (c)2005 Copyright Pixelab, Inc.

Failed to create the shortcut.

```
C:\Users\viret-m\Downloads>xxmklink "C:\ProgramData\Desktop\GRASS GIS 7.2.0.lnk" "C:\Users\viret-m\Downloads\bin\grass72.bat" "-gui" \ "Launch GRASS GIS 7.2.0" 1 "C:\Users\viret-m\Downloads\apps\grass\grass-7.2.0\gui\icons\grass_osgeo.ico"
```

XXMkLink ver 1.00 (c)2005 Copyright Pixelab, Inc.

Failed to create the shortcut.

```
C:\Users\viret-m\Downloads>rem run g.mkfontcap outside a GRASS session during
```

```
C:\Users\viret-m\Downloads>rem an OSGeo4W installation for updating paths to fonts
```

```
C:\Users\viret-m\Downloads>rem set gisbase
```

```
C:\Users\viret-m\Downloads>set GISBASE=C:\Users\viret-m\Downloads\apps\grass\grass-7.2.0
```

```
C:\Users\viret-m\Downloads>rem set path to freetype dll and its dependencies
```

```
C:\Users\viret-m\Downloads>set
```

```
FREETYPEBASE=C:\Users\viret-m\Downloads\bin;C:\Users\viret-m\Downloads\apps\msys\bin;C:\Users\viret-m\Downloads\apps\grass\grass-7.2.0\lib
```

```
C:\Users\viret-m\Downloads>rem set dependencies to path
```

```
C:\Users\viret-m\Downloads>set
```

```
PATH=C:\Users\viret-m\Downloads\bin;C:\Users\viret-m\Downloads\apps\msys\bin;C:\Users\viret-m\Downloads\apps\grass\grass-7.2.0\lib;C:\Users\viret-m\Downloads\bin;C:\Program Files\Mozilla Firefox;C:\ProgramData\Oracle\Java\javapath;c:\oracle\product\11.2.0\client_1\bin;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0;C:\Windows\CCM;C:\Windows\CCM;C:\Windows\CCM;C:\Windows\CCM;C:\Windows\CCM
```

```
C:\Users\viret-m\Downloads>rem GISRC must be set
```

```
C:\Users\viret-m\Downloads>set GISRC=dummy
```

```
C:\Users\viret-m\Downloads>rem run g.mkfontcap outside a GRASS session
```

```
C:\Users\viret-m\Downloads>"C:\Users\viret-m\Downloads\apps\grass\grass-7.2.0\bin\g.mkfontcap.exe" -o
```

```
C:\Users\viret-m\Downloads>del "C:\Users\viret-m\Downloads\bin\grass72.bat.tmp"
```

Running postinstall liblas.bat...

```
C:\Users\viret-m\Downloads>textreplace -std -t bin/liblas.bat
```

Running postinstall msvcrt2008.bat...

```
C:\Users\viret-m\Downloads>for %f in ("C:\Users\viret-m\AppData\Local\Temp") do call set TEMPDRIVE=%~df
```

```
C:\Users\viret-m\Downloads>call set TEMPDRIVE=C:
```

```
C:\Users\viret-m\Downloads>cd "C:\Users\viret-m\AppData\Local\Temp"
```

```
C:\Users\viret-m\AppData\Local\Temp>"C:\Users\viret-m\Downloads\bin\vcredist_2008_x86.exe" /q
```

```
C:\Users\viret-m\AppData\Local\Temp>if errorlevel 3010 echo1>"C:\Users\viret-m\Downloads\etc\reboot"
```

```
C:\Users\viret-m\AppData\Local\Temp>del "C:\Users\viret-m\Downloads\bin\vcredist_2008_x86.exe"
```

```
Running postinstall msvcr2010.bat...
```

```
C:\Users\viret-m\Downloads>for %f in ("C:\Users\viret-m\AppData\Local\Temp") do call set TEMPDRIVE=%~df
```

```
C:\Users\viret-m\Downloads>call set TEMPDRIVE=C:
```

```
C:\Users\viret-m\Downloads>cd "C:\Users\viret-m\AppData\Local\Temp"
```

```
C:\Users\viret-m\AppData\Local\Temp>"C:\Users\viret-m\Downloads\bin\vcredist_2010_x86.exe" /q
```

```
C:\Users\viret-m\AppData\Local\Temp>if errorlevel 3010 echo1>"C:\Users\viret-m\Downloads\etc\reboot"
```

```
C:\Users\viret-m\AppData\Local\Temp>del "C:\Users\viret-m\Downloads\bin\vcredist_2010_x86.exe"
```

```
Running postinstall msvcr2013.bat...
```

```
C:\Users\viret-m\Downloads>for %f in ("C:\Users\viret-m\AppData\Local\Temp") do call set TEMPDRIVE=%~df
```

```
C:\Users\viret-m\Downloads>call set TEMPDRIVE=C:
```

```
C:\Users\viret-m\Downloads>cd "C:\Users\viret-m\AppData\Local\Temp"
```

```
C:\Users\viret-m\AppData\Local\Temp>"C:\Users\viret-m\Downloads\bin\vcredist_2013_x86.exe" /q
```

```
C:\Users\viret-m\AppData\Local\Temp>if errorlevel 3010 echo1>"C:\Users\viret-m\Downloads\etc\reboot"
```

```
C:\Users\viret-m\AppData\Local\Temp>del "C:\Users\viret-m\Downloads\bin\vcredist_2013_x86.exe"
```

```
Running postinstall msvcr2015.bat...
```

```
C:\Users\viret-m\Downloads>for %f in ("C:\Users\viret-m\AppData\Local\Temp") do call set TEMPDRIVE=%~df
```

```
C:\Users\viret-m\Downloads>call set TEMPDRIVE=C:
```

```
C:\Users\viret-m\Downloads>cd "C:\Users\viret-m\AppData\Local\Temp"
```

```
C:\Users\viret-m\AppData\Local\Temp>"C:\Users\viret-m\Downloads\bin\vcredist_2015_x86.exe" /q
```

```
C:\Users\viret-m\AppData\Local\Temp>if errorlevel 3010 echo1>"C:\Users\viret-m\Downloads\etc\reboot"
```

```
C:\Users\viret-m\AppData\Local\Temp>del "C:\Users\viret-m\Downloads\bin\vcredist_2015_x86.exe"
```

```
Running postinstall openssl.bat...
```

```
C:\Users\viret-m\Downloads>dllupdate -oite -copy -reboot "C:\Users\viret-m\Downloads\bin\libeay32.dll"
```

```
C:\Users\viret-m\Downloads\bin\libeay32.dll: Version=1.0.2.10
```

```
C:\Windows\system32\libeay32.dll: Version=0.0.0.0
```

```
Target does not exist, no action.
```

```
C:\Users\viret-m\Downloads>dllupdate -oite -copy -reboot "C:\Users\viret-m\Downloads\bin\ssleay32.dll"
```

```
C:\Users\viret-m\Downloads\bin\ssleay32.dll: Version=1.0.2.10
```

```
C:\Windows\system32\ssleay32.dll: Version=0.0.0.0
```

```
Target does not exist, no action.
```

```
Running postinstall pyqt4.bat...
```

```
C:\Users\viret-m\Downloads>textreplace -std -t bin\pyuic4.bat
```

```
C:\Users\viret-m\Downloads>set OSGEO4W_ROOT=C:\\Users\\viret-m\\Downloads
```

```
C:\Users\viret-m\Downloads>textreplace -std -t apps\Python27\Lib\site-packages\PyQt4\pyqtconfig.py
Running postinstall python.bat...
```

```
C:\Users\viret-m\Downloads>call "C:\Users\viret-m\Downloads\bin\make-bat-for-py.bat"
Generating .bat files for all .py files in C:\Users\viret-m\Downloads\bin
```

```
Running postinstall qgis-ltr-common.bat...
```

```
C:\Users\viret-m\Downloads>call "C:\Users\viret-m\Downloads\bin\o4w_env.bat"
```

```
C:\Users\viret-m\Downloads>REM Make parent of this script location our current directory,
```

```
C:\Users\viret-m\Downloads>REM converting UNC path to drive letter if needed
```

```
C:\Users\viret-m\Downloads>pushd C:\Users\viret-m\Downloads\bin\
```

```
C:\Users\viret-m\Downloads\bin>cd ..
```

```
C:\Users\viret-m\Downloads>REM set OSGEO4W_ROOT to short path version
```

```
C:\Users\viret-m\Downloads>for %i in ("C:\Users\viret-m\Downloads") do set OSGEO4W_ROOT=%~fsi
```

```
C:\Users\viret-m\Downloads>set OSGEO4W_ROOT=C:\Users\viret-m\Downloads
```

```
C:\Users\viret-m\Downloads>REM start with clean path
```

```
C:\Users\viret-m\Downloads>set path=C:\Users\viret-m\Downloads\bin;C:\Windows\system32;C:\Windows;C:\Windows\WBem
```

```
C:\Users\viret-m\Downloads>for %f in ("C:\Users\viret-m\Downloads\etc\ini\*.bat") do call "%f"
```

```
C:\Users\viret-m\Downloads>call "C:\Users\viret-m\Downloads\etc\ini\gdal.bat"
```

```
C:\Users\viret-m\Downloads>SET GDAL_DATA=C:\Users\viret-m\Downloads\share\gdal
```

```
C:\Users\viret-m\Downloads>SET GDAL_DRIVER_PATH=C:\Users\viret-m\Downloads\bin\gdalplugins
```

```
C:\Users\viret-m\Downloads>call "C:\Users\viret-m\Downloads\etc\ini\libgeotiff.bat"
```

```
C:\Users\viret-m\Downloads>SET GEOTIFF_CSV=C:\Users\viret-m\Downloads\share\epsg_csv
```

```
C:\Users\viret-m\Downloads>call "C:\Users\viret-m\Downloads\etc\ini\liblas.bat"
```

```
C:\Users\viret-m\Downloads>SET GDAL_DATA=C:\Users\viret-m\Downloads\share\gdal
```

```
C:\Users\viret-m\Downloads>call "C:\Users\viret-m\Downloads\etc\ini\msvcrt.bat"
```

```
C:\Users\viret-m\Downloads>rem This is just a dummy to make sure the for loop in ..\osgeo4w.bat
```

```
C:\Users\viret-m\Downloads>rem always has some files to process.
```

```

C:\Users\viret-m\Downloads>call "C:\Users\viret-m\Downloads\etc\ini\proj.bat"

C:\Users\viret-m\Downloads>SET PROJ_LIB=C:\Users\viret-m\Downloads\share\proj

C:\Users\viret-m\Downloads>call "C:\Users\viret-m\Downloads\etc\ini\python.bat"

C:\Users\viret-m\Downloads>SET PYTHONHOME=C:\Users\viret-m\Downloads\apps\Python27

C:\Users\viret-m\Downloads>SET
PATH=C:\Users\viret-m\Downloads\bin;C:\Windows\system32;C:\Windows;C:\Windows\WBem;C:\Users\viret-m\Downloads\apps\Python27\Scripts

C:\Users\viret-m\Downloads>call "C:\Users\viret-m\Downloads\etc\ini\qt4.bat"

C:\Users\viret-m\Downloads>set QT_PLUGIN_PATH=C:\Users\viret-m\Downloads\apps\qt4\plugins

C:\Users\viret-m\Downloads>set QT_RASTER_CLIP_LIMIT=4096

C:\Users\viret-m\Downloads>call "C:\Users\viret-m\Downloads\etc\ini\rbatchfiles.bat"

C:\Users\viret-m\Downloads>IF EXIST "C:\Program Files\R\" C:\Users\viret-m\Downloads\apps\rbatchfiles\R path

C:\Users\viret-m\Downloads>popd

C:\Users\viret-m\Downloads>path
C:\Users\viret-m\Downloads\bin;C:\Windows\system32;C:\Windows;C:\Windows\WBem;C:\Users\viret-m\Downloads\apps\Python27\Scripts;C:\Users\viret-m\Down
t-m\Downloads\apps\qgis-ltr\bin

C:\Users\viret-m\Downloads>set QGIS_PREFIX_PATH=C:/Users/viret-m/Downloads/apps/qgis-ltr

C:\Users\viret-m\Downloads>"C:\Users\viret-m\Downloads\apps\qgis-ltr\crssync"
Running postinstall qgis-ltr-grass-plugin7.bat...

C:\Users\viret-m\Downloads>textreplace -std -t bin\qgis-ltr-grass7.bat

C:\Users\viret-m\Downloads>textreplace -std -t bin\qgis-ltr-browser-grass7.bat

C:\Users\viret-m\Downloads>if "C:\Users\Public\Desktop\QGIS 2.14" == "" set OSGEO4W_DESKTOP=~\folder.common_desktop$

C:\Users\viret-m\Downloads>if not 1 0 mkdir "C:\ProgramData\Microsoft\Windows\Start Menu\Programs\QGIS 2.14"
AccSs refus,.

C:\Users\viret-m\Downloads>if not 1 0 nircmd shortcut "C:\Users\viret-m\Downloads\bin\nircmd.exe" "C:\ProgramData\Microsoft\Windows\Start
Menu\Programs\QGIS 2.14" "QGIS Desktop 2.14.14 with GRASS 7.2.0" "exec hide C:\Users\viret-m\Downloads\bin\qgis-ltr-grass7.bat"
"C:\Users\viret-m\Downloads\apps\qgis-ltr\icons\QGIS.ico"

C:\Users\viret-m\Downloads>if not 1 0 nircmd shortcut "C:\Users\viret-m\Downloads\bin\nircmd.exe" "C:\ProgramData\Microsoft\Windows\Start
Menu\Programs\QGIS 2.14" "QGIS Browser 2.14.14 with GRASS 7.2.0" "exec hide C:\Users\viret-m\Downloads\bin\qgis-ltr-browser-grass7.bat"
"C:\Users\viret-m\Downloads\apps\qgis-ltr\icons\browser.ico"

C:\Users\viret-m\Downloads>if not 1 0 mkdir "C:\Users\Public\Desktop\QGIS 2.14"
AccSs refus,.

C:\Users\viret-m\Downloads>if not 1 0 nircmd shortcut "C:\Users\viret-m\Downloads\bin\nircmd.exe" "C:\Users\Public\Desktop\QGIS 2.14" "QGIS

```

Desktop 2.14.14 with GRASS 7.2.0" "exec hide C:\Users\viret-m\Downloads\bin\qgis-ltr-grass7.bat"

"C:\Users\viret-m\Downloads\apps\qgis-ltr\icons\QGIS.ico"

C:\Users\viret-m\Downloads>if not 1 0 nircmd shortcut "C:\Users\viret-m\Downloads\bin\nircmd.exe" "C:\Users\Public\Desktop\QGIS 2.14" "QGIS Browser 2.14.14 with GRASS 7.2.0" "exec hide C:\Users\viret-m\Downloads\bin\qgis-ltr-browser-grass7.bat"

"C:\Users\viret-m\Downloads\apps\qgis-ltr\icons\browser.ico"

Running postinstall qgis-ltr.bat...

C:\Users\viret-m\Downloads>textreplace -std -t bin\qgis-ltr.bat

C:\Users\viret-m\Downloads>textreplace -std -t bin\qgis-ltr-browser.bat

C:\Users\viret-m\Downloads>textreplace -std -t bin\qgis-ltr-designer.bat

C:\Users\viret-m\Downloads>textreplace -std -t bin\python-qgis-ltr.bat

C:\Users\viret-m\Downloads>REM get short path without blanks

C:\Users\viret-m\Downloads>for %i in ("C:\Users\viret-m\Downloads") do set O4W_ROOT=%~fsi

C:\Users\viret-m\Downloads>set O4W_ROOT=C:\Users\viret-m\Downloads

C:\Users\viret-m\Downloads>if "C:\Users\Public\Desktop\QGIS 2.14" == "" set OSGEO4W_DESKTOP=~\$folder.common_desktop\$

C:\Users\viret-m\Downloads>if not 1 0 mkdir "C:\ProgramData\Microsoft\Windows\Start Menu\Programs\QGIS 2.14"

Accès refusé.

C:\Users\viret-m\Downloads>if not 1 0 nircmd shortcut "C:\Users\viret-m\Downloads\bin\nircmd.exe" "C:\ProgramData\Microsoft\Windows\Start Menu\Programs\QGIS 2.14" "QGIS Desktop 2.14.14" "exec hide C:\Users\viret-m\Downloads\bin\qgis-ltr.bat"

"C:\Users\viret-m\Downloads\apps\qgis-ltr\icons\QGIS.ico"

C:\Users\viret-m\Downloads>if not 1 0 nircmd shortcut "C:\Users\viret-m\Downloads\bin\nircmd.exe" "C:\ProgramData\Microsoft\Windows\Start Menu\Programs\QGIS 2.14" "QGIS Browser 2.14.14" "exec hide C:\Users\viret-m\Downloads\bin\qgis-ltr-browser.bat"

"C:\Users\viret-m\Downloads\apps\qgis-ltr\icons\browser.ico"

C:\Users\viret-m\Downloads>if not 1 0 nircmd shortcut "C:\Users\viret-m\Downloads\bin\nircmd.exe" "C:\ProgramData\Microsoft\Windows\Start Menu\Programs\QGIS 2.14" "Qt Designer with QGIS 2.14.14 custom widgets" "exec hide ""C:\Users\viret-m\Downloads\bin\qgis-ltr-designer.bat""

"C:\Users\viret-m\Downloads\apps\qgis-ltr\icons\QGIS.ico"

C:\Users\viret-m\Downloads>if not 1 0 mkdir "C:\Users\Public\Desktop\QGIS 2.14"

Accès refusé.

C:\Users\viret-m\Downloads>if not 1 0 nircmd shortcut "C:\Users\viret-m\Downloads\bin\nircmd.exe" "C:\Users\Public\Desktop\QGIS 2.14" "QGIS Desktop 2.14.14" "exec hide C:\Users\viret-m\Downloads\bin\qgis-ltr.bat" "C:\Users\viret-m\Downloads\apps\qgis-ltr\icons\QGIS.ico"

C:\Users\viret-m\Downloads>if not 1 0 nircmd shortcut "C:\Users\viret-m\Downloads\bin\nircmd.exe" "C:\Users\Public\Desktop\QGIS 2.14" "QGIS Browser 2.14.14" "exec hide C:\Users\viret-m\Downloads\bin\qgis-ltr-browser.bat" "C:\Users\viret-m\Downloads\apps\qgis-ltr\icons\browser.ico"

C:\Users\viret-m\Downloads>if not 1 0 nircmd shortcut "C:\Users\viret-m\Downloads\bin\nircmd.exe" "C:\Users\Public\Desktop\QGIS 2.14" "Qt Designer with QGIS 2.14.14 custom widgets" "exec hide C:\Users\viret-m\Downloads\bin\qgis-ltr-designer.bat"

"C:\Users\viret-m\Downloads\apps\qgis-ltr\icons\QGIS.ico"

C:\Users\viret-m\Downloads>set OSGEO4W_ROOT=C:\\Users\\viret-m\\Downloads

```
C:\Users\viret-m\Downloads>textreplace -std -t "C:\Users\viret-m\Downloads\apps\qgis-ltr\bin\qgis.reg"
```

```
C:\Users\viret-m\Downloads>nircmd elevate "C:\Windows\regedit" /s "C:\Users\viret-m\Downloads\apps\qgis-ltr\bin\qgis.reg"  
Running postinstall qt4-devel.bat...
```

```
C:\Users\viret-m\Downloads>set OSGEO4W_ROOT=C:\\Users\\viret-m\\Downloads
```

```
C:\Users\viret-m\Downloads>textreplace -std -t "C:\\Users\\viret-m\\Downloads\\apps\\Qt4\\mkspecs\\default\\qmake.conf"  
Running postinstall qt4-libs.bat...
```

```
C:\Users\viret-m\Downloads>set OSGEO4W_ROOT=C:/Users/viret-m/Downloads
```

```
C:\Users\viret-m\Downloads>textreplace -std -t "C:/Users/viret-m/Downloads\\bin\qt.conf"  
Running postinstall saga-ltr.bat...
```

```
C:\Users\viret-m\Downloads>if "C:\Users\Public\Desktop\QGIS 2.14" == "" set OSGEO4W_DESKTOP=C:\ProgramData\Desktop
```

```
C:\Users\viret-m\Downloads>if not 1 0 mkdir "C:\Users\Public\Desktop\QGIS 2.14"  
Access refus.,
```

```
C:\Users\viret-m\Downloads>if not 1 0 nircmd shortcut "C:\Users\viret-m\Downloads\bin\nircmd.exe" "C:\Users\Public\Desktop\QGIS 2.14" "SAGA GIS  
(2.3.1)" "exec hide "C:\Users\viret-m\Downloads\bin\saga-ltr_gui.bat"" "C:\Users\viret-m\Downloads\apps\saga-ltr\saga_gui.exe"
```

```
C:\Users\viret-m\Downloads>if not 1 0 mkdir "C:\ProgramData\Microsoft\Windows\Start Menu\Programs\QGIS 2.14"  
Access refus.,
```

```
C:\Users\viret-m\Downloads>if not 1 0 nircmd shortcut "C:\Users\viret-m\Downloads\bin\nircmd.exe" "C:\ProgramData\Microsoft\Windows\Start  
Menu\Programs\QGIS 2.14" "SAGA GIS (2.3.1)" "exec hide "C:\Users\viret-m\Downloads\bin\saga-ltr_gui.bat""  
"C:\Users\viret-m\Downloads\apps\saga-ltr\saga_gui.exe"  
Running postinstall setup.bat...
```

```
C:\Users\viret-m\Downloads>nircmd shortcut "C:\Users\viret-m\Downloads\bin\nircmd.exe" "C:\ProgramData\Microsoft\Windows\Start  
Menu\Programs\QGIS 2.14" "Setup" "exec hide ~qC:\Users\viret-m\Downloads\bin\setup.bat~q -R ~qC:\Users\viret-m\Downloads~q"  
"C:\Users\viret-m\Downloads\OSGeo4W.ico"
```

```
C:\Users\viret-m\Downloads>textreplace -std -t bin/setup.bat
```

```
C:\Users\viret-m\Downloads>textreplace -std -t bin/setup-test.bat  
Running postinstall shell.bat...
```

```
C:\Users\viret-m\Downloads>mkdir "C:\ProgramData\Microsoft\Windows\Start Menu\Programs\QGIS 2.14"  
Access refus.,
```

```
C:\Users\viret-m\Downloads>xxmklink "C:\ProgramData\Microsoft\Windows\Start Menu\Programs\QGIS 2.14\OSGeo4W.lnk"  
"C:\Users\viret-m\Downloads\OSGeo4W.bat" " " "OSGeo for Windows command shell" 1 "C:\Users\viret-m\Downloads\OSGeo4W.ico"
```

XXMkLink ver 1.00 (c)2005 Copyright Pixelab, Inc.

Failed to create the shortcut.

```
C:\Users\viret-m\Downloads>mkdir "C:\Users\Public\Desktop\QGIS 2.14"  
Access refus.,
```

```
C:\Users\viret-m\Downloads>xxmklink "C:\Users\Public\Desktop\QGIS 2.14\OSGeo4W.Ink" "C:\Users\viret-m\Downloads\OSGeo4W.bat" " " "OSGeo for Windows command shell" 1 "C:\Users\viret-m\Downloads\OSGeo4W.ico"
```

XXMkLink ver 1.00 (c)2005 Copyright Pixelab, Inc.

Failed to create the shortcut.

Running postinstall sip.bat...

```
C:\Users\viret-m\Downloads>set OSGEO4W_ROOT=C:\\Users\\viret-m\\Downloads
```

```
C:\Users\viret-m\Downloads>textreplace -std -t apps\Python27\Lib\site-packages\sipconfig.py
```

#2 - 2017-05-02 06:31 PM - Giovanni Manghi

- *Priority changed from High to Normal*
- *Assignee deleted (Victor Olaya)*
- *Status changed from Open to Feedback*
- *Category changed from Processing/QGIS to Build/Install*

Try run the installer as administrator.

#3 - 2017-05-26 05:03 PM - Giovanni Manghi

- *Resolution set to not reproducible*
- *Status changed from Feedback to Closed*

Closing for lack of feedback.