

QGIS Application - Bug report #17103

QgsRasterFileWriter fails to export raster into a geopackage

2017-09-04 05:10 PM - Alessandro Pasotti

Status:	Closed	
Priority:	Normal	
Assignee:	Even Rouault	
Category:	Rasters	
Affected QGIS version:	master	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:		Resolution:
Crashes QGIS or corrupts data:		Copied to github as #: 25002
Description		
Destination tables are created but they are empty.		
See comments in https://github.com/qgis/QGIS/pull/5057#issuecomment-323992656		
And a failing test case in: https://github.com/boundlessgeo/QGIS/commit/e4a81d277658d19557b76115870ab3ed9164f1cc#diff-9a0fc019f23587c8baa0bdb3ba9fbad		

Associated revisions

Revision c3e15f52 - 2017-11-09 03:22 PM - Even Rouault

[GDAL provider] in create(), use newly create dataset handle to instantiate the provider (fix #17103)

Previously we created an empty file, close it and re-opened it immediately in open mode.

However for GeoPackage, if you create for example a 1 band or 3 band dataset, upon reopening you get a 4 band RGBA dataset, due to the fact that GeoPackage doesn't explicitly store the number of bands. Thus the 4th band (alpha) was never written by the QgsRasterFileWriter logic.

Revision d00efde2 - 2017-11-09 04:24 PM - Even Rouault

Merge pull request #5580 from rouault/fix_QgsRasterFileWriter_geopackage

[GDAL provider] in create(), use newly create dataset handle to instantiate the provider (fix #17103)

History

#1 - 2017-09-05 09:23 PM - Even Rouault

- Assignee set to Even Rouault

#2 - 2017-11-09 04:24 PM - Even Rouault

- % Done changed from 0 to 100

- Status changed from Open to Closed

Applied in changeset commit:qgis|c3e15f522837d1f0bdd47c1ffc1b0ab3cba5e869.