

QGIS Application - Bug report #17704

Package layers algorithm is not producing a valid python string

2017-12-16 01:02 AM - Etienne Trimaille

Status:	Closed	
Priority:	Low	
Assignee:	Victor Olaya	
Category:	Processing/GUI	
Affected QGIS version:	master	Regression?: Yes
Operating System:	Ubuntu 16.04	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: fixed/implemented
Crashes QGIS or corrupts data:	No	Copied to github as #: 25601
Description		
After running the package layers algorithm, I wanted to copy/paste the python line to run the same algorithm from the console.		
<pre>processing.run("native:package", {'LAYERS':['/Users/etienne/Downloads/building_embrun.gpkg</pre>		
As we can see, half of the parameters are missing		

Associated revisions

Revision 647bd256 - 2017-12-16 02:59 AM - Nyall Dawson

[processing] Use a more unique separator for log file

Fixes #17704

History

#1 - 2017-12-16 02:59 AM - Nyall Dawson

- % Done changed from 0 to 100
- Status changed from Open to Closed

Applied in changeset commit:qgis|647bd256b17c7aa6db907a199125fad9dea0404f.

#2 - 2018-02-22 11:42 AM - Giovanni Manghi

- Resolution set to fixed/implemented