# QGIS Application - Bug report #17738 Not show data for oracle layers in QGIS 2.99

2017-12-22 07:42 AM - Eugene Efimov

| Status:                                 | Closed          |                     |                              |  |
|---|-----------------|---------------------|------------------------------|--|
| Priority:                               | Normal          |                     |                              |  |
| Assignee:                               |                 |                     |                              |  |
| Category:                               | Attribute table |                     |                              |  |
| Affected QGIS version:master            |                 | <b>Regression?:</b> | No                           |  |
| Operating System:                       | Windows 10      | Easy fix?:          | Yes                          |  |
| Pull Request or Patch supplied:         |                 | Resolution:         | fixed/implemented            |  |
| Crashes QGIS or corru <b>pits</b> data: |                 | Copied to github a  | Copied to github as #: 25634 |  |
| Description                             |                 | ·                   |                              |  |
| For layers from Oracle not show data.   |                 |                     |                              |  |

### Associated revisions

Revision 7ffc148e - 2018-03-06 12:27 AM - Nyall Dawson

[oracle] Fix provider

The oracle provider is quite broken on 3.0 for tables which require a feature id map.

This is due to QMap<QVariant,..> not working correctly when the keys are QVariantLists on Qt5. We had a similar issue with the postgres provider which was resolved by changing the map to always use QVariantLists.

Apply the same fix to oracle.

Fixes #18289, #16869, #17738

### Revision 5234212e - 2018-03-06 02:20 AM - Nyall Dawson

[oracle] Fix provider

The oracle provider is quite broken on 3.0 for tables which require a feature id map.

This is due to QMap<QVariant,..> not working correctly when the keys are QVariantLists on Qt5. We had a similar issue with the postgres provider which was resolved by changing the map to always use QVariantLists.

Apply the same fix to oracle.

Fixes #18289, #16869, #17738

(cherry-picked from 7ffc148)

## History

## #1 - 2018-03-06 12:27 AM - Nyall Dawson

- % Done changed from 0 to 100

- Status changed from Open to Closed

Applied in changeset commit:qgis|7ffc148e356ef251e93502e3c965bf912592eda2.

#### #2 - 2018-03-06 09:51 AM - Giovanni Manghi

- Resolution set to fixed/implemented

### Files

not\_show\_all\_rows.png

22.6 KB 2017-12-22

Eugene Efimov