QGIS Application - Bug report #18504 Qgis crash when info over geometry was cliccked

2018-03-21 02:30 PM - Gerardo Aliberti

Status: Closed Priority: Normal

Assignee:

Category: C++ Plugins

Affected QGIS version:3.0.0 Regression?: No Operating System: Easy fix?: No

Pull Request or Patch shipplied: Resolution:

Crashes QGIS or corrupts data: Copied to github as #: 26392

Description

User Feedback

Report Details

Crash ID: 5a80ca2d33ad0bea355da4b3f1628b5b29334b24

Stack Trace

QTransform::type:

QRasterPaintEngine::drawImage:

QPainter::drawImage : QgsHighlight::paint :

QGraphicsScene::dragMoveEvent :

QGraphicsScene::drawItems:

QGraphicsScene::drawItems :

QGraphicsView::paintEvent :

QWidget::event : QFrame::event :

QGraphicsView::viewportEvent :

QCore Application Private :: send Through Object Event Filters:

QApplicationPrivate::notify helper:

QApplication::notify:
QgsApplication::notify:

QCoreApplication::notifyInternal2 : QWidgetPrivate::drawWidget :

QWidgetPrivate::paintSiblingsRecursive :

QWidgetPrivate::drawWidget :

QWidgetPrivate::paintSiblingsRecursive :

QWidgetPrivate::drawWidget:

QWidgetPrivate::paintSiblingsRecursive :

QWidgetPrivate::drawWidget :

QWidgetPrivate::paintSiblingsRecursive: QWidgetPrivate::paintSiblingsRecursive:

QWidgetPrivate::drawWidget : QApplication::windowlcon :

QApplication::wind QWidget::event :

QMainWindow::event : QgisApp::event :

QApplicationPrivate::notify_helper:

QApplication::notify: QgsApplication::notify:

QCoreApplication::notifyInternal2:

QCoreApplicationPrivate::sendPostedEvents:

QGraphicsScene::~QGraphicsScene:

QObject::event:

QGraphicsScene::event :

QApplicationPrivate::notify_helper:

QApplication::notify:

2025-04-27 1/4

QgsApplication::notify:

QCoreApplication::notifyInternal2:

QCoreApplicationPrivate::sendPostedEvents:

qt plugin query metadata:

QEventDispatcherWin32::processEvents:

DispatchMessageW: NotifyWinEvent:

QEventDispatcherWin32::processEvents:

qt_plugin_query_metadata:

QEventLoop::exec : QCoreApplication::exec :

main:

BaseThreadInitThunk: RtlUserThreadStart:

QGIS Info

QGIS Version: 3.0.0-Girona

QGIS code revision: commit:001c80b0c3

Compiled against Qt: 5.9.2 Running against Qt: 5.9.2 Compiled against GDAL: 2.2.3 Running against GDAL: 2.2.3

System Info

CPU Type: x86_64 Kernel Type: winnt Kernel Version: 6.3.9600

Associated revisions

Revision 45c400c2 - 2018-04-09 04:43 AM - Nyall Dawson

QgsSvgCache fetches remote SVG files in a background task

Previously QgsSvgCache would often try to fetch remote images using a network request on the main thread, by calling processEvents repeatedly until the request was complete.

This caused lots of bugs, since the main thread processEvents would proceed with all kinds of stuff assuming that the svg fetch operation was complete, leading to frequent crashes and deadlocks and making remote svg use impossible (it's likely that the SVG cache remote fetching code was written in the pre-multi-threaded rendering era).

There's no way to fix this with async svg fetching - we HAVE to remove the processEvents call, and a QEventLoop won't help either (since the method may be called on the main thread). Accordingly the only solution is to fetch the requested svg in the background, and return a temporary "downloading" svg for use in the meantime. We use a QgsNetworkContentFetcherTask to do this, so it's nicely integrated with task manager.

A request task is fired up when a remote svg is requested for the first time, with the temporary downloading svg returned for use by the caller asynchronously. QgsSvgCache

2025-04-27 2/4

then emits the remoteSvgFetched signal when a previously requested remote SVG has been successfully fetched, triggering a map canvas redraw with the correct SVG graphic.

Fixes #18504

Revision da0de649 - 2018-04-09 06:37 AM - Nyall Dawson

QgsSvgCache fetches remote SVG files in a background task

Previously QgsSvgCache would often try to fetch remote images using a network request on the main thread, by calling processEvents repeatedly until the request was complete.

This caused lots of bugs, since the main thread processEvents would proceed with all kinds of stuff assuming that the svg fetch operation was complete, leading to frequent crashes and deadlocks and making remote svg use impossible (it's likely that the SVG cache remote fetching code was written in the pre-multi-threaded rendering era).

There's no way to fix this with async svg fetching - we HAVE to remove the processEvents call, and a QEventLoop won't help either (since the method may be called on the main thread). Accordingly the only solution is to fetch the requested svg in the background, and return a temporary "downloading" svg for use in the meantime. We use a QgsNetworkContentFetcherTask to do this, so it's nicely integrated with task manager.

A request task is fired up when a remote svg is requested for the first time, with the temporary downloading svg returned for use by the caller asynchronously. QgsSvgCache then emits the remoteSvgFetched signal when a previously requested remote SVG has been successfully fetched, triggering a map canvas redraw with the correct SVG graphic.

Fixes #18504

(cherry-picked from 45c400c25)

History

#1 - 2018-03-21 06:35 PM - Gerardo Aliberti

Issue happens if the style/simbology icon of the layer points to an non local path (es. http://myurl/milcon.svg)

#2 - 2018-03-29 12:46 AM - Nyall Dawson

- Status changed from Open to In Progress

2025-04-27 3/4

#3 - 2018-04-09 04:42 AM - Nyall Dawson

- % Done changed from 0 to 100
- Status changed from In Progress to Closed

Applied in changeset commit: qgis|45c400c25c128061923b0aded682557653ad1c6a.

2025-04-27 4/4