QGIS Application - Bug report #19240 Can't open PostGIS database in DBManager, QVariant error

2018-06-22 03:47 AM - Etienne Trimaille

| Status: | Closed | | | |
|---|---|--|--|--|
| Priority: | Normal | | | |
| Assignee: | | | | |
| Category: | DB Manager | | | |
| Affected QGIS v | version:3.1(master) | Regression?: | Yes | |
| Operating Syste | em: Ubuntu | Easy fix?: | No | |
| Pull Request or Patch supplied: | | Resolution: | | |
| Crashes QGIS or corru pts data: | | Copied to github a | Copied to github as #: 27068 | |
| Description | | | | |
| While I'm trying to | connect to my PG database in the D | B Manager: | | |
| An error has o | occurred while executing Python code | : | | |
| | | | | |
| TypeError: un | able to convert a QVariant of type 10 | to a QMetaType of type 2 | | |
| | able to convert a QVariant of type 10 ost recent call last): | to a QMetaType of type 2 | | |
| Traceback (m | ost recent call last): | | odel.py", line 441, in rowCount | |
| Traceback (m File "/home/e | | | odel.py", line 441, in rowCount | |
| Traceback (m File "/home/e selfrefres! | ost recent call last): atienne/dev/qgis/build/master/output/ | python/plugins/db_manager/db_mo | | |
| Traceback (m File "/home/e selfrefrest | ost recent call last): etienne/dev/qgis/build/master/output/p nIndex(parent, True) etienne/dev/qgis/build/master/output/p | python/plugins/db_manager/db_mo | | |
| Traceback (m File "/home/e selfrefrest File "/home/e if item.popu File "/home/e | ost recent call last): etienne/dev/qgis/build/master/output/p nIndex(parent, True) etienne/dev/qgis/build/master/output/p | python/plugins/db_manager/db_mo | odel.py", line 490, in _refreshIndex | |
| Traceback (m File "/home/e selfrefrest File "/home/e if item.popu File "/home/e if not conne | ost recent call last): etienne/dev/qgis/build/master/output/p nIndex(parent, True) etienne/dev/qgis/build/master/output/p late(): etienne/dev/qgis/build/master/output/p ction.connect(): | python/plugins/db_manager/db_mo python/plugins/db_manager/db_mo python/plugins/db_manager/db_mo | odel.py", line 490, in _refreshIndex | |
| Traceback (m File "/home/e selfrefrest File "/home/e if item.popu File "/home/e File "/home/e | ost recent call last): etienne/dev/qgis/build/master/output/p nIndex(parent, True) etienne/dev/qgis/build/master/output/p late(): etienne/dev/qgis/build/master/output/p ction.connect(): | python/plugins/db_manager/db_mo python/plugins/db_manager/db_mo python/plugins/db_manager/db_mo python/plugins/db_manager/db_plu | odel.py", line 490, in _refreshIndex odel.py", line 167, in populate | |
| Traceback (m File "/home/e selfrefrest File "/home/e if item.popu File "/home/e if not conne File "/home/e sslmode = s | ost recent call last): etienne/dev/qgis/build/master/output/p hIndex(parent, True) etienne/dev/qgis/build/master/output/p late(): etienne/dev/qgis/build/master/output/p ction.connect(): | python/plugins/db_manager/db_mo python/plugins/db_manager/db_mo python/plugins/db_manager/db_mo python/plugins/db_manager/db_plu purceUri.SsIPrefer, type=int) | odel.py", line 490, in _refreshIndex odel.py", line 167, in populate | |
| Traceback (m File "/home/e selfrefrest File "/home/e if item.popu File "/home/e if not conne File "/home/e sslmode = s TypeError: un | ost recent call last): etienne/dev/qgis/build/master/output/p hIndex(parent, True) etienne/dev/qgis/build/master/output/p late(): etienne/dev/qgis/build/master/output/p ction.connect(): etienne/dev/qgis/build/master/output/p settings.value("ssImode", QgsDataSo able to convert a QVariant of type 10 | python/plugins/db_manager/db_mo python/plugins/db_manager/db_mo python/plugins/db_manager/db_mo python/plugins/db_manager/db_plu purceUri.SsIPrefer, type=int) to a QMetaType of type 2 | odel.py", line 490, in _refreshIndex odel.py", line 167, in populate | |
| Traceback (m File "/home/e selfrefrest File "/home/e if item.popu File "/home/e sslmode = s TypeError: un | ost recent call last): etienne/dev/qgis/build/master/output/p nIndex(parent, True) etienne/dev/qgis/build/master/output/p late(): etienne/dev/qgis/build/master/output/p ction.connect(): etienne/dev/qgis/build/master/output/p settings.value("sslmode", QgsDataSo | python/plugins/db_manager/db_mo python/plugins/db_manager/db_mo python/plugins/db_manager/db_mo python/plugins/db_manager/db_plu purceUri.SsIPrefer, type=int) to a QMetaType of type 2 | odel.py", line 490, in _refreshIndex odel.py", line 167, in populate ugins/postgis/plugin.py", line 88, in connect | |
| Traceback (m File "/home/e selfrefrest File "/home/e if item.popu File "/home/e if not conne File "/home/e sslmode = s TypeError: un | it in the tree view (see tables, execute 2 computers with 2 different database | python/plugins/db_manager/db_mo python/plugins/db_manager/db_mo python/plugins/db_manager/db_mo python/plugins/db_manager/db_plu purceUri.SsIPrefer, type=int) to a QMetaType of type 2 e queries etc) es so it might happen to someone e | odel.py", line 490, in _refreshIndex odel.py", line 167, in populate ugins/postgis/plugin.py", line 88, in connect | |

Associated revisions

Revision 12efb866 - 2018-06-22 05:37 AM - Nyall Dawson

[dbmanager] Fix error when connecting to postgis db

Fixes #19240

History

#1 - 2018-06-22 05:37 AM - Nyall Dawson

- % Done changed from 0 to 100

- Status changed from Open to Closed

Applied in changeset commit:qgis|12efb8669e94eba342a9cdeb9fb0321ebfb88438.