QGIS Application - Bug report #19668 Layers loaded from Browser are unusable

2018-08-22 12:13 PM - Andreas Wicht

Status:	Closed			
Priority:	High			
Assignee:				
Category:	Browser			
Affected QGIS version:3.2.2		Regression?:	Yes	
Operating System:	Windows 10 / Ubuntu 18.04	Easy fix?:	No	
Pull Request or Patch supplied:		Resolution:	fixed/implemented	
Crashes QGIS or corru pts data:		Copied to github a	IS #: 27493	
December Hans				
	om the browser panel, the layer is not u panel does not detect whether a layer is	-	etected as "active layer".	
When loading a layer fr		-	etected as "active layer".	
When loading a layer fr It seems like the layer p		-	etected as "active layer".	
When loading a layer fr It seems like the layer p tested for		-	etected as "active layer".	
When loading a layer fr It seems like the layer p tested for - *.shp		-	etected as "active layer".	
When loading a layer fr It seems like the layer p tested for - *.shp - *.gpkg		-	etected as "active layer".	
When loading a layer fr It seems like the layer p tested for - *.shp - *.gpkg	banel does not detect whether a layer is	-	etected as "active layer".	
When loading a layer fr It seems like the layer p tested for - *.shp - *.gpkg - PostGIS	banel does not detect whether a layer is	-	etected as "active layer".	
When loading a layer fr It seems like the layer p tested for - *.shp - *.gpkg - PostGIS In 3.2.1 / 2.18.23 this is	banel does not detect whether a layer is	selected or not.	etected as "active layer".	

History

#1 - 2018-08-22 12:14 PM - Nyall Dawson

- Resolution set to fixed/implemented

- Status changed from Open to Closed

Fixed in master/3.2.3