# QGIS Application - Bug report #20040
## "Export to a file" from DBManager to GeoPackage generates a file with shifted columns

2018-10-06 10:34 PM - Even Rouault

| | | | | |
|---|---|---|---|---|
| **Status:** | Closed | | | |
| **Priority:** | Normal | | | |
| **Assignee:** | Even Rouault | | | |
| **Category:** | Data Provider/OGR | | | |
| **Affected QGIS version:** | 3.3(master) | **Regression?:** | No | |
| **Operating System:** | | **Easy fix?:** | No | |
| **Pull Request or Patch supplied:** | | **Resolution:** | | |
| **Crashes QGIS or corrupts data:** | No | **Copied to github as #:** | 27862 | |

### Description

From https://lists.osgeo.org/pipermail/qgis-user/2018-October/041207.html{{{

Just checking if others are observing something similar:

- I was writing data to gpkg files from a postgis database.from the
  Database Manager. (e.g., select a layer from the PostGIS database and hit
  the "export to file" button at the top.
- The resulting gpkg layer loses data in a column towards the left, but all
  of the headings are maintained. Thus, data are shifted to the left one
  column from a certain point on, and the last column has NULLs.
  }}}

## Associated revisions

### Revision bd6c1115 - 2018-10-07 11:23 PM - Even Rouault

[OGR provider] Make createEmptyLayer() work properly on GeoPackage when creating/overwrite a new database (fixes #20040)

## History

### #1 - 2018-10-07 11:22 PM - Even Rouault

*- % Done changed from 0 to 100*

*- Status changed from Open to Closed*

Applied in changeset commit:qgis|bd6c1115bbef29f06ca02840ac7ecadc2a8ce8e2.