

QGIS Application - Bug report #20221
Gererate Contours from Points

2018-10-26 01:57 AM - Joel Scott

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	Python plugins	
Affected QGIS version:	3.2.3	Regression?: No
Operating System:	Windows 10 64 bit	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution:
Crashes QGIS or corrupts data:	No	Copied to github as #: 28042
Description I have a shape file containing random points with values to contour after taking the difference of two fields. Some points have Null values. I used the following expression in the Generate Contours tool to select only non Null values: CASE WHEN "topsTOP" is not null and "topsELEVATION" is not null and "topsFORMATION" Like '%Prec%' THEN "topsELEVATION" - "topsTOP" END This would not function within the tool but I could use the same expression to select the points without Nulls and tick the Selected Features Only box and this would work. Shouldn't Case work within the Generate Contours Tool?		

History

#1 - 2018-10-27 10:08 AM - Saber Razmjooei

- Status changed from Open to Closed

Please log your ticket to the plugin issue tracker.
<https://github.com/ccrook/QGIS-Contour-Plugin/issues>

QGIS expression works fine. So, there must be an issue with the plugin:

Files

Generate Contours-Non Null Selections.txt	2.42 KB	2018-10-25	Joel Scott
---	---------	------------	------------