

QGIS Application - Bug report #20409

Error on apply qml style for a raster layer in 3.4.1 and Master 0ea86bf0a5

2018-11-08 12:52 PM - Antonio Viscomi

Status:	Open	
Priority:	Normal	
Assignee:		
Category:	Symbology	
Affected QGIS version:	3.4.1	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:		Resolution:
Crashes QGIS or corrupts data:		Copied to github as #: 28229
Description		
New description:		
After loading a saved QML style, this changes to a different one when clicking on "apply". Data, style and screencast attached.		
Old description:		
in 2.18.25 it works fine with the same data and qml		
in 3.4.1 and Master 0ea86bf0a5 it don't works		
I attach a screencast, data and qml file		

History

#1 - 2018-11-08 01:57 PM - Giovanni Manghi

- Status changed from Open to Feedback

was the qml created in 2.18?

#2 - 2018-11-08 02:18 PM - Antonio Viscomi

Giovanni Manghi wrote:

was the qml created in 2.18?

yes

I also noticed that, when I load a qml in 3.4.1 an Master (regardless of whether it was created with 3.4, 3.5 or 2.x) ,

"visualization type" It automatically switch on "palette"

even if the style had been saved in pseudo color mode

#3 - 2018-11-08 04:41 PM - Giovanni Manghi

I also noticed that, when I load a qml in 3.4.1 an Master (regardless of whether it was created with 3.4, 3.5 or 2.x) ,

"visualization type" It automatically switch on "palette"

even if the style had been saved in pseudo color mode

this is a different issue (I think) please file a different ticket (with sample data and style), thanks.

#### #4 - 2018-11-08 04:46 PM - Giovanni Manghi

*I also noticed that, when I load a qml in 3.4.1 an Master (regardless of whether it was created with 3.4, 3.5 or 2.x) ,  
"visualization type" It automatically switch on "palette"  
even if the style had been saved in pseudo color mode*

just tried this in qgis master and can't confirm.

#### #5 - 2018-11-08 04:50 PM - Giovanni Manghi

- Regression? changed from Yes to No
- Operating System deleted (windows 7)
- Description updated
- Status changed from Feedback to Open
- Priority changed from High to Normal

#### #6 - 2018-11-08 04:55 PM - Martin Dobias

I think this a consequence of removal of the "Load" button to load min/max values from raster layer properties in <https://github.com/qgis/QGIS/pull/3871> - it was changed to load min/max when Apply is clicked which I think here interferes with the newly loaded style (once the new min/max values are loaded, the classification is auto-updated from the current color ramp). My preference would be to have the "Load" button back so it is not tied to Apply which is somehow unexpected.

side tip: after loading QML style, you do not need to click Apply or OK. Just press Cancel button and the loaded style should stay... hard to say whether that's a bug or a feature :-)

#### #7 - 2018-11-08 05:03 PM - Giovanni Manghi

Martin Dobias wrote:

*I think this a consequence of removal of the "Load" button to load min/max values from raster layer properties in  
<https://github.com/qgis/QGIS/pull/3871> - it was changed to load min/max when Apply is clicked which I think here interferes with the newly loaded  
style (once the new min/max values are loaded, the classification is auto-updated from the current color ramp). My preference would be to have the  
"Load" button back so it is not tied to Apply which is somehow unexpected.*

+1

*side tip: after loading QML style, you do not need to click Apply or OK. Just press Cancel button and the loaded style should stay... hard to say  
whether that's a bug or a feature :-)*

... is at the very minimum a very bad ux, borderline bug.

#### #8 - 2018-11-08 05:24 PM - Antonio Viscomi

- File qml\_style2.avi added

Martin Dobias wrote:

*side tip: after loading QML style, you do not need to click Apply or OK. Just press Cancel button and the loaded style should stay... hard to say whether that's a bug or a feature :-)*

is not to contradict you but if I press close button appear what you see in the screencast named qml\_style2

**#9 - 2018-11-08 05:26 PM - Antonio Viscomi**

Giovanni Manghi wrote:

*I also noticed that, when I load a qml in 3.4.1 an Master (regardless of whether it was created with 3.4, 3.5 or 2.x) ,  
"visualization type" It automatically switch on "palette"  
even if the style had been saved in pseudo color mode*

*this is a different issue (I think) please file a different ticket (with sample data and style), thanks.*

I think is not a issue but the prefixed behavior for new style manager

**#10 - 2018-11-08 05:30 PM - Antonio Viscomi**

Giovanni Manghi wrote:

*I also noticed that, when I load a qml in 3.4.1 an Master (regardless of whether it was created with 3.4, 3.5 or 2.x) ,  
"visualization type" It automatically switch on "palette"  
even if the style had been saved in pseudo color mode*

*just tried this in qgis master and can't confirm.*

the screencasts was recorded on Master 8125366d65

**#11 - 2018-11-08 05:35 PM - Giovanni Manghi**

*the screencasts was recorded on Master 8125366d65*

I'm referring to the second issue, the one that is not part of the description of this ticket (you added as a comment).

**#12 - 2018-11-08 05:41 PM - Antonio Viscomi**

Giovanni Manghi wrote:

*the screencasts was recorded on Master 8125366d65*

*I'm referring to the second issue, the one that is not part of the description of this ticket (you added as a comment).*

ah ok,

then I need to refile the second one as a new Issue?

**#13 - 2018-11-08 05:45 PM - Antonio Viscomi**

- File *sl\_raster\_rec\_350.qml* added

Antonio Viscomi wrote:

***New description:***

*After loading a saved QML style, this changes to a different one when clicking on "apply". Data, style and screencast attached.*

I attach the qml saved by Master

**#14 - 2018-11-08 05:46 PM - Giovanni Manghi**

*I attach the qml saved by Master*

is not a matter of qml, explanation has been give here in #20409-6

**#15 - 2018-11-09 09:59 AM - Giovanni Manghi**

*ah ok,  
then I need to refile the second one as a new Issue?*

you sure about it? I can't confirm here.

**#16 - 2018-11-09 11:13 AM - Antonio Viscomi**

Giovanni Manghi wrote:

*ah ok,  
then I need to refile the second one as a new Issue?  
  
you sure about it? I can't confirm here.*

Yes, I do

Because in screencast *qml\_style2* it appear this... But I'm not sure It is an issue

**#17 - 2018-11-09 11:41 AM - Giovanni Manghi**

*Yes, I do  
Because in screencast *qml\_style2* it appear this... But I'm not sure It is an issue*

the only issue I see (in your cast) is that when loading the style it is applied correctly it does not switch to "palletted". If you close the properties and reopen them it shows correctly "palletted", is it?

#18 - 2018-11-09 01:57 PM - Antonio Viscomi

Giovanni Manghi wrote:

Yes, I do

Because in screencast qml\_style2 it appear this... But I'm not sure It is an issue

the only issue I see (in your cast) is that when loading the style it is applied correctly it does not switch to "palletted". If you close the properties and reopen them it shows correctly "palletted", is it?

Yes, even if the style is saved by 3.5 in pseudocolor mode when you load it or open it again It automatically switches to palette

#19 - 2018-11-29 02:09 PM - Antonio Viscomi

this issue appears even in the case of a reclassification of a raster making vain the same reclassification

Files			
qml_style.7z	3.07 MB	2018-11-08	Antonio Viscomi
qml_style2.avi	4.23 MB	2018-11-08	Antonio Viscomi
sl_raster_rec_350.qml	1.79 KB	2018-11-08	Antonio Viscomi