QGIS Application - Bug report #21413 startup.py is not executed

2019-02-27 10:19 PM - jachym -

Status: Closed Priority: Normal

Assignee: Alessandro Pasotti
Category: PyQGIS Console

Affected QGIS version: 3.7(master)

Operating System: Ubuntu

Pull Request or Patch shapplied:

Crashes QGIS or corrupts data:

Regression?: No

Resolution: invalid

Copied to github as #: 29230

Description

According to documentation https://docs.qgis.org/testing/en/docs/pyqgis_developer_cookbook/intro.html#the-startup-py-file I've created startup file in `~/.local/share/QGIS/QGIS3/profiles/default/python/startup.py` and made it executable.

When I start 'qgis', the file is not executed

When I explicitly export 'PYQGIS_STARTUP' variable, everything works as expected.

History

#1 - 2019-02-28 07:50 AM - Alessandro Pasotti

- Assignee set to Alessandro Pasotti

#2 - 2019-02-28 08:09 AM - Alessandro Pasotti

- Resolution set to invalid
- Status changed from Open to Closed

Run this code from the console to know what are the path where you can place startup.py

 $QS tandard Paths. standard Locations (\ QS tandard Paths. App Data Location\)$

For example:

~/.local/share/QGIS/QGIS3/

2025-04-27 1/1