

## QGIS Application - Bug report #21917

### QGIS server ignores custom rendering order when loading parent group

2019-04-24 11:48 AM - Andreas Neumann

<b>Status:</b> Closed	
<b>Priority:</b> High	
<b>Assignee:</b> Alessandro Pasotti	
<b>Category:</b> QGIS Server	
<b>Affected QGIS version:</b> 3.7(master)	<b>Regression?:</b> Yes
<b>Operating System:</b> Linux	<b>Easy fix?:</b> No
<b>Pull Request or Patch Applied:</b> Yes	<b>Resolution:</b> fixed/implemented
<b>Crashes QGIS or corrupts data:</b> No	<b>Copied to github as #:</b> 29732
<b>Description</b>	
<p>When a project has custom layer rendering order (checkbox "control rendering order" enabled in the "layer order" panel), and the user loads the root layer as a single WMS layer in a WMS client (e.g. QGIS), the custom layer rendering order is not correctly taken into account.</p> <p>Here is an example service, served with QGIS server 3.6.x (recent build) and attached are three screenshots: one with the connection parameters, the other two with the rendering as it should appear (original project files) and the other with the invalid rendering order when loading the service with the root layer. Note in the screenshot that point symbols (circles) should always be rendered on top, and also other layers are mixed up.</p> <p><a href="https://services.geo.zg.ch/ows/rp">https://services.geo.zg.ch/ows/rp</a></p> <p>The data source is Postgis. A Postgis dump-file and the project file will be provided to the person working on fixing the issue.</p>	

#### Associated revisions

##### Revision 956ed06f - 2019-04-26 12:04 PM - Alessandro Pasotti

[server] Respect custom layer order for groups in GetMap

Fixes #21917

##### Revision 9ddb6e6c - 2019-04-27 06:13 PM - Alessandro Pasotti

Respect custom layer order for groups in GetMap

Backport of bugfix from master PR 9878

Fixes #21917

##### Revision aa714d3d - 2019-04-27 06:29 PM - Alessandro Pasotti

Respect custom layer order for groups in GetMap

Backport of bugfix from master PR 9878

Fixes #21917

(cherry-picking commit 9ddb6e6c68 from 3.6)

## History

---

### #1 - 2019-04-24 12:06 PM - Alessandro Pasotti

- Assignee set to Alessandro Pasotti

### #2 - 2019-04-26 12:07 PM - Alessandro Pasotti

- Resolution set to fixed/implemented

- Pull Request or Patch supplied changed from No to Yes

- Status changed from Open to In Progress

PR <https://github.com/qgis/QGIS/pull/9878>

### #3 - 2019-04-27 05:36 PM - Alessandro Pasotti

- % Done changed from 0 to 100

- Status changed from In Progress to Closed

Applied in changeset commit:qgis|956ed06f5222df208d1d37092916c9014c5cb419.

## Files

---

qgis-richtplan-connection-parameter.png	82.8 KB	2019-04-24	Andreas Neumann
qgis-correct-rendering_project_rp.png	425 KB	2019-04-24	Andreas Neumann
qgis-incorrect-rendering_when_loading_root-layer.png	376 KB	2019-04-24	Andreas Neumann