QGIS Application - Bug report #2327 Vector GRASS mapsets stored in the folder with Cyrillic cannot be loaded

2009-12-26 07:03 PM - Maxim Dubinin

Status:	Closed			
Priority:	Low			
Assignee:	Lorenzo Masini			
Category:	GRASS			
Affected QGIS version:		Regression?:	No	
Operating System	n: Windows	Easy fix?:	No	
Pull Request or Patch supplied:		Resolution:	duplicate	
Crashes QGIS or corrupts data:		Copied to github as #: 12387		

Description

If I have some vector and raster mapsets and I created a project with then which I then move to folder that contains Cyrillic characters (i.e. c:\\temp\\kyky), the project fails to load vector layers from such folder, surprisingly rasters load just fine.

Might be related to https://trac.osgeo.org/qgis/ticket/1904

Associated revisions

Revision 732ff05f - 2009-12-27 05:09 PM - Jürgen Fischer

fix #2327

git-svn-id: http://svn.osgeo.org/qgis/trunk/qgis@12625 c8812cc2-4d05-0410-92ff-de0c093fc19c

Revision 53e47794 - 2009-12-27 05:09 PM - Jürgen Fischer

fix #2327

git-svn-id: http://svn.osgeo.org/qgis/trunk@12625 c8812cc2-4d05-0410-92ff-de0c093fc19c

History

#1 - 2009-12-27 08:10 AM - Jürgen Fischer

- Resolution set to fixed

- Status changed from Open to Closed

fixed in commit:53e47794 (SVN r12626).

#2 - 2009-12-31 11:21 AM - Maxim Dubinin

- Resolution deleted (fixed)

- Status changed from Closed to Feedback

I'm afraid this is still not working. Just tested on .

#3 - 2010-03-25 02:18 AM - Redmine Admin

- Resolution set to duplicate

- Status changed from Feedback to Closed

The reason is the same as here: https://trac.osgeo.org/qgis/ticket/1904