

QGIS Application - Bug report #2400
FTBFS: sipcorepart0 on Debian/Lenny

2010-01-29 03:14 AM - hamish -

Status:	Closed	
Priority:	Low	
Assignee:	nobody -	
Category:	Build/Install	
Affected QGIS version:		Regression?: No
Operating System:	Debian	Easy fix?: No
Pull Request or Patch supplied:		Resolution: fixed
Crashes QGIS or corrupts data:		Copied to github as #: 12460
Description		
Hi, I'm trying to compile trunk on Debian/Lenny using the supplied debian/control.lenny + debuild. I'm getting this error. no idea what it means. ... <pre>[63%] Building CXX object python/CMakeFiles/python_module_qgis_core.dir/core/sipcorepart0.cpp.o /usr/local/src/qgis/svn/trunk/python/./src/core/symbology-ng/qgssymbolv2.h: In member function 'QgsSymbolV2RenderContext& [[QgsSymbolV]]2RenderContext::operator=(const [[QgsSymbolV]]2RenderContext&)': /usr/local/src/qgis/svn/trunk/python/./src/core/symbology-ng/qgssymbolv2.h:104: error: non-static reference member 'QgsRenderContext& [[QgsSymbolV]]2RenderContext::mRenderContext', can't use default assignment operator sipcorepart0.cpp: In function 'void assign_QgsSymbolV2RenderContext(void*, const void*)': sipcorepart0.cpp:13600: note: synthesized method 'QgsSymbolV2RenderContext& [[QgsSymbolV]]2RenderContext::operator=(const [[QgsSymbolV]]2RenderContext&)' first required here maker3: *** [python/CMakeFiles/python_module_qgis_core.dir/core/sipcorepart0.cpp.o] Error 1 maker3: Leaving directory @/usr/local/src/qgis/svn/trunk/debian/build' maker2: *** [python/CMakeFiles/python_module_qgis_core.dir/all] Error 2 maker2: Leaving directory @/usr/local/src/qgis/svn/trunk/debian/build' maker1: *** [all] Error 2 maker1: Leaving directory @/usr/local/src/qgis/svn/trunk/debian/build' make: *** [build-stamp] Error 2 debuild: fatal error at line 1301:</pre> ? thanks, Hamish		

History

#1 - 2010-01-29 04:15 AM - Martin Dobias

- Resolution set to fixed
- Status changed from Open to Closed

This should have been fixed in .

