

QGIS Application - Bug report #2870

mapserverexportplugin: qgis segfault when plugin used with unsaved project

2010-07-06 12:21 PM - Richard Duivenvoorde

Status:	Closed	
Priority:	Low	
Assignee:	Borys Jurgiel	
Category:	Python plugins	
Affected QGIS version:		Regression?: No
Operating System:	Debian	Easy fix?: No
Pull Request or Patch supplied:		Resolution: fixed
Crashes QGIS or corrupts data:		Copied to github as #: 12930
Description		
Build Qgis Trunk on Ubuntu 9.10		
When just opening a shp-file in qgis or a postgis layer, and immediatly open de mapserverexportdialog and try to export the project, qgis will first tell you that you should save the project. Doing that causes a qgis segfault on my machine.		
Don't know what the best way to dive into this, but I tried to run qgis with strace to maybe have a clue. Last part attached, but I cannot see something in it.		

History

#1 - 2010-10-23 01:25 AM - Paolo Cavallini

Duplicated in #2966

#2 - 2010-10-26 01:03 PM - Richard Duivenvoorde

- Resolution set to fixed

- Status changed from Open to Closed

fixed by code from Martin in commit:752bad8d (SVN r14435)

see mail thread: <http://lists.osgeo.org/pipermail/qgis-developer/2010-October/011341.html>

Files

strace.txt	3.5 KB	2010-07-06	Richard Duivenvoorde
------------	--------	------------	----------------------