

## QGIS Application - Feature request #3454

### Automatic loading of a custom layer style

2011-01-31 03:32 AM - Jhelebrant -

<b>Status:</b>	Closed	
<b>Priority:</b>	Low	
<b>Assignee:</b>	nobody -	
<b>Category:</b>	Symbology	
<b>Pull Request or Patch supplied:</b>		<b>Resolution:</b> fixed
<b>Easy fix?:</b>	No	<b>Copied to github as #:</b> 13514
<b>Description</b>		
<p>Hi,</p> <p>what do you think about adding a possibility to load a custom layer style in QGIS in case this style file would have the same name and path as the layer? Maybe it could make the redistribution of the layers easier. In some cases, I would appreciate it as I have already finished style files but cannot use QGIS project (want only to add some layers to current one). Loading styles for every single layer is not much comfortable. :D</p> <p>thanks</p>		

#### History

**#1 - 2011-01-31 03:34 AM - Giovanni Manghi**

It already works like that. It does not work for you?

**#2 - 2011-01-31 03:49 AM - Jhelebrant -**

- *Resolution set to fixed*

- *Status changed from Open to Closed*

Ooops, really!

I just upgraded to 1.6 and it really works. Nice. I will post this also to the forum to let the other users know. Sorry for creating useless ticket. :-P