## QGIS Application - Bug report #3662 GDALTools: clipper does not overwrite existing output

2011-03-22 08:19 AM - Paolo Cavallini

| Status:                         | Closed                                      |                                       |                 |  |
|---------------------------------|---|---------------------------------------|-----------------|--|
| Priority:                       | Low   |                                       |                 |  |
| Assignee:                       | Giuseppe Sucameli                           |                                       |                 |  |
| Category:                       | GDAL Tools                                  |                                       |                 |  |
| Affected QGIS version:          |   | Regression?:                          | No              |  |
| <b>Operating System</b>         | n: All                                      | Easy fix?:                            | No              |  |
| Pull Request or Patch supplied: |   | Resolution:                           | fixed           |  |
| Crashes QGIS or corrupts data:  |   | Copied to github as #: 13721          |                 |  |
| Description                     |   |                                       |                 |  |
|                                 |   |                                       |                 |  |
| When clipping a rat             | ster, if an existing file is given as outpu | ut.it is not overwritten, but the old | file is loaded. |  |

History

## #1 - 2011-04-13 03:18 PM - Giuseppe Sucameli

- Resolution set to fixed

- Status changed from Open to Closed

Done in commit:4d3cdeca (SVN r15699), using translate tool instead of merge.