

QGIS Application - Bug report #3866

Measure tool is windows is unusable

2011-06-02 07:16 PM - Nathan Woodrow

Status:	Closed	
Priority:	Low	
Assignee:		
Category:	Map Canvas	
Affected QGIS version:		Regression?: No
Operating System:	Windows	Easy fix?: No
Pull Request or Patch supplied:		Resolution: fixed
Crashes QGIS or corrupts data:		Copied to github as #: 13924
Description		
In windows the measure tool is pretty much unusable, it's very slow and glitches a lot. Looking at the debug log a lot of calls are made to setEllipsoid(). Each time the mouse moves this is printed. <pre>r45184 d:\\src\\qgis\\src\\core\\qgsdistancearea.cpp(161) : (QgsDistanceArea::setEllipsoid) setEllipsoid: a=6.37814e+06, b=6.37814e+06, 1/f=298.257 r45184 d:\\src\\qgis\\src\\core\\qgscoordinatereferencesystem.cpp(349) : (QgsCoordinateReferenceSystem::createFromProj4) proj4: +proj=longlat +ellps=WGS84 +no_defs r45184 d:\\src\\qgis\\src\\core\\qgscoordinatereferencesystem.cpp(378) : (QgsCoordinateReferenceSystem::createFromProj4) proj string supplied has no +a argument r45184 d:\\src\\qgis\\src\\core\\qgscoordinatereferencesystem.cpp(540) : (QgsCoordinateReferenceSystem::getRecord) running query: select * from tbl_srs where parameters='+proj=longlat +ellps=WGS84 +no_defs' r45184 d:\\src\\qgis\\src\\core\\qgscoordinatereferencesystem.cpp(562) : (QgsCoordinateReferenceSystem::getRecord) trying system srs.db r45184 d:\\src\\qgis\\src\\core\\qgscoordinatereferencesystem.cpp(617) : (QgsCoordinateReferenceSystem::getRecord) retrieved: select * from tbl_srs where parameters='+proj=longlat +ellps=WGS84 +no_defs' r45184 d:\\src\\qgis\\src\\core\\qgscoordinatereferencesystem.cpp(406) : (QgsCoordinateReferenceSystem::createFromProj4) proj4string match search for srsid returned srsid: 3239 r45184 d:\\src\\qgis\\src\\core\\qgscoordinatereferencesystem.cpp(799) : (QgsCoordinateReferenceSystem::setMapUnits) Projection has linear units of Meter r45184 d:\\src\\qgis\\src\\core\\qgscoordinatereferencesystem.cpp(799) : (QgsCoordinateReferenceSystem::setMapUnits) Projection has linear units of Meter</pre> Tracked down to this bit of code: <pre>void [[QgsMeasureDialog]]::configureDistanceArea([[QgsDistanceArea]]& da) { QSettings settings; QString ellipsoidId = settings.value("/qgis/measure/ellipsoid", "WGS84").toString(); da.setSourceCrs(mTool->canvas()->mapRenderer()->destinationCrs().srsid()); da.setEllipsoid(ellipsoidId); da.setProjectionsEnabled(mcbProjectionEnabled->isChecked()); }</pre> Which is called on every mouse move. Do we really need to call it on every mouse move?		

Associated revisions

Revision 50d255f2 - 2011-06-03 04:52 PM - Jürgen Fischer

fix #3866

Revision e22e5d6f - 2011-06-10 08:48 AM - Jürgen Fischer

fix #3866

Revision d750abfa - 2011-06-18 06:36 PM - Sergey Yakushev

Fix #3866 for measure angle tool

Revision fc986f08 - 2011-07-18 10:01 AM - Jürgen Fischer

fix #3866

Revision 1a761e96 - 2011-07-18 10:19 AM - Sergey Yakushev

Fix #3866 for measure angle tool

History

#1 - 2011-06-03 07:42 AM - Jürgen Fischer

Why should it be slower on Windows? I suppose it's just the noisy debugging output that makes it slow.

#2 - 2011-06-03 10:47 AM - Jürgen Fischer

- Resolution set to fixed
- Status changed from Open to Closed

fixed in commit:50d255f20fdb362c6b26bf0bec7f60e3f35ea1e2.

#3 - 2011-06-09 11:40 PM - Sergey Yakushev

- File `measure_angle.diff` added

This Bug is partial solved. The fact that a similar problem in the measuring angles tool (corrected only tool of measurement of distances and areas). Look at call `QgsMapToolMeasureAngle::configureDistanceArea()` in `QgsMapToolMeasureAngle::canvasMouseMove()` [1]

1. <https://github.com/qgis/Quantum-GIS/blob/master/src/app/qgsmaptoolmeasureangle.cpp#L58>

#4 - 2011-06-18 09:44 AM - Alexander Bruy

- Assignee deleted (nobody -)

Patch for measure angle tool applied in commit:d750abfa2bfb197cde8e

Files

measure_angle.diff	4.28 KB	2011-06-09	Sergey Yakushev
--------------------	---------	------------	-----------------