

QGIS Application - Bug report #4309

File browser: loaded layers do not behave the same way as those loaded through standard dialog

2011-09-24 01:29 AM - Paolo Cavallini

Status:	Closed	
Priority:	Normal	
Assignee:	Martin Dobias	
Category:	GUI	
Affected QGIS version:		Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:		Resolution: fixed
Crashes QGIS or corrupts data:		Copied to github as #: 14246
Description e.g. <ul style="list-style-type: none">- .qml styles are not automatically loaded if they are present in the same folder with the same name- point shapefiles are not available for GDALTools interpolation- same for GRASS analyses (e.g. v.in.ogr)- in the legend they are displayed with extension (e.g. points.shp instead of points). I believe most or all of this derives from browser adding the file extension.		

History

#1 - 2011-10-02 11:46 AM - Giovanni Manghi

- Assignee set to Martin Dobias
- Category changed from C++ Plugins to GUI

Seems to me is not listed as a plugin.

#2 - 2011-10-02 11:53 AM - Giovanni Manghi

see also #4296

#3 - 2011-10-03 01:56 PM - Martin Dobias

- Resolution set to fixed
- Status changed from Open to Closed

Should be fixed in commit:3350c9c and commit:6999c89 - at least with shapefiles. Some files that OGR loads actually may be a collection of layers - in those cases the mentioned problems with qml, gdaltools or grass would be still there, but that is a different issue.