

QGIS Application - Bug report #4764

crash on exit in GDal deinitialization

2012-01-09 12:53 PM - Sandro Santilli

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:		
Affected QGIS version:	master	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch applied:		Resolution: fixed
Crashes QGIS or corrupts data:		Copied to github as #: 14628
Description		
<p>Start qgis with, start db_manager plugin, select a simple topology (the city_data constructed by topology/test/load_topology.sql is ok), select TopoViewer, close the qgis main window.</p> <pre>#0 0x00007f5ed7bfd76c in malloc Consolidate (av=0x7f5ed7f04e40) at malloc.c:5144 #1 0x00007f5ed7c00460 in _int_free (av=0x7f5ed7f04e40, p=0x2afa5a0) at malloc.c:5017 #2 0x00007f5ed7c03e83 in *__GI___libc_free (mem=<value optimized out>) at malloc.c:3738 #3 0x00007f5ed90a52c9 in CPLCleanupTLSList (papTLSList=0x2b8f440) at cpl_multiproc.cpp:184 #4 0x00007f5ed90655ea in ~GDALDriverManager (this=0x7f5eb4013250, __in_chrg=<value optimized out>) at gdaldrivermanager.cpp:234</pre> <p>Doesn't happen with qgis master (2.0dev) on the same machine (thus same gdal)</p> <p>I've no idea about the category...</p>		

History

#1 - 2012-01-09 12:57 PM - Sandro Santilli

It still segfaults if you remove *all* layers before closing the window.
Doesn't segfault if you never load any layer.

#2 - 2012-04-16 06:32 AM - Paolo Cavallini

- Target version changed from Version 1.7.4 to Version 1.8.0

#3 - 2012-09-04 11:54 AM - Paolo Cavallini

- Target version changed from Version 1.8.0 to Version 2.0.0

#4 - 2012-12-14 09:11 AM - Sandro Santilli

- Resolution set to fixed
- Status changed from Open to Closed

Haven't seen this for a long time now. Dunno which commit fixed it.