

QGIS Application - Bug report #5235

Link to SQL server spatial view fails

2012-03-26 05:17 AM - James Perrins

Status:	Closed	
Priority:	Normal	
Assignee:	Tamas Szekeres	
Category:	Data Provider	
Affected QGIS version:	master	Regression?: No
Operating System:	Windows	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: fixed
Crashes QGIS or corrupts data:	No	Copied to github as #: 14971
Description		
<p>Trying to link to a SQL view that contains geometry. I get offered the table in the list of possible layers.</p> <p>Invalid Layer</p> <p>-----</p> <p>dbname='CMSI' host=JAMESP-THINK srid=27700 type=POLYGON table="dbo"."vFeaturesGeom_Polygon" (Geom) sql= is an invalid layer and cannot be loaded.</p> <p>The underlying SitesGeom table connects OK.</p> <p>The SQL which fails was: (I can provide more detail if required)</p> <pre>SELECT dbo.Sites.SiteCode, dbo.Sites.SiteName, dbo.SitesGeom.Geom, dbo.SitesGeom.MI_PRINX, dbo.SiteTree.SiteTreeName FROM dbo.Sites INNER JOIN dbo.SitesGeom ON dbo.Sites.SiteCode = dbo.SitesGeom.SiteCode LEFT OUTER JOIN dbo.SiteTree ON dbo.Sites.SiteTreeCodeParent = dbo.SiteTree.SiteTreeCode</pre>		

History

#1 - 2012-03-26 05:46 AM - James Perrins

Tested on version 1.9.90-Alpha

#2 - 2012-03-26 05:52 AM - Nathan Woodrow

- Assignee set to Tamas Szekeres

#3 - 2012-03-27 03:24 AM - James Perrins

The error message should have of course been:

dbname='CMSI' host=JAMESP-THINK srid=27700 type=POLYGON table="dbo"."vSitesGeom" (Geom) sql= is an invalid layer and cannot be loaded.

(I was trying a variety of views - some of which worked - some didn't - but I can't (yet) see a pattern. I pasted a mismatch error with the view - apologies)

#4 - 2012-03-27 03:57 AM - James Perrins

A bit more information - hope this helps:

OK - I set up a really simple view - I have a table SitesGeom that is displaying correctly - so I don't think its a data issue

I created a view on this table that simply dropped a number of columns and called it SitesTest
(SELECT SiteCode, Geom AS MyGeom FROM dbo.SitesGeom)

I made sure all entries were in geometry_columns table (same settings for base table and view)

When I tried to add table - I watched in profiler and got:

```
select f_geometry_column, coord_dimension, srid, geometry_type from geometry_columns where f_table_schema = 'dbo' and f_table_name = 'SitesTest'  
exec sp_columns N'SitesTest', NULL, NULL, NULL, NULL  
select [MyGeom] from [dbo].[SitesTest]
```

I didn't get this SQL (which I do for the base table)
select srtext from spatial_ref_sys where srid = 27700

So presumably problem is between those 2 statements. All SQL in profiler seemed valid.

Hope this helps

#5 - 2012-03-27 05:17 AM - Tamas Szekeres

James Perrins wrote:

A bit more information - hope this helps:

OK - I set up a really simple view - I have a table SitesGeom that is displaying correctly - so I don't think its a data issue

*I created a view on this table that simply dropped a number of columns and called it SitesTest
(SELECT SiteCode, Geom AS MyGeom FROM dbo.SitesGeom)*

I made sure all entries were in geometry_columns table (same settings for base table and view)

When I tried to add table - I watched in profiler and got:

```
select f_geometry_column, coord_dimension, srid, geometry_type from geometry_columns where f_table_schema = 'dbo' and f_table_name =  
'SitesTest'  
exec sp_columns N'SitesTest', NULL, NULL, NULL, NULL  
select [MyGeom] from [dbo].[SitesTest]
```

*I didn't get this SQL (which I do for the base table)
select srtext from spatial_ref_sys where srid = 27700*

So presumably problem is between those 2 statements. All SQL in profiler seemed valid.

Hope this helps

Could you test the same thing using <https://github.com/szekerest/Quantum-GIS> ?

There have been a couple of changes recently which may affect this issue

#6 - 2012-03-27 05:37 AM - James Perrins

I can try - is there a Windows build in there somewhere - or is it just source ?

In which case presumably I need to set up a build environment - which I don't have at the moment (but was planning on trying to get going in the next couple of weeks).

I assume its not quite as straight forward as simply downloading git repository and hitting build in VS 2008 ?

Thanks

#7 - 2012-03-27 01:58 PM - Tamas Szekeres

James Perrins wrote:

I can try - is there a Windows build in there somewhere - or is it just source ?

In which case presumably I need to set up a build environment - which I don't have at the moment (but was planning on trying to get going in the next couple of weeks).

I assume its not quite as straight forward as simply downloading git repository and hitting build in VS 2008 ?

Thanks

Uploaded a Windows build here: <http://www.gisinternals.com/tests/ggis1.9.90.zip>

#8 - 2012-03-27 04:02 PM - James Perrins

Same error with your latest build I'm afraid

#9 - 2012-03-28 02:12 AM - Tamas Szekeres

James Perrins wrote:

Same error with your latest build I'm afraid

Do you have an integer column with unique values in the view?

#10 - 2012-03-30 01:37 AM - James Perrins

Yes - unique integer field is present.

Same view works well in your mapserver sql2008 plugin

```
CREATE TABLE [dbo].[SitesGeom](  
    [guid] [uniqueidentifier] NOT NULL,  
    [SiteCode] [nvarchar](10) NOT NULL,
```

```

[geom] [geometry] NULL,
[VersionNumber] [timestamp] NOT NULL,
[MI_PRINX] [int] IDENTITY NOT NULL,
[Modified] [datetime] NOT NULL,
[ModifiedBy] [nvarchar](255) NOT NULL,
[Created] [datetime] NOT NULL,
[CreatedBy] [nvarchar](255) NOT NULL,
[xgLockedBy] [nvarchar](50) NULL,
[xgGeometryType] [int] NULL,
[GISType] [int] NOT NULL,
CONSTRAINT [PK_SitesGeom] PRIMARY KEY CLUSTERED
(
    [guid] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON,
ALLOW_PAGE_LOCKS = ON) ON [PRIMARY],
CONSTRAINT [IX_SitesGeom] UNIQUE NONCLUSTERED
(
    [SiteCode] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON,
ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]

```

#11 - 2012-03-30 02:31 AM - Tamas Szekeres

James Perrins wrote:

Yes - unique integer field is present.

Same view works well in your mapserver sql2008 plugin

```

CREATE TABLE [dbo].[SitesGeom](
    [guid] [uniqueidentifier] NOT NULL,
    [SiteCode] [nvarchar](10) NOT NULL,
    [geom] [geometry] NULL,
    [VersionNumber] [timestamp] NOT NULL,
    [MI_PRINX] [int] IDENTITY NOT NULL,
    [Modified] [datetime] NOT NULL,
    [ModifiedBy] [nvarchar](255) NOT NULL,
    [Created] [datetime] NOT NULL,
    [CreatedBy] [nvarchar](255) NOT NULL,
    [xgLockedBy] [nvarchar](50) NULL,
    [xgGeometryType] [int] NULL,
    [GISType] [int] NOT NULL,
    CONSTRAINT [PK_SitesGeom] PRIMARY KEY CLUSTERED
    (
        [guid] ASC
    )WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON,
    ALLOW_PAGE_LOCKS = ON) ON [PRIMARY],
    CONSTRAINT [IX_SitesGeom] UNIQUE NONCLUSTERED
    (
        [SiteCode] ASC
    )WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON,

```

```
ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
```

How is your view definition looking like?

#12 - 2012-03-30 03:00 AM - James Perrins

OK - a bit more...

This view works:

```
SELECT SiteCode, Geom AS MyGeom, MI_PRINX
FROM    dbo.SitesGeom
```

In my attempt to simplify I had removed the unique integer field by mistake - stupid - sorry...)

This is the real view that I was trying to use (and still fails). It works fine in mapserver. It appears OK and correctly identifies SRID and that it contains polygons - but trying to add to map gives error above:

```
CREATE VIEW [dbo].[vSitesGeom]
AS
SELECT  dbo.Sites.SiteCode, dbo.Sites.SiteName, dbo.SitesGeom.Geom, dbo.SitesGeom.MI_PRINX, dbo.SiteTree.SiteTreeName
FROM    dbo.Sites INNER JOIN
        dbo.SitesGeom ON dbo.Sites.SiteCode = dbo.SitesGeom.SiteCode LEFT OUTER JOIN
        dbo.SiteTree ON dbo.Sites.SiteTreeCodeParent = dbo.SiteTree.SiteTreeCode
```

In case its useful the SiteTree table that is joined in view above is:

```
CREATE TABLE [dbo].[SiteTree](
    [SiteTreeCode] [nvarchar](10) NOT NULL,
    [ParentSiteTreeCode] [nvarchar](10) NULL,
    [SiteTreeName] [nvarchar](100) NULL,
    [SiteTreeOrder] [int] NULL,
    [VersionNumber] [timestamp] NOT NULL,
    [Modified] [datetime] NOT NULL,
    [ModifiedBy] [nvarchar](255) NOT NULL,
    [Created] [datetime] NOT NULL,
    [CreatedBy] [nvarchar](255) NOT NULL,
    [guid] [uniqueidentifier] NOT NULL,
    CONSTRAINT [PK_SiteTree] PRIMARY KEY NONCLUSTERED
(
    [guid] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON,
ALLOW_PAGE_LOCKS = ON) ON [PRIMARY],
    CONSTRAINT [LogicalKey_SiteTree] UNIQUE CLUSTERED
(
    [SiteTreeCode] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON,
ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
```

GO

```
ALTER TABLE [dbo].[SiteTree] WITH CHECK ADD CONSTRAINT [FK_SiteTree_SiteTree] FOREIGN KEY
REFERENCES [dbo].[SiteTree] ([SiteTreeCode])
GO
```

```
ALTER TABLE [dbo].[SiteTree] CHECK CONSTRAINT [FK_SiteTree_SiteTree]
GO
```

```
ALTER TABLE [dbo].[SiteTree] ADD CONSTRAINT [DF__SiteTree__Modifi__29EC2402] DEFAULT (getdate()) FOR [Modified]
GO
```

```
ALTER TABLE [dbo].[SiteTree] ADD CONSTRAINT [DF__SiteTree__Modifi__2AE0483B] DEFAULT (user_name()) FOR [ModifiedBy]
GO
```

```
ALTER TABLE [dbo].[SiteTree] ADD CONSTRAINT [DF__SiteTree__Create__2BD46C74] DEFAULT (getdate()) FOR [Created]
GO
```

```
ALTER TABLE [dbo].[SiteTree] ADD CONSTRAINT [DF__SiteTree__Create__2CC890AD] DEFAULT (user_name()) FOR [CreatedBy]
GO
```

```
ALTER TABLE [dbo].[SiteTree] ADD CONSTRAINT [DF__SiteTree__guid__61074EC2] DEFAULT (newsequentialid()) FOR [guid]
GO
```

#13 - 2012-03-30 03:20 AM - Tamas Szekeres

Are you sure the left outer join on the view definition doesn't affect the uniqueness of the MI_PRINX column?
If you could provide some test data, that would be helpful to reproduce this behaviour.

#14 - 2012-03-30 03:53 AM - James Perrins

- File script.zip added

I don't think the join makes it non unique - as I say - it definitely works in map server - wouldn't that have the same issue ?

SQL script that will create tables and data in your db attached

Many Thanks

#15 - 2012-03-31 12:37 PM - Tamas Szekeres

James Perrins wrote:

I don't think the join makes it non unique - as I say - it definitely works in map server - wouldn't that have the same issue ?

SQL script that will create tables and data in your db attached

Many Thanks

Tested with your data and works for me. Are you sure you use the latest version?

#16 - 2012-04-22 02:28 PM - Tamas Szekeres

- Status changed from Open to Feedback

#17 - 2012-08-13 08:16 AM - James Perrins

This appears to now work in 1.9-0 Master

QGIS code revision

829f672

Thanks

#18 - 2012-08-13 08:17 AM - Giovanni Manghi

- Status changed from Feedback to Closed

- Resolution set to fixed

Files

script.zip	1.14 MB	2012-03-30	James Perrins
------------	---------	------------	---------------