QGIS Application - Bug report #528 QGIS does't remove GRASS mapset lock file after its session

2007-01-09 04:55 AM - Redmine Admin

Status: Closed
Priority: Low
Assignee: nobody Category: GRASS

Affected QGIS version: No
Operating System: Linux Regression?: No

Pull Request or Patch supplied:Resolution:worksformeCrashes QGIS or corrupts data:Copied to github as #: 10587

Description

Steps to reproduce:

- 1. Start QGIS (from clean console, not from GRASS!) and open existing mapset
- 2. Close QGIS
- 3. Start QGIS again and try to open the same mapset which was opened in step 1. Now it's not possible because the maset is still locked.

This happened only if QGIS is not started from GRASS.

History

#1 - 2007-01-09 09:06 PM - Gary Sherman

I wasn't able to duplicate this. My mapset was not locked after following the steps.

#2 - 2007-01-09 11:55 PM - Redmine Admin

It works for me in WINDOWS and if QGIS is started from GRASS otherwise .gislock file remains in mapset directory and it is not possible to use the mapset again. (btw. in Windows there were no lock file created during mapset use)

#3 - 2007-02-25 07:26 PM - Tim Sutton

Moved to milestone 0.8.2 since we wont be fixing any further issues before the 0.8.1 release

#4 - 2007-03-16 07:16 PM - Gary Sherman

- Resolution set to worksforme
- Status changed from Open to Closed

This appears to work in both 0.8.1 branch and 0.9

#5 - 2009-08-22 12:52 AM - Anonymous

Milestone Version 0.8.2 deleted

2025-04-27 1/1