

## QGIS Application - Bug report #5402

### MS SQL Server native driver not detecting primary key of tables

2012-04-18 01:01 AM - Carlos da Ponte

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>	Tamas Szekeres	
<b>Category:</b>	Data Provider/MSSQL	
<b>Affected QGIS version:</b>	master	<b>Regression?:</b> No
<b>Operating System:</b>		<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>		<b>Resolution:</b> worksforme
<b>Crashes QGIS or corrupts data:</b>		<b>Copied to github as #:</b> 15070
<b>Description</b>		
<p>Tables are all listed and all other attributes of the tables are detected by the driver with the exception of the Primary Key. A GID auto-incremented field is present on all tables to act as a primary key for QGIS. Please provide details on proper table structure and I will verify everything is correct on our end.</p> <p>thanks!</p>		

#### History

##### #1 - 2012-04-18 01:45 AM - Tamas Szekeres

- Assignee set to Tamas Szekeres

##### #2 - 2012-08-18 03:07 AM - Tamas Szekeres

- Status changed from Open to Feedback

There have been some changes related to the pk detection in the mssql driver. Would you check whether it fixes this problem or not?

##### #3 - 2012-09-04 12:08 PM - Paolo Cavallini

- Target version set to Version 2.0.0

##### #4 - 2014-06-21 03:36 AM - Jürgen Fischer

- Resolution set to worksforme

- Status changed from Feedback to Closed

closing for the lack of feedback

##### #5 - 2014-06-21 03:36 AM - Jürgen Fischer

- Category set to Data Provider/MSSQL