

QGIS Application - Bug report #5608

Value in Primary Key Field with Sequence Is Ignored When New Feature Is Added

2012-05-16 10:33 AM - Lee Hachadoorian

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	Data Provider/PostGIS	
Affected QGIS version:	master	Regression?: No
Operating System:	Ubuntu	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: fixed
Crashes QGIS or corrupts data:	No	Copied to github as #: 15181
Description		
<p>See thread [Qgis-user] QGis 1.7.4 possible bug with PostgreSQL/Postgis manual integer primary key? http://lists.osgeo.org/pipermail/qgis-user/2012-May/017113.html.</p> <p>Steps to reproduce:</p> <ol style="list-style-type: none">1) Add PostGIS layer.2) Toggle Editing3) Add Feature (e.g. with Capture Polygon tool)4) Dialog box with available attribute fields appears when shape is created5) Note that primary key defined with sequence appears with default value nextval('sequence_name'::regclass)6) Alter default value of primary key to some specific desired value7) Turn off editing/save changes8) Open attribute table9) Note that value is next one supplied by PostGIS sequence, NOT value supplied by user. <p>nextval() from sequence is a default value. Supplying a specific value via a manual INSERT statement or using pgAdmin edit grid respects user input. Therefore it appears that QGIS is programmed to ignore user-supplied value, resulting in default value supplied by sequence. This is inconsistent with other QGIS behavior in that QGIS allows user to edit existing primary key values and change them to any value which does not result in a key violation.</p> <p>Desired behavior should be discussed. It seems the choices are (a) respect user input, or (b) do not allow user input.</p> <p>Using QGIS 1.7.4 on Ubuntu 10.04, running against PostGIS 1.4/PostgreSQL 8.4.</p>		

History

#1 - 2012-05-16 12:29 PM - Jürgen Fischer

Not reproducible with master.

Creating a table with:

```
DROP TABLE IF EXISTS bar;
CREATE TABLE bar(
  id SERIAL PRIMARY KEY,
  name varchar
);
SELECT AddGeometryColumn('bar','geom',4326,'POLYGON',2);
```

and creating 4 features in a row and then committing produces

id	name
1	leaving default for the first
2	leaving default for the second too
1000	setting 1000 for the third
3	and setting 3 for the fourth

Which looks just like I would expect.

#2 - 2012-05-17 09:17 AM - Lee Hachadoorian

Tested with master. Can confirm correct behavior, so this is an old/already fixed problem. Affected version should have been set to 1.7.4 when I created the issue.

#3 - 2012-05-17 09:20 AM - Jürgen Fischer

- Resolution set to fixed
- Status changed from Open to Closed

Lee Hachadoorian wrote:

Tested with master. Can confirm correct behavior, so this is an old/already fixed problem. Affected version should have been set to 1.7.4 when I created the issue.

Ok. Closing in that case.