QGIS Application - Bug report #5794

QGIS mapserv crashes if I add an empty layer in the mapfile

2012-06-13 11:35 AM - aboudreault -

Status: Closed Priority: Normal

Assignee: Marco Hugentobler
Category: QGIS Server

Affected QGIS version:master Regression: No Operating System: Easy fix?: No

Pull Request or Patch supplied: Resolution: fixed/implemented

Crashes QGIS or corrupts data: Copied to github as #: 15285

Description

Using qgis_mapserv 1.7.4, when I try to specify a mapfile that contains an empty layer (no data) ... it crashes with: terminate called after throwing an instance of 'QgsCsException'. I normally create a mapfile and setup everything on the application.... then some data are loaded by the client in the layer using a tool.

History

#1 - 2012-06-13 11:43 AM - Giovanni Manghi

- Assignee set to Marco Hugentobler

dod you tested qgis 1.8?

#2 - 2012-09-04 11:51 AM - Paolo Cavallini

- Target version changed from Version 1.7.4 to Version 2.0.0

#3 - 2014-06-28 07:42 AM - Jürgen Fischer

- Target version changed from Version 2.0.0 to Future Release - Lower Priority

#4 - 2014-10-17 01:01 AM - lars Lingner

I can confirm this issue on Ubuntu server 14.04. with qgis-mapserver 2.4.0-0precise2 amd64

uname -a

 $Linux\ 1344330903-6\ 3.2.0-60-generic\ \#91-Ubuntu\ SMP\ Wed\ Feb\ 19\ 03:54:44\ UTC\ 2014\ x86_64\ x86_64\ x86_64\ GNU/Linux$

Running with Apache mod_fcgi

I could also provide a Coredump file.

#5 - 2015-10-08 12:54 AM - Giovanni Manghi

As far as I can see still an issue on 2.8.3 and master.

#6 - 2016-08-18 02:51 AM - lars Lingner

With version 2.16 this issue seams to be solved. I made a test with an empty query result from a postgis view, QGis Server doesn't crash anymore.

2025-04-27 1/2

#7 - 2017-03-07 10:55 AM - Giovanni Manghi

- Resolution set to fixed/implemented
- Status changed from Open to Closed

I also tested it today, and is ok now.

2025-04-27 2/2