# QGIS Application - Feature request #6263 No way to change FreeTDS protocol version

2012-08-28 12:18 AM - Evgeniy Nikulin

Status:	Closed	
Priority:	Normal	
Assignee:	Tamas Szekeres	
Category:	Data Provider/MSSQL	
Pull Request or Patch supplied:		Resolution:
Easy fix?:	No	Copied to github as #: 15568
Description		
FreeTDS drive is used by default when create new MSSQL connection under Linux and DSN not using. But you can not choose the version of the protocol to be used for communication. May be the connection form under Linux can have an extra field "Protocol version"?		

#### Associated revisions

## Revision c322cd52 - 2012-09-03 11:01 AM - Tamas Szekeres

Specify port 1433 for FreeTDS by default. Allow to specify server/database/uid/password when the driver setting is present (fixes #6259, fixes #6263)

#### History

### #1 - 2012-08-28 12:56 PM - Tamas Szekeres

Did you mean the TDS\_Version setting?

Custom settings can be specified in the Provider/DSN textbox (separated with semicolons) which is used as part of the ODBC connection string. Wouldn't that be sufficient in this case?

#### #2 - 2012-09-02 12:46 PM - Evgeniy Nikulin

Yes, its TDS\_Version setting. If I try to specify in Provider/DSN textbox custom settings, I shoud to specify full connection string:

driver=FreeTDS;TDS\_Version=8.0;port=1433;server=192.168.0.1;database=my\_db;

In this case, the server and database fields do not work. Imho this is not user-friendly. I agree with you, the TDS\_Version must be specified in Provider/DSN textbox. But why not simply specify:

driver=FreeTDS;TDS\_Version=8.0;

## ?

#### #3 - 2012-09-03 02:05 AM - Tamas Szekeres

- Status changed from Open to Closed

Fixed in changeset commit:"c322cd52cf82afeb10beefa6efa42da2bdcea46f".

### #4 - 2012-09-03 02:07 AM - Tamas Szekeres

Tamas Szekeres wrote:

Fixed in changeset commit:"c322cd52cf82afeb10beefa6efa42da2bdcea46f".

This change should eliminate the requirement to specify the full connection string if the driver setting is present