

QGIS Application - Bug report #6525

The WFS provider repeats the field with PK

2012-10-16 11:52 AM - aperi2007 -

Status:	Closed	
Priority:	Severe/Regression	
Assignee:		
Category:	Web Services clients/WFS	
Affected QGIS version:	master	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:		Resolution: invalid
Crashes QGIS or corrupts data:		Copied to github as #: 15741
Description Hi, using the wfs client on qgis-dev. When I try to add a new record (a point in my test), a windows appears with the field to fill. The first field (named id) is the PK for my table. If I leave that field empty, the creation will do all ok because the id field is a serial type. But if I fill the id field with a value, qgis sends an insert to the wfs server with two id fields. I add two screen images to explain this bug better.		

History

#1 - 2012-10-16 12:06 PM - aperi2007 -

Hi,
I tested more.
The duplicate happen also if the PK is integer type and not only if serial type.
This is a bit more bad because the serial is autofill, instead the integer simple type is not autofill.
So this is really a blocking issue for wfs usage.

#2 - 2012-10-16 12:09 PM - Jürgen Fischer

- Subject changed from *The WFS provider repat the filed with PK* to *The WFS provider repeats the field with PK*

#3 - 2013-07-11 12:09 PM - Jürgen Fischer

- Status changed from *Open* to *Feedback*

aperi2007 - wrote:

| The duplicate happen also if the PK is integer type and not only if serial type.

Is this still an issue? I can't reproduce it.

#4 - 2013-07-12 03:28 AM - aperi2007 -

- Resolution set to *invalid*
- Status changed from *Feedback* to *Closed*

Sorry,
but I'm no more able to test this. The wfs server is not available.

I guess this is closable if the issue is no more reproduceable.

Files			
img-1.jpg	17.2 KB	2012-10-16	aperi2007 -
img-2.jpg	10.1 KB	2012-10-16	aperi2007 -