

QGIS Application - Bug report #6550

Fix sip bindings to QgsVectorLayer signals featureAdded / featureDeleted

2012-10-21 12:40 AM - Rafael Varela

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:		
Affected QGIS version:	master	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:		Resolution:
Crashes QGIS or corrupts data:		Copied to github as #: 15754
Description		
<p>Trying to connect() a signal handler for featureAdded I get this error:</p> <pre>@TypeError: connect() failed between 'featureAdded' and 'unislot'@</pre> <p>My code looks like this:</p> <pre>vLayer.featureAdded.connect(self.onNodeFeatureAdded)</pre> <pre>...</pre> <pre>@pyqtSlot(int)</pre> <pre>def onNodeFeatureAdded(featureId):</pre> <pre>...</pre> <pre>return</pre> <p>I guess that the sip bindings for featureAdded() and featureDeleted() should be changed the same way was done for geometryChanged() and attributeValueChanged() in commit commit:32978fb4e9a6b115bed3245a90c4c038ed3fb04c</p> <p>i.e:</p> <pre>void featureAdded(QgsFeatureId fid);</pre> <pre>void featureDeleted(QgsFeatureId fid);</pre> <p>instead of:</p> <pre>void featureAdded(qint64 fid);</pre> <pre>void featureDeleted(qint64 fid);</pre>		

Associated revisions

Revision [dbab4a24](#) - 2012-10-21 01:21 PM - Jürgen Fischer

update QgsVectorLayer bindings (fixes #6550)

History

#1 - 2012-10-21 04:23 AM - Jürgen Fischer

- *Status changed from Open to Closed*

Fixed in changeset commit:"dbab4a2425350d22bb8a3c2f3fd06d8c284c1823".