

QGIS Application - Bug report #6876

Performance during digitizing in a shape-layer if other big layers in project are snap-able

2012-12-14 04:09 AM - Joachim Deutmann

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	Digitising	
Affected QGIS version:	1.8.0	Regression?: No
Operating System:	Windows XP Prof	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: no timely feedback
Crashes QGIS or corrupts data:	No	Copied to github as #: 16005
Description		
<p>Layer with many elements reduce performance during digitizing in the project significantly if the layers snap is on. This applies to all of the tested file formats or databases (Shape, XML, KML, Spatialite, PostgreSQL ...) If these layers, however, saved as MapInfo Tab layer, the performance increases drastically. For example, i generate a vector grid with 170,000 polygons and stored it as well as ESRI-shape and as MapInfo-tab. Both layers are in the actual project. After that i create a new polygon-shape layer in the same project. Then i turn "snap on" on the big TAB-Layer and create an object in new shape layer (It doesn't matter, if it is created "normal" or with the plugin "new memory layer" or if it is an existing Shapelayer). The performance difference between snap on the TAB-layer (high speed) and snap on the SHP-layer (very, very slow) during digitizing is extreme.</p>		

History

#1 - 2012-12-30 09:51 AM - Giovanni Manghi

- Priority changed from High to Normal

#2 - 2017-05-01 01:09 AM - Giovanni Manghi

- Easy fix? set to No

- Regression? set to No

#3 - 2018-03-01 12:24 PM - Giovanni Manghi

- Status changed from Open to Feedback

Please test with a recent QGIS release (2.18 or 3), if the issue/request is still valid change the affected version accordingly, if is fixed/implemented then close the ticket. Thanks!

#4 - 2019-02-23 07:17 PM - Jürgen Fischer

- Resolution set to no timely feedback

- Status changed from Feedback to Closed