

QGIS Application - Bug report #7060

Debian build problem in latest from github.

2013-01-28 03:13 AM - Andy Wood

Status:	Closed	
Priority:	Severe/Regression	
Assignee:		
Category:	Build/Install	
Affected QGIS version:	master	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:		Resolution:
Crashes QGIS or corrupts data:		Copied to github as #: 16145
Description		
Downloaded the latest commits from master into my local branch (Mon Jan 28 11:12:24 GMT 2013), built it the Debian way (as usual) and encountered the following problem: <pre>[...] dh_testdir dh_testroot dh_installchangelogs ChangeLog dh_installdocs dh_installexamples dh_install --sourcedir=debian/tmp cp: cannot stat `debian/tmp/usr/lib/qgis/plugins/libmssqlprovider.so': No such file or directory dh_install: cp -a debian/tmp/usr/lib/qgis/plugins/libmssqlprovider.so debian/qgis-providers//usr/lib/qgis/plugins/ returned exit code 1 make: *** [binary-arch] Error 2 dpkg-buildpackage: error: fakeroot debian/rules binary gave error exit status 2</pre>		

Associated revisions

Revision 6c931f3b - 2013-01-28 12:32 PM - Jürgen Fischer

debian packaging update (fixes #7060)

History

#1 - 2013-01-28 03:33 AM - Jürgen Fischer

- Status changed from Open to Closed

Fixed in changeset commit:"6c931f3bbc6a4d29a3026d6e6a50e7f657977a54".

#2 - 2013-01-28 04:52 AM - Jürgen Fischer

See also <http://lists.osgeo.org/pipermail/qgis-developer/2013-January/024128.html>